

Crafter's Choice™ Black Cashmere Fragrance Oil SDS Type: GHS / OSHA

Page 1 of 7 2016-03-10

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

Crafter's Choice™ Black Cashmere Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS Regulation (EC) No 1272/2008

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed Skin

Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid Acute Dermal/Eye 11 : May cause skin irritation.

16: Causes

19: May cause photo-induced skin irritation.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

**Hazard pictograms** 





Signal Word: Warning Hazard Statements



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Black Cashmere Fragrance Oil

Page 2 of 7 2016-03-10

H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled

**Precautionary Statements** 

Prevention:

H411

P272 Contaminated work clothing should not be allowed out of the workplace

Toxic to aquatic life with long lasting effects

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification			
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15			
Hexyl cinnamaldehyde							
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410	11, 31			
Tetramethyl Acetyloctahydronaphthalenes							
105-95-3	203-347-8	5 - 10 %	H401	11, 15			
Ethylene brassylate							
28219-61-6	248-908-8	2 - 5 %	H319; H400; H410	11, 15, 31			
Ethyl trimethylcyclopentene butenol							
31906-04-4	250-863-4	1 - 2 %	H317; H402				
Hydroxyisohexyl 3-cyclohexene carboxaldehyde							
54982-83-1	259-423-6	1 - 2 %	H303; H316; H400; H412				
Ethylene dodecanedioate							
32388-55-9	251-020-3	1 - 2 %	H316; H317; H400; H410	16, 19			
Acetyl cedrene							
139504-68-0	412-300-2	1 - 2 %	H320; H401; H411				
1-(2-Butyl cyclohexyloxy)-2-butanol							
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H401	12, 15, 3, 31, 9			
Iso Eugenol							



Crafter's Choice™ Black Cashmere Fragrance Oil SDS Type: GHS / OSHA

Page 3 of 7 2016-03-10

CAS# Ingredient

(800) 908-7028

Independence, OH 44131

www.crafters-choice.com

EC# Conc. Range

GHS Classification

**OSHA Classification** 

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.00

#### 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:**Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable



(800) 908-7028

www.crafters-choice.com

# **Safety Data Sheet**

## Crafter's Choice™ Black Cashmere Fragrance Oil

SDS Type: GHS / OSHA

Page 4 of 7 2016-03-10

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

Color:

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

Yellow Tint (G1)

## Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0006

 %VOC:
 0.05

 Specific Gravity @ 25 C:
 0.9410

 Density @ 25 C:
 0.9380

 Refractive Index @ 20 C:
 1.4630

 Soluble in:
 Oil



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028

www.crafters-choice.com

## **Safety Data Sheet**

## Crafter's Choice™ Black Cashmere Fragrance Oil

SDS Type: GHS / OSHA

Page 5 of 7 2016-03-10

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4,962.00) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 6,615.33) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 133.93) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

## 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available



Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

**Safety Data Sheet** 

Crafter's Choice™ Black Cashmere Fragrance Oil SDS Type: GHS / OSHA

Page 6 of 7 2016-03-10

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	I/Pail\	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.
Environmentally Hazardous	Substance,	9	Ш		UN3082
Liquid, n.o.s. IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

## 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

This product contains the following components:

93-15-2 202-223-0 <= 3 ppm Methyl Eugenol (NFS)

**Canadian Regulations:** 

**DSL / NDSL** 99.90% of the components are listed or exempt.

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

## 16. Other Information

#### GHS H-Statements referred to under section 3

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.70) Skin Corrosion/Irritation, Category 3 (1.00) Sensitization, Skin, Category 1A

(3.91) Aquatic Chronic Toxicity, Category 2



# Crafter's Choice™ Black Cashmere Fragrance Oil

SDS Type: GHS / OSHA

Page 7 of 7 2016-03-10

#### Remarks

www.crafters-choice.com

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.