7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 1 of 8 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice Orange Sugar & Shea Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency Telephone Number ChemTel (MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands + (813) 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Target Organ Systemic Toxicity - Single	H371: May cause damage to organs
Exposure, Category 2	
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

`	
Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes moderate
	15 : May cause
	19 : May cause photo-induced skin irritation.
	9 : Harmful if absorbed through the skin.
Acute Inhalation	23 : May cause respiratory tract irritation.
	25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia
Acute Oral	2 : Harmful if swallowed
Reproductive/Developmental	39 : Causes reproductive/developmental
Sensitization/Allergic Response	31 : May cause allergic skin reaction.



Safety Data Sheet

Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 2 of 8 2016-03-10

Target Organ Effects

26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal glands, liver, spleen, blood, bone marrow, stomach, brain, thyroid, bile duct, tongue, mucous membranes,
28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver, bone marrow, skin, testes
This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

Carcinogenicity

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H371	May cause damage to organs
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. Continue rinsing
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse



Safety Data Sheet

Crafter's Choice™ Orange Sugar & Shea Fragrance Oil

a direct water jet on burning material

In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

Page 3 of 8 2016-03-10

P370 + P378

P391

2.3 Other Hazards

No data available

3. Composition/Information on Ingredients

Collect Spillage

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
140-11-4	205-399-7	10 - 20 %	H303; H316; H401; H412	15, 25, 26, 31, 39	
Benzyl ace	etate				
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411	28, 3	
Benzyl Be	nzoate				
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H319; H402	12, 26	
Linalool					
24851-98-7	246-495-9	10 - 20 %	H402		
Methyldihy	/drojasmonate				
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H371; H401; H412	31	
Benzyl Sa	licylate				
63500-71-0	405-040-6	5 - 10 %	H319		
TETRAHY	DRO-METHYL-I	METHYLPROPY	L)-PYRAN-4-OL		
8008-57-9	232-433-8	5 - 10 %	H226; H304; H315; H400; H410	12, 3, 31	
Citrus aura	antium dulcis (Or	range) oil			
104-61-0	203-219-1	2 - 5 %	H316	12, 15	
gamma-Ne	onalactone				
91-64-5	202-086-7	2 - 5 %	H302; H317; H402	12, 15, 2, 26, 31, 9	
Coumarin					
127-51-5	204-846-3	2 - 5 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31	
a-Isometh	yl ionone				
105-95-3	203-347-8	2 - 5 %	H401	11, 15	
Ethylene k	orassylate				
8007-35-0	232-357-5	2 - 5 %	H316; H401; H411	11	
Terpineol	acetate				
120-57-0	204-409-7	2 - 5 %	H303; H317; H401	31	
Piperonal					
54464-57-2	259-174-3	1 - 2 %	H315; H317; H400; H410	11, 31	
	Tetramethyl Acetyloctahydronaphthalenes				
706-14-9	211-892-8	1 - 2 %	H316		
gamma-De	ecalactone				

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Orange Sugar & Shea Fragrance Oil

Page 4 of 8 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
104-67-6	203-225-4	1 - 2 %	H316; H401; H402; H412	11
gamma-U	ndecalactone			
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
Butylphen	yl Methylpropion	al	H411	
98-55-5	202-680-6	1 - 2 %	H227; H303; H315; H319; H401	11, 15, 23
alpha-Terj	pineol			
18479-58-8	242-362-4	1 - 2 %	H227; H303; H316; H319; H402	11, 15
2,6-dimetl	hyloct-7-en-2-ol			
123-11-5	204-602-6	1 - 2 %	H303; H316; H402	11, 15
Anisaldeh	yde			
128-37-0	204-881-4	1 - 2 %	H316; H400; H410	
Butylated	hydroxytoluene			
18127-01-0	242-016-2	0.1 - 1.0 %	H227; H303; H315; H317; H361; H373;	11, 15, 2, 31, 39
p-tert-Buty	/ldihydrocinnama	aldehyde	H401	
See Section 1	6 for full text of C	GHS classification	n codes	

Total Hydrocarbon Content (% w/w) = 5.62

4. First Aid Measures				
4.1 Description of first aid measures				
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.			
Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.				
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.			
Ingestion:	Rinse mouth with water and obtain medical advice.			
4.2 Most important symptoms and eff	fects, both acute and delayed			
Symptoms:	no data available			
Risks: Refer to Section 2.2 "Hazard Statements"				
4.3 Indication of any immediate media	cal attention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"			
5. Fire-Fighting measures				
5.1 Extinguishing media				
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam			
Unsuitable Do not use a direct water jet on burning material				
5.2 Special hazards arising from the				

During fire fighting:Water may be ineffective5.3Advice for firefighters

Further information:

Standard procedure for chemical fires



Safety Data Sheet

Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 5 of 8 2016-03-10

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
140-11-4	Benzyl acetate	10				
128-37-0	Butylated hydroxytoluene	2				

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Orange Sugar & Shea Fragrance Oil

SDS Type: GHS / OSHA

Page 6 of 8 2016-03-10

Color:	Pale Yellow (G3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	180 F (82.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0918
%VOC:	18.2108
Specific Gravity @ 25 C:	0.9990
Density @ 25 C:	0.9960
Refractive Index @ 20 C:	1.4970
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2,347.52) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 2,646.99) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 32.03) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	May cause damage to organs



Safety Data Sheet

Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 7 of 8 2016-03-10

Specific target organ toxicity - repeated exposure
Aspiration hazard

Not classified - the classification criteria are not met Not classified - the classification criteria are not met

12. Ecological Information

12.1	Toxicity	

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bio accumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Pail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	Ш		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act):

All components of the substance/mixture are listed or exempt This product contains NO components of concern.

40 CFR(EPCRA, SARA, CERCLA and CAA)

U.S. State Regulations:

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

SDS Type: GHS / OSHA

Page 8 of 8 2016-03-10

California Proposition 65 Warning

93-15-2 202-223-0 <= 4 ppm 123-35-3(NF 204-622-5 0.1 - 1.0 % Canadian Regulations: This product contains the following components: Methyl Eugenol (NFS) beta-Myrcene (NFS)

DSL / NDSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk(2.52) Skin Corrosion/Irritation, Category 2(3.53) Eye Damage/Eye Irritation, Category 2A

(4.69) Aquatic Chronic Toxicity, Category 2

Remarks

(TFV) Risk (7.65) Sensitization, Skin, Category 1B (7.65) Target Organ Systemic Toxicity - Single Exposure, Category 2

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.