

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Crafter's Choice™ Jackfruit & Kiwi Fragrance Oil

Page 1 of 8
2017-03-09

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Jackfruit & Kiwi Fragrance Oil

1.2 Relevant identified product use

Intended Use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC
7820 E. Pleasant Valley Road
Independence, Ohio 44131
Phone: 1-800-908-7028
www.Crafters-Choice.com

1.4 Emergency Telephone Number: ChemTel

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+ (813) 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

| | |
|---------------------------------------|---|
| Flammable Liquids, Category 4 | H227: Combustible liquid |
| Acute Toxicity Oral, Category 4 | H302: Harmful if swallowed |
| Acute Toxicity Dermal, Category 5 | H313: May be harmful in contact with skin |
| Skin Corrosion/Irritation, Category 3 | H316: Causes mild skin irritation |
| Sensitization, Skin, Category 1 | H317: May cause an allergic skin reaction |
| Acute Toxicity Inhalation, Category 4 | H332: Harmful if inhaled |
| Aquatic Acute Toxicity, Category 1 | H400: Very Toxic to aquatic life |
| Aquatic Chronic Toxicity, Category 2 | H411: Toxic to aquatic life with long lasting effects |

Classification OSHA (Provisions 1910.1200 of title 29)

| | |
|---------------------------------|--|
| Flammability | Class IIIA Combustible Liquid |
| Acute Dermal/Eye | 12 : Causes moderate skin irritation. 15 : May cause eye irritation. |
| Acute Inhalation | 9 : Harmful if absorbed through the skin. 21 : Harmful if inhaled. 25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia. |
| Acute Oral | 2 : Harmful if swallowed |
| Reproductive/Developmental | 39 : Causes reproductive/developmental toxicity in animals. |
| Sensitization/Allergic Response | 31 : May cause allergic skin reaction. |
| Target Organ Effects | 26 : Prolonged or repeated ingestion may cause damage to: kidneys, stomach, brain, tongue, mucous membranes, musculo-skeletal system. 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin |

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Crafter's Choice™ Jackfruit & Kiwi Fragrance Oil

Page 2 of 8
2017-03-09

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning

Hazard statements

| | |
|------|---|
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H313 | May be harmful in contact with skin |
| H316 | Causes mild skin irritation |
| H317 | May cause an allergic skin reaction |
| H332 | Harmful if inhaled |
| H400 | Very Toxic to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

Prevention:

| | |
|------|---|
| P235 | Keep cool |
| P264 | Wash hands thoroughly after handling |
| P270 | Do not eat, drink or smoke when using this product |
| P271 | Use only outdoors or in a well-ventilated area |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |

Response:

| | |
|--------------------|---|
| P301 + P312 + P330 | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth |
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P304 + P312 + P340 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P363 | Wash contaminated clothing before reuse |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |
| P391 | Collect Spillage |

2.3 Other Hazards

No data available

Crafter's Choice™ Jackfruit & Kiwi
Fragrance Oil**3. Composition/Information on Ingredients****3.1 Mixtures**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS# Ingredient | EC# | Conc. Range | GHS Classification | OSHA Classification |
|---|-----------|----------------|------------------------------------|---------------------|
| 120-51-4 <i>Benzyl Benzoate</i> | 204-402-9 | 20 - 30 % | H302; H313; H400; H411 | 28, 3 |
| 24851-98-7 <i>Methyl Dihydrojasmonate</i> | 246-495-9 | 10 - 20 % | H402 | |
| 2705-87-5 <i>Allyl cyclohexylpropionate</i> | 220-292-5 | 10 - 20 % | H302; H312; H317; H332; H400; H410 | 10, 12, 15, 3 |
| 104-67-6 <i>gamma-Undecalactone</i> | 203-225-4 | 5 - 10 % | H316; H401; H402; H412 | 11 |
| 67634-00-8 <i>Isoamyl Allylglycollate</i> | 266-803-5 | 2 - 5 % | H227; H302; H315; H401 | 11, 15, 31 |
| 123-68-2 <i>Allyl hexanoate</i> | 204-642-4 | 2 - 5 % | H227; H301; H311; H331; H400; H412 | 11, 3, 9 |
| 123-66-0 <i>Ethyl hexanoate</i> | 204-640-3 | 2 - 5 % | H226; H316; H401 | |
| 88-41-5 <i>2-t-Butylcyclohexyl acetate</i> | 201-828-7 | 2 - 5 % | H227; H303; H316; H401; H411 | 12, 2 |
| 121-32-4 <i>Ethyl vanillin</i> | 204-464-7 | 2 - 5 % | H303; H320; H402 | |
| 659-70-1 <i>Isoamyl isovalerate</i> | 211-536-1 | 2 - 5 % | H227; H401; H411 | 11, 15 |
| 706-14-9 <i>gamma-Decalactone</i> | 211-892-8 | 2 - 5 % | H316 | |
| 123-92-2 <i>Isoamyl acetate (Isopentyl acetate)</i> | 204-662-3 | 2 - 5 % | H226; H402 | 21 |
| 81782-77-6 <i>4-Methyl-3-decen-5-ol</i> | 279-815-0 | 2 - 5 % | H227; H400 | 15 |
| 4940-11-8 <i>Ethyl maltol</i> | 225-582-5 | 2 - 5 % | H302 | 2 |
| 140-11-4 <i>Benzyl acetate</i> | 205-399-7 | 1 - 2 % | H303; H316; H401; H412 | 15, 25, 26, 31, 39 |
| 8008-57-9 <i>Citrus aurantium dulcis (Orange) oil</i> | 232-433-8 | 1 - 2 % | H226; H304; H315; H400; H410 | 12, 3, 31 |
| 8016-20-4 <i>Citrus grandis peel oil</i> | 289-904-6 | 1 - 2 % | H226; H304; H315; H317; H400; H410 | 12, 3, 31 |
| 106-27-4 <i>Isoamyl butyrate</i> | 203-380-8 | 1 - 2 % | H226; H401 | 11, 15 |

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Crafter's Choice™ Jackfruit & Kiwi Fragrance Oil

Page 4 of 8
2017-03-09

| CAS# Ingredient | EC# | Conc. Range | GHS Classification | OSHA Classification |
|--|-----------|----------------|--------------------|---------------------|
| 103-60-6 <i>2-Phenoxyethyl isobutyrate</i> | 203-127-1 | 1 - 2 % | H316 | 11 |
| 105-68-0 <i>Isoamyl propionate (Isopentyl propionate)</i> | 203-322-1 | 1 - 2 % | H226 | |

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 3.60

4. First Aid Measures

4.1 Description of first aid measures

| | |
|-----------------------|--|
| Inhalation: | Remove from exposure site to fresh air and keep at rest. Obtain medical advice. |
| Eye Exposure: | Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. |
| Skin Exposure: | Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. |
| Ingestion: | Rinse mouth with water and obtain medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|------------------|--|
| Symptoms: | no data available |
| Risks: | Refer to Section 2.2 "Hazard Statements" |

4.3 Indication of any immediate medical attention and special treatment needed

| | |
|-------------------|---------------------------------|
| Treatment: | Refer to Section 2.2 "Response" |
|-------------------|---------------------------------|

5. Fire-Fighting measures

5.1 Extinguishing media

| | |
|-------------------|---|
| Suitable: | Carbon dioxide (CO ₂), Dry chemical, Foam |
| Unsuitable | Do not use a direct water jet on burning material |

5.2 Special hazards arising from the substance or mixture

| | |
|------------------------------|--------------------------|
| During fire fighting: | Water may be ineffective |
|------------------------------|--------------------------|

5.3 Advice for firefighters

| | |
|-----------------------------|---------------------------------------|
| Further information: | Standard procedure for chemical fires |
|-----------------------------|---------------------------------------|

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Crafter's Choice™ Jackfruit & Kiwi Fragrance Oil

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

| Component | | ACGIH TWA ppm | ACGIH STEL ppm | OSHA TWA ppm | OSHA STEL ppm |
|-----------|--|------------------|-------------------|-----------------|------------------|
| 123-92-2 | <i>Isoamyl acetate (Isopentyl acetate)</i> | 50 | 100 | 100 | |
| 140-11-4 | <i>Benzyl acetate</i> | 10 | | | |

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| | |
|------------------------------|----------------------|
| Appearance: | Conforms to Standard |
| Odor: | Conforms to Standard |
| Color: | Conforms to standard |
| Viscosity: | Liquid |
| Freezing Point: | Not determined |
| Boiling Point: | Not determined |
| Melting Point: | Not determined |
| Flashpoint (CCCFP): | 162 F (72.22 C) |
| Auto flammability: | Not determined |
| Explosive Properties: | None Expected |

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Crafter's Choice™ Jackfruit & Kiwi Fragrance Oil

Page 6 of 8
2017-03-09

| | |
|------------------------------------|----------------|
| Oxidizing properties: | None Expected |
| Vapor Pressure (mmHg@20 C): | 0.2982 |
| %VOC: | 24.9914 |
| Specific Gravity @ 25 C: | Not determined |
| Density @ 25 C: | Not determined |
| Refractive Index @ 20 C: | Not determined |
| Soluble in: | Oil |

10. Stability and Reactivity

| | |
|--|--|
| 10.1 Reactivity | None |
| 10.2 Chemical stability | Stable |
| 10.3 Possibility of hazardous reactions | None known |
| 10.4 Conditions to avoid | None known |
| 10.5 Incompatible materials | Strong oxidizing agents, strong acids, and alkalis |
| 10.6 Hazardous decomposition products | None known |

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

| | |
|---|--|
| Acute toxicity - Oral - (Rat) mg/kg | (LD50: 1,299.73) Harmful if swallowed |
| Acute toxicity - Dermal - (Rabbit) mg/kg | (LD50: 2,286.48) May be harmful in contact with skin |
| Acute toxicity - Inhalation - (Rat) mg/L/4hr | (LC50: 17.33) Harmful if inhaled |
| Skin corrosion / irritation | Causes mild skin irritation |
| Serious eye damage / irritation | Not classified - the classification criteria are not met |
| Respiratory sensitization | Not classified - the classification criteria are not met |
| Skin sensitization | May cause an allergic skin reaction |
| Germ cell mutagenicity | Not classified - the classification criteria are not met |
| Carcinogenicity | Not classified - the classification criteria are not met |
| Reproductive toxicity | Not classified - the classification criteria are not met |
| Specific target organ toxicity - single exposure | Not classified - the classification criteria are not met |
| Specific target organ toxicity - repeated exposure | Not classified - the classification criteria are not met |
| Aspiration hazard | Not classified - the classification criteria are not met |

12. Ecological Information

12.1 Toxicity

| | |
|---------------------------------|---|
| Acute aquatic toxicity | Very Toxic to aquatic life |
| Chronic aquatic toxicity | Toxic to aquatic life with long lasting effects |
| Toxicity Data on soil | no data available |

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

**Crafter's Choice™ Jackfruit & Kiwi
Fragrance Oil**

Page 7 of 8
2017-03-09

| | |
|---|-------------------|
| Toxicity on other organisms | no data available |
| 12.2 Persistence and degradability | no data available |
| 12.3 Bioaccumulative potential | no data available |
| 12.4 Mobility in soil | no data available |
| 12.5 Other adverse effects | no data available |

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

| Regulator | Class | Pack Group | Sub Risk | UN-nr. |
|---|-------------------------------------|-------------------|-----------------|---------------|
| U.S. DOT (Non-Bulk) Chemicals NOI | Not Regulated - Not Dangerous Goods | | | |
| ADR/RID (International Road/Rail) | | | | |
| Environmentally Hazardous Liquid, n.o.s. | Substance, 9 | III | | UN3082 |
| IATA (Air Cargo) | | | | |
| Environmentally Hazardous Liquid, n.o.s. | Substance, 9 | III | | UN3082 |
| IMDG (Sea) | | | | |
| Environmentally Hazardous Liquid, n.o.s. | Substance, 9 | III | | UN3082 |

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt
40 CFR (EPCRA, SARA, CERCLA and CAA) 123-92-2 204-662-3 2 - 5 % This product contains the following components:
 Isoamyl acetate (Isopentyl acetate)

U.S. State Regulations:

California Proposition 65 Warning 123-35-3(NF 204-622-5 0.01 - 0.1% This product contains the following components:
 beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Crafter's Choice™ Jackfruit & Kiwi Fragrance Oil

Page 8 of 8
2017-03-09

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk

(3.03) Skin Corrosion/Irritation, Category 3

(1.87) Aquatic Acute Toxicity, Category 1

(TFV) Risk

(12.00) Sensitization, Skin, Category 1

(7.55) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.