

## Safety Data Sheet

## Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 1 of 8 2017-05-02

## 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

1.2 Relevant identified product use

Intended Use: Compound used in customer substance/mixture/product

- 1.3 Details of the manufacturer/supplier of the safety data sheet Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com
- Emergency Telephone Number: ChemTel

   (800) 255-3924
   Domestic USA, Canada, Puerto Rico, and US Virgin Islands
   + (813) 248-0585 International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	11 : May cause skin irritation.
	16 : Causes eye irritation.
Acute Inhalation	23 : May cause respiratory tract irritation.
	25 : Inhalation at high levels may cause: anesthesia, tremors, labored breathing, hypothermia, lethargy, ataxia.
Acute Oral	2 : Harmful if swallowed
Reproductive/Developmental	39 : Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, stomach, brain, tongue, mucous membranes, musculo-skeletal system.
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

### 2.2 Label elements



## Safety Data Sheet

## Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 2 of 8 2017-05-02

## Labelling (REGULATION (EC) No 1272/2008)

### Hazard pictograms



### Signal Word: Warning

#### Hazard statements

11000	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### **Prevention:**

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

#### **Response:**

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. Continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

### 2.3 Other Hazards

No data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15
Hexyl cinn	amaldehyde			



# Safety Data Sheet

## Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 3 of 8 2017-05-02

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
24851-98-7	246-495-9	5 - 10 %	H402	
Methyldihy	ydrojasmonate			
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410	11, 15
Hexameth	ylindanopyran			
105-95-3	203-347-8	5 - 10 %	H401	11, 15
Ethylene k	•			
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
Tetrameth	yl Acetyloctahyd	ronaphthalenes		
10339-55-6	233-732-6	2 - 5 %	H227; H303; H315; H319; H402	11, 15
3,7-Dimeti	hyl-1,6-nonadien	-3-ol		
121-33-5	204-465-2	2 - 5 %	H303; H319	31
Vanillin				
100-51-6	202-859-9	2 - 5 %	H302; H313; H319	11, 15, 23, 25, 31
Benzyl Ald	cohol			
63500-71-0	405-040-6	2 - 5 %	H319	
			′L)-PYRAN-4-OL	
4940-11-8	225-582-5	1 - 2 %	H302	2
Ethyl malt				
139504-68-0		1 - 2 %	H320; H401; H411	
	cyclohexyloxy)-2			
31906-04-4	250-863-4	1 - 2 %	H317; H402	
		exene carboxalde	ehyde	
140-11-4	205-399-7	1 - 2 %	H303; H316; H401; H412	15, 25, 26, 31, 39
Benzyl ac				
5471-51-2	226-806-4	1 - 2 %	H402	2
			ybenzyl acetone)	
68990-83-0	294-461-7	1 - 2 %	H304; H316; H400; H410	3
Juniperus	mexicana			
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410	11, 15, 31
			2-buten-1-one (delta-Damascone)	
106-02-5	203-354-6	0.1 - 1.0 %	H316; H317; H411	
Pentadeca				
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	11, 15
Citronellol				
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411	12, 15, 26, 3, 31
trans-alpha-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (trans-alpha-Damascone)				
See Section 1	6 for full text of G	GHS classification	n codes	
Total	Hydrocarbon Col	ntent $(\% \text{ w/w}) =$	0.92	

Total Hydrocarbon Content (% w/w) = 0.92



## Safety Data Sheet

## Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 4 of 8 2017-05-02

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: 4.2 Most important symptoms and effects,	Rinse mouth with water and obtain medical advice. both acute and delayed
Symptoms:	no data available
Risks: 4.3 Indication of any immediate medical at	Refer to Section 2.2 "Hazard Statements" tention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5.Fire-Fighting measures5.1Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable 5.2 Special hazards arising from the substa	Do not use a direct water jet on burning material ance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.



## Safety Data Sheet

## Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 5 of 8 2017-05-02

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits:					
Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4 Benzyl ace	tate	10			
Engineering Controls:	Use local exhaust as needed.				
8.2 Exposure controls - Pers	onal protective equipment				
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure				
Respiratory protection:	Avoid excessive inhalation of concentr	ated vapors.	Apply loca	al ventilati	on where appropriate.
Skin protection:	Avoid Skin contact. Use chemically res	sistant gloves	s as neede	ed.	

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Yellow Tint (G0/1) to Pale Yellow (G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0642
%VOC:	4.1178
Specific Gravity @ 25 C:	0.9590
Density @ 25 C:	0.9560
Refractive Index @ 20 C:	1.4750
Soluble in:	Oil



## **Safety Data Sheet**

## Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 6 of 8 2017-05-02

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

## 11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4,084.45) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4,307.95) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 39.45) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

## 12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available



## **Safety Data Sheet**

## Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 7 of 8 2017-05-02

### 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

<b>Regulator U.S. DOT (Non-Bulk)</b> Chemicals NOI		<b>Class</b> Not Regulated	Pack Group	Sub Risk s Goods	UN-nr.		
ADR/RID (International Road/Rail)							
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082		
IATA (Air Cargo) Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082		
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082		
15. Regulatory Information U.S. Federal Regulations:							
TSCA (Toxic Substance)	All compo	All components of the substance/mixture are listed or exempt					
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations:		A) This produ	This product contains NO components of concern.				

# 123-35-3(NF 204-622-5 0.01 - 0.1% Canadian Regulations:

DSL / NDSL		99.95% of the components are listed or exempt.
815580-59-7 453-570-1	0.01 - 0.1%	3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

beta-Myrcene (NFS)

## 16. Other Information

**California Proposition 65 Warning** 

GHS H-Statements referred to under section 3

### **Total Fractional Values**

(TFV) Risk(2.91) Skin Corrosion/Irritation, Category 3(1.77) Eye Damage/Eye Irritation, Category 2A

(TFV) Risk(16.00) Sensitization, Skin, Category 1A(5.82) Aquatic Chronic Toxicity, Category 2

This product contains the following components:



## Safety Data Sheet

## Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 8 of 8 2017-05-02

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.