

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028

www.crafters-choice.com

Crafter's ChoiceTM Boysenberry
Santal Spice Fragrance Oil

Page 1 of 7 2017-04-05

SDS Type: GHS / OSHA

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Boysenberry Santal Spice Fragrance Oil

1.2 Relevant identified product use

Intended Use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency Telephone Number: ChemTel

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+ (813) 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed Skin

Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

16: Causes eye irritation.

19: May cause photo-induced skin irritation.

Acute Oral 2: Harmful if swallowed

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

bone marrow, thyroid.

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver,

bone marrow, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Boysenberry Santal Spice Fragrance Oil

Page 2 of 7 2017-04-05





Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. Continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

No data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification			
104-61-0	203-219-1 Ionalactone	5 - 10 %	H316	12, 15			
65113-99-7	265-453-0	2 - 5 %	H316; H319; H401; H411	31			
Pentamethylcyclopent-3-ene-butanol							
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411	28, 3			
Benzvl Benzoate							



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Boysenberry Santal Spice Fragrance Oil

Page 3 of 7 2017-04-05

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification				
32388-55-9	251-020-3	2 - 5 %	H316; H317; H400; H410	16, 19				
Acetyl cedrene								
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31				
Tetrameth	yl Acetyloctahyo	Ironaphthalenes						
28219-61-6	248-908-8	2 - 5 %	H319; H400; H410	11, 15, 31				
Ethyl trime	ethylcyclopenten	e butenol						
77-83-8	201-061-8	2 - 5 %	H317; H401; H411	11, 15				
Ethyl metl	hylphenylglycida	te						
68990-83-0	294-461-7	1 - 2 %	H304; H316; H400; H410	3				
Juniperus	mexicana							
127-51-5	204-846-3	1 - 2 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31				
a-Isometh	yl ionone							
105-95-3	203-347-8	1 - 2 %	H401	11, 15				
Ethylene l	orassylate							
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15				
Hexameth	ylindanopyran							
705-86-2	211-889-1	1 - 2 %	H227; H402					
delta-Dec	alactone							
121-32-4	204-464-7	1 - 2 %	H303; H320; H402					
Ethyl vani	llin							
4940-11-8	225-582-5	1 - 2 %	H302	2				
Ethyl malt	ol							
66068-84-6	266-100-3	1 - 2 %	H315; H401; H411	11, 15				
Isocamph	enyl cyclohexan	ol (mixed isomer	s)					
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	11, 15, 31				
Eugenol								
87-44-5	201-746-1	0.1 - 1.0 %	H304; H316; H317	31, 4				
beta-Caryophyllene								
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	11, 15, 26				
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)								
101-86-0	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411	11, 15				
Hexyl cinnamaldehyde								
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9				
Coumarin								

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 1.16

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Boysenberry Santal Spice Fragrance Oil

Page 4 of 7 2017-04-05

SDS Type: GHS / OSHA

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Boysenberry Santal Spice Fragrance Oil

Page 5 of 7 2017-04-05

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Conforms to standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.4468 **%VOC:** 2.2303

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materialsStrong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Boysenberry Santal Spice Fragrance Oil

Page 6 of 7 2017-04-05

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4,361.12) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 5,382.60) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 84.46) May be harmful if inhaled

Skin corrosion / irritationCauses mild skin irritationSerious eye damage / irritationCauses serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator Class Pack Group Sub Risk UN-nr.



7820 E. Pleasant Valley Road

Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

Safety Data Sheet

Crafter's Choice™ Boysenberry Santal Spice Fragrance Oil SDS Type: GHS / OSHA

Page 7 of 7 2017-04-05

U.S. DOT (Non-Bulk)

Chemicals NOI

ADP/PID (International Bood/Pail)

ADR/RID (International Road/Rail)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

IATA (Air Cargo)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s. IMDG (Sea)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

Styrene

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 99.53% of the components are listed or exempt.

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol 198404-98-7 427-900-1 0.01 - 0.1% Cyclopropanemethanol,

1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]

16. Other Information

GHS H-Statements referred to under section 3

100-42-5(NF 202-851-5 <= 20 ppm

Total Fractional Values

(TFV) Risk (TFV) Risk

(2.98) Skin Corrosion/Irritation, Category 3 (3.00) Sensitization, Skin, Category 1B (1.11) Eye Damage/Eye Irritation, Category 2A (5.51) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.