

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Laundry Fragrance Oil - FF #8

Page 1 of 8 2017-02-10

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Name: Crafter's Choice™ Laundry Fragrance Oil - FF #8

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2 Hazards Identification

#### 21 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318: Causes serious eye damage

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

16: Causes eye irritation.

19: May cause photo-induced skin irritation.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia.

Acute Oral 2 : Harmful if swallowed

Reproductive/Developmental 39 : Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

bone marrow, stomach, brain, thyroid, tongue, mucous membranes,

musculo-skeletal system.

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver,

bone marrow, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Laundry Fragrance Oil - FF #8

Page 2 of 8 2017-02-10

#### 22 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms







#### Signal Word: Danger

## Hazard statments

H227 Combustible liquid
H303 May be harmful if swallowed
H315 Causes skin irritation

H317 May cause an allergic skin reaction H318 Causes serious eye damage

H410 Very toxic to aquatic life with long lasting effects

## Precautionary Statements

#### Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

#### 23 Other Hazards

#### No data available

## 3. Composition/Information on Ingredients

#### 31 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# EC# Conc.
Ingredient Range GHS Classification

**OSHA Classification** 





7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Laundry Fragrance Oil - FF #8

Page 3 of 8 2017-02-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
54464-57-2	259-174-3	20 - 30 %	U215: U217: U400: U410	11, 31
			H315; H317; H400; H410	11, 31
retrametr 5 <b>4830-99-8</b>	iyi Acetyloctariy 259-367-2	dronaphthalene 5 - 10 %		
	ihydrodicyclope		H303; H316; H402; H412	
78-70-6	201-134-4	5 - 10 %	U227: U202: U215: U217: U210: U402	10.06
Linalool	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	12, 26
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402	11, 15
	242-302-4 hyloct-7-en-2-0		11227, 11303, 11313, 11319, 11402	11, 15
2,0-aimea 6 <b>3500-71-0</b>	405-040-6	5 - 10 %	H319	
			PYL)-PYRAN-4-OL	
1618401 3 <b>008-57-9</b>	232-433-8		•	10 2 21
		5 - 10 %	H226; H304; H315; H400; H410	12, 3, 31
Citrus aur <b>127-51-5</b>	antium dulcis (0 204-846-3	= :	U215: U217: U220: U404: U444	11 15 10 26 20 24
a-Isometh		2 - 5 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
	-	2 5 9/	U227, U202, U242, U245, U247, U404.	10 15 01
68737-61-1	272-113-5 etrahydro Benz	2 - 5 %	H227; H303; H313; H315; H317; H401; H411	12, 15, 31
ייים ביים ביים ביים ביים 120-51-4	204-402-9	-		20.2
		2 - 5 %	H302; H313; H400; H411	28, 3
Benzyl Be 32388-55-9	251-020-3	O F 0/	U246, U247, U400, U440	16 10
		2 - 5 %	H316; H317; H400; H410	16, 19
Acetyl ced		O F 0/	U246, U404, U444	11 15
68912-13-0	272-805-7	2 - 5 %	H316; H401; H411	11, 15
-	o-methanoinde	•	11202, 11245, 11247, 11240, 11402	44 45 04
106-24-1	203-377-1	2 - 5 %	H303; H315; H317; H318; H402	11, 15, 31
Geraniol	005 000 7	0 50/	11000 11040 11404 11440	45 05 00 04 00
140-11-4	205-399-7	2 - 5 %	H303; H316; H401; H412	15, 25, 26, 31, 39
Benzyl ac		4 0 0/	11000, 11400, 11440	44 45 0
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410	11, 15, 2
-	xamethyl tetralii		H226, H204, H245, H247, H240, H424	40 0 04
8008-26-2	290-010-3	1 - 2 %	H226; H304; H315; H317; H319; H401; H411	12, 3, 31
	antifolia (Lime)			15
106-25-2	203-378-7	1 - 2 %	H303; H315; H317; H319; H402	15
Nerol	250 002 4	1 20/	LI247, LI402	
31906-04-4	250-863-4	1 - 2 %	H317; H402	
		nexene carboxal	-	4.4
104-67-6	203-225-4	1 - 2 %	H316; H401; H402; H412	11
•	Indecalactone	4 0 0/	11000, 11000, 11400	
1191-16-8	214-730-4	1 - 2 %	H226; H303; H402	
-	-	te (Prenyl aceta		44 45
67634-15-5	266-819-2	1 - 2 %	H316	11, 15
•	dimethylhydroc		11007, 11404	
93-92-5	202-288-5	1 - 2 %	H227; H401	



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## **Crafter's Choice™ Laundry** Fragrance Oil - FF #8

Page 4 of 8 2017-02-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	11, 15, 31
Eugenol				
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410	
2-Methylu	ındecanal			
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H316; H317	26, 27, 3
Eucalypto	ol .			
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319	
Lauric ald	lehyde			
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarin	)			
16409-43-1	240-457-5	0.1 - 1.0 %	H227; H303; H315; H319; H361; H402	11, 16, 31
IsoButeny	/l Methyltetrahy	dropyran		
101-86-0	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411	11, 15
Hexyl cini	namaldehyde			
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410	11, 15, 31
delta-1-(2	,6,6-Trimethyl-3	3-cyclohexen-1-yi	l)-2-buten-1-one (delta-Damascone)	
56973-85-4	260-486-7	0.1 - 1.0 %	H317	31
1-(5,5-Dir	methyl-1-cycloh	exen-1-yl)pent-4-	-en-1-one	
103694-68-4	403-140-4	0.1 - 1.0 %	H303; H316; H317; H402; H412	
.ß.,.ß.,3-7	rimethyl benzer	nepropanol		
104-93-8	203-253-7	0.1 - 1.0 %	H226; H302; H315; H361; H402; H412	11, 15
p-Methyla	anisole			
13828-37-0	237-539-8	0.1 - 1.0 %	H317; H401	12, 15, 31
cis-p-Mer	nthan-7-ol			
See Section 1	6 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 5.83

#### First Aid Measures 4.

### Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

no data available Symptoms:

Refer to Section 2.2 "Hazard Statements" Risks:

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Refer to Section 2.2 "Response"



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com Crafter's Choice™ Laundry Fragrance Oil - FF #8

Page 5 of 8 2017-02-10

## Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

**Further information:** Standard procedure for chemical fires

### Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

**140-11-4** Benzyl acetate 10

**Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Laundry Fragrance Oil - FF #8

Page 6 of 8 2017-02-10

Respiratory protection:

Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection:

Avoid Skin contact. Use chemically resistant gloves as needed.

## Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Conforms to standard

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flashpoint (CCCFP): 174 F (78.89 C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

**Vapor Pressure (mmHg@ 20C):** 0.144 **%VOC:** 16.32

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

## 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

## 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,358.59) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: Undetermined) Not classified - the classification criteria

are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: Undetermined) Not classified - the classification criteria

are not met



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Laundry Fragrance Oil - FF #8

Page 7 of 8 2017-02-10

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye damage

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

## 12 Ecological Information

## 121 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Very toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mbbility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.			
U.S. DOT (Non-Bulk)	Not Regulated	- Not Dangerous	Goods					
Chemicals NOI								
ADR/RID (International Road/Rail)								
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082			
Environmentally Hazardous Liquid, n.o.s.  INDG (Sea)	Substance,	9	III		UN3082			



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Laundry Fragrance Oil - FF #8

Page 8 of 8 2017-02-10

Environmentally Hazardous Liquid, n.o.s.

Substance,

9

Ш

UN3082

Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act):

All components of the substance/mixture are listed or exempt

40CFR (EPCRA, SARA, CERCLA and CAA)

This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.1 - 1.0 %

This product contains the following components:

beta-Myrcene (NFS)

Canadian Regulations:

**DSL /NDSL** 100.00% of the components are listed or exempt.

### Other Information

#### GHS H-Statements referred to under section 3

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(6.08) Skin Corrosion/Irritation, Category 2 (2.00) Sensitization, Skin, Category 1A

(1.00) Eye Damage/Eye Irritation, Category 1 (1.49) Aquatic Chronic Toxicity, Category 1

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.