

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Powder Fragrance Oil - FF #16

Page 1 of 8 2016-08-12

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Name: Crafter's Choice™ Powder Fragrance Oil - FF #16

#### 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 4

Acute Toxicity Dermal, Category 4

Skin Corrosion/Irritation, Category 2

H302: Harmful if swallowed

H312: Harmful in contact with skin

H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled
Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate

15: May cause

19 : May cause photo-induced skin irritation.9 : Harmful if absorbed through the skin.

Acute Inhalation 23 : May cause respiratory tract irritation.

25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia

Acute Oral 2: Harmful if swallowed

Reproductive/Developmental 39 : Causes reproductive/developmental Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

blood, bone marrow, stomach, brain, thyroid, bile duct, tongue, mucous

membranes, musculo-skeletal



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Powder Fragrance Oil - FF #16

Page 2 of 8 2016-08-12

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver,

bone marrow, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

#### **Hazard pictograms**





### Signal Word: Warning

#### **Hazard statments**

H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

D004	
P264	Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

#### Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse

mouth

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

#### 2.3 Other Hazards

#### No data available





7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Powder Fragrance Oil - FF #16

Page 3 of 8 2016-08-12

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	28, 3	
Benzyl Be	Benzyl Benzoate				
140-11-4	205-399-7	10 - 20 %	H303; H316; H401; H412	15, 25, 26, 31, 39	
Benzyl ad	l acetate				
60-12-8	200-456-2	5 - 10 %	H302; H313; H316; H319	11, 15, 3	
phenethy	l alcohol				
123-11-5	204-602-6	5 - 10 %	H303; H402	11, 15	
Anisaldeh	ıyde				
127-51-5	204-846-3	5 - 10 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31	
a-Isometh	nyl ionone				
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15	
-	namaldehyde				
91-64-5	202-086-7	5 - 10 %	H302; H317; H402	12, 15, 2, 26, 31, 9	
Coumarin	)				
103-26-4	203-093-8	5 - 10 %	H303; H317		
•	Methyl cinnamate				
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	12, 26	
Linalool					
98-55-5	202-680-6	2 - 5 %	H227; H303; H315; H319; H401	11, 15, 23	
alpha-Ter					
120-57-0	204-409-7	2 - 5 %	H303; H317; H401	31	
Piperonal					
115-95-7	204-116-4	2 - 5 %	H227; H315; H319; H401; H402		
Linalyl acetate					
106-22-9	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401	11, 15	
Citronello					
121-33-5	204-465-2	1 - 2 %	H303; H319	31	
Vanillin					
16409-43-1	240-457-5	0.1 - 1.0 %	H227; H303; H315; H319; H361; H402	11, 16, 31	
IsoButenyl Methyltetrahydropyran					
81-14-1	201-328-9	0.1 - 1.0 %	H316; H351; H400; H410	11, 15	
Musk keta	one				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.00



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Powder Fragrance Oil - FF #16

Page 4 of 8 2016-08-12

#### 4. First Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

### 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Powder Fragrance Oil - FF #16

Page 5 of 8 2016-08-12

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

**140-11-4** Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Conforms to standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

**Vapor Pressure (mmHg@20 C):** 0.0314 **%VOC:** 16.4

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Powder Fragrance Oil - FF #16

Page 6 of 8 2016-08-12

### 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,962.60) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 1,724.91) Harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 40.94) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

### 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Powder Fragrance Oil - FF #16

Page 7 of 8 2016-08-12

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI	WD - 11)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.		
ADR/RID (International Road/Rail)							
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082		
` • •	0	0			LINIOOOO		
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082		
IMDG (Sea)							
Environmentally Hazardous	Substance,	9	III		UN3082		

#### 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning No Warning required

**Canadian Regulations:** 

**DSL / NDSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(2.15) Skin Corrosion/Irritation, Category 2 (7.00) Sensitization, Skin, Category 1B

(3.20) Eye Damage/Eye Irritation, Category 2A (1.17) Aquatic Acute Toxicity, Category 1

(2.01) Aquatic Chronic Toxicity, Category 2



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com Crafter's Choice™ Powder Fragrance
Oil - FF #16

Page 8 of 8 2016-08-12

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.