

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice[™] Sweater Weather*

Fragrance Oil

Page 1 of 8 2017-08-22

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Crafter's Choice™ Sweater Weather* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Reproductive Toxicology, Category 2	H361: Suspected of damaging fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	12 : Causes moderate skin irritation.
	15 : May cause eye irritation.
Acute Oral	2 : Harmful if swallowed
Reproductive/Developmental	39 : Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal glands, liver, male reproductive system.
	28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin, testes
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Sweater Weather*

Fragrance Oil

Page 2 of 8 2017-08-22

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal Word: Warning

Hazard statments	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# EC#

Conc. Range

GHS Classification

OSHA Classification

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Sweater Weather*

Fragrance Oil

Page 3 of 8 2017-08-22

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411	28, 3
Benzyl Be	enzoate			
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410	11, 31
Tetrameth	nyl Acetyloctahy	dronaphthalenes	3	
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
Butylpher	yl Methylpropic	onal	H411	
105-95-3	203-347-8	2 - 5 %	H401	11, 15
Ethylene	brassylate			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	11, 15
Hexyl cini	namaldehyde			
24851-98-7	246-495-9	2 - 5 %	H402	
Methyldih	ydrojasmonate			
28219-61-6	248-908-8	2 - 5 %	H319; H400; H410	11, 15, 31
Ethyl trim	ethylcyclopente	ne butenol		
19870-74-7	243-384-7	1 - 2 %	H316	15
Cedrol me	ethyl ether			
6259-76-3	228-408-6	1 - 2 %	H315; H317; H319; H400; H410	11, 15
Hexyl sali	icylate			
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411	12, 2
2-t-Butylc	yclohexyl aceta	te		
103-95-7	203-161-7	1 - 2 %	H227; H303; H315; H317; H401; H412	11, 15, 31
2-Methyl-	3-(p-isopropylpl	henyl)propionald	ehyde	
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15
Hexameth	hylindanopyran			
128-37-0	204-881-4	1 - 2 %	H316; H400; H410	
Butylated	hydroxytoluene)		
2050-08-0	218-080-2	1 - 2 %	H302; H400; H410	
Amyl salid	cylate			
81782-77-6	279-815-0	1 - 2 %	H227; H400	15
-	3-decen-5-ol			
1843-05-6	217-421-2	0.1 - 1.0 %	H317	
		-(octyloxy)pheny		
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	11, 15
Geranyl a				
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	11, 15, 31
-		ne carboxaldehy		
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarin				
127-51-5	204-846-3	0.1 - 1.0 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
a-Isometh	-			
68647-72-3	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Limonene	9			



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Sweater Weather*

Fragrance Oil

Page 4 of 8 2017-08-22

68737-61-1 272-113-5 0.1 - 1.0 % H227; H303; H313; H315; H317; H401; 12, 15, 31 Dimethyltetrahydro Benzaldehyde H411 H411 68917-71-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H410 12, 3, 31 Lime oil terpenes H226; H304; H315; H317; H400; H410 12, 3, 31 120-57-0 204-409-7 0.1 - 1.0 % H303; H317; H401 31 Piperonal H227; H302; H304; H316; H341; H351; 11, 15 Artemisia dracunculus oil H227; H302; H304; H316; H341; H351; 11, 15	CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
68917-71-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H410 12, 3, 31 Lime oil terpenes 120-57-0 204-409-7 0.1 - 1.0 % H303; H317; H401 31 Piperonal 8016-88-4 290-356-5 0.1 - 1.0 % H227; H302; H304; H316; H341; H351; 11, 15 Artemisia dracunculus oil H401; H411 H401; H411 12, 3, 31			011 110 /0		12, 15, 31
Lime oil terpenes 120-57-0 204-409-7 0.1 - 1.0 % H303; H317; H401 31 Piperonal 8016-88-4 290-356-5 0.1 - 1.0 % H227; H302; H304; H316; H341; H351; 11, 15 Artemisia dracunculus oil H401; H411	Dimethylte	etrahydro Benza	aldehyde	H411	
120-57-0 204-409-7 0.1 - 1.0 % H303; H317; H401 31 Piperonal 8016-88-4 290-356-5 0.1 - 1.0 % H227; H302; H304; H316; H341; H351; 11, 15 Artemisia dracunculus oil H401; H411 H401; H411 11	68917-71-5		0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Piperonal 8016-88-4 290-356-5 0.1 - 1.0 % H227; H302; H304; H316; H341; H351; 11, 15 Artemisia dracunculus oil H401; H411	Lime oil te	erpenes			
8016-88-4 290-356-5 0.1 - 1.0 % H227; H302; H304; H316; H341; H351; 11, 15 <i>Artemisia dracunculus oil</i> H401; H411	120-57-0	204-409-7	0.1 - 1.0 %	H303; H317; H401	31
Artemisia dracunculus oil H401; H411	Piperonal				
	8016-88-4	290-356-5	0.1 - 1.0 %	H227; H302; H304; H316; H341; H351;	11, 15
Concerning 4.0 for full tout of OLIO place if and an	Artemisia dracunculus oil		I	H401; H411	
See Section 16 for full text of GHS classification codes	See Section 1	6 for full text of	GHS classification	on codes	

Total Hydrocarbon Content (% w/w) = 1.23

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects,	both acute and delayed	
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical att	ention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substa	ince or mixture	
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective	
Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Sweater Weather*

Fragrance Oil

Page 5 of 8 2017-08-22

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure	Limits:
Expoouto	

C	omponent			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
12	28-37-0	Butylated h	ydroxytoluene	2			
En	gineering C	controls:	Use local exhaust as needed.				
8.2 Exposure controls - Personal protective equipment							
Ev	o protoction		Tightly appled appgles, fees shield	or opfoty glooor	o with hro	w auordo	and aida abialda ata

Eye protection:	as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Conforms to standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Sweater Weather* Fragrance Oil

Page 6 of 8 2017-08-22

Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.038
%VOC:	3.0486
Specific Gravity @ 25 C:	Not determined
Density @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2,021.96) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3,844.38) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 68.30) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Sweater Weather* Fragrance Oil

SDS Type: GHS / OSHA

Page 7 of 8 2017-08-22

12. Ecological Information			
12.1 Toxicity			
Acute aquatic toxicity	Very Toxic to aquatic life		
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects		
Toxicity Data on soil	no data available		
Toxicity on other organisms	no data available		
12.2 Persistence and degradability	no data available		
12.3 Bioaccumulative potential	no data available		
12.4 Mobility in soil	no data available		
12.5 Other adverse effects	no data available		

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Roa	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regula	tory Inform	mation	
U.S. Federal Regul	ations:		
TSCA (Toxic Su	bstance Cor	trol Act):	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA,	SARA, CER	CLA and CAA)	This product contains NO components of concern.
U.S. State Regulati	ons:		
California Propo	osition 65 W	arning	This product contains the following components:
140-67-0(NF	205-427-8	0.1 - 1.0 %	Estragole (Methyl chavicol) (NFS)
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (NFS)



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Sweater Weather*

fter's Choice ™ Sweater Weath Fragrance Oil

Page 8 of 8 2017-08-22

Canadian Regulations:

DSL / NDSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk(2.04) Skin Corrosion/Irritation, Category 2

(1.62) Reproductive Toxicology, Category 2

(9.75) Aquatic Chronic Toxicity, Category 2

(TFV) Risk(9.00) Sensitization, Skin, Category 1B(2.90) Aquatic Acute Toxicity, Category 1

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.