

Safety Data Sheet

Crafter's Choice[™] Sugared Papaya &

Hibiscus Fragrance Oil

Page 1 of 7 2018-01-31

SDS Type: GHS / OSHA

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

1.

Product Name: Crafter's Choice™ Sugared Papaya & Hibiscus Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

•	
Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes moderate skin irritation.
	16 : Causes eye irritation.
Acute Oral	2 : Harmful if swallowed
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning





Safety Data Sheet

Crafter's Choice[™] Sugared Papaya & Hibiscus Fragrance Oil

Page 2 of 7 2018-01-31

Hazard statments		
H227	Combustible liquid	
H303 May be harmful if swallowed		
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H333	May be harmful if inhaled	
H411	Toxic to aquatic life with long lasting effects	
Precautionary Statements		
Prevention:		
P235	Keep cool	
P272	Contaminated work clothing should not be allowed out of the workplace	
P273	Avoid release to the environment	
Response:		
P302 + P352	IF ON SKIN: Wash with soap and water	
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell	
P312	Call a POISON CENTER or doctor/physician if you feel unwell	
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention	
P363	Wash contaminated clothing before reuse	
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material	
P391	Collect Spillage	
2.3 Other Hazards		

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
104-61-0	203-219-1	5 - 10 %	H316	12, 15
gamma-N	onalactone			
8008-57-9	232-433-8	2 - 5 %	H226; H304; H315; H400; H410	12, 3, 31
Citrus aur	antium dulcis (O	range) oil		
93-92-5	202-288-5	2 - 5 %	H227; H402	
methylber	nzyl acetate			
24851-98-7	246-495-9	2 - 5 %	H402	
Methyldih	ydrojasmonate			
4940-11-8	225-582-5	1 - 2 %	H302	2
Ethyl malt	ol			
67674-46-8	266-885-2	1 - 2 %	H227; H315; H319; H402; H412	12, 15
6,6-Dimet	hoxy-2,5,5-trime	thylhex-2-ene		



Safety Data Sheet

SDS Type: GHS / OSHA

Crafter's Choice™ Sugared Papaya & Hibiscus Fragrance Oil

Page 3 of 7 2018-01-31

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
705-86-2	211-889-1	1 - 2 %	H227; H402	
delta-Dec	alactone			
33885-51-7	251-717-2	0.1 - 1.0 %	H302; H315; H317; H319; H400; H410	
6,6-Dimet	hylbicyclo[3.1.1]hept-2-ene-2-pr	opionaldehyde	
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H332; H400; H410	10, 12, 15, 3
Allyl cyclo	hexylpropionate	9		
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H401; H411	
a-Methyl-	1,3-benzodioxol	le-5-propionaldel	hyde	
106-72-9	203-427-2	0.1 - 1.0 %	H227; H317; H401	11, 26
2,6-Dimet	hyl-5-heptenal			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31
Dimethylt	etrahydro Benza	aldehyde	H411	
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	11, 15
Citronello	Ι			
See Section 1	6 for full text of	GHS classification	on codes	

Total Hydrocarbon Content (% w/w) = 3.96

	4. First Aid Measures			
4.1 Description of first aid measures				
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.			
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.			
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.			
Ingestion: Rinse mouth with water and obtain medical advice.				
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms:	no data available			
Risks:	Refer to Section 2.2 "Hazard Statements"			
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment:	Refer to Section 2.2 "Response"			
5. Fire-Fighting measures				
5.1 Extinguishing media				
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam			
Unsuitable	Do not use a direct water jet on burning material			

5.2 Special hazards arising from the substance or mixture

During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires



Safety Data Sheet

Crafter's Choice™ Sugared Papaya & Hibiscus Fragrance Oil

Page 4 of 7 2018-01-31

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values	
Engineering Controls:	Use local exhaust as needed.	
8.2 Exposure controls - Personal protective equipment		
Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shie as may be appropriate for the exposure		
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to standard
Viscosity:	Liquid
Freezing Point:	Not determined

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

SDS Type: GHS / OSHA

Crafter's Choice™ Sugared Papaya & Hibiscus Fragrance Oil

Page 5 of 7 2018-01-31

Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	196 F (91.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1574
%VOC:	8.36
Specific Gravity @ 25 C:	Not determined
Density @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4,371.04) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 5,871.17) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 111.46) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met



Safety Data Sheet

Crafter's Choice™ Sugared Papaya & Hibiscus Fragrance Oil

Page 6 of 7 2018-01-31

12. Ecological Information			
12.1 Toxicity			
Acute aquatic toxicity	Not classified - the classification criteria are not met		
Chronic aquatic toxicity Toxic to aquatic life with long lasting effects			
Toxicity Data on soil	no data available		
Toxicity on other organisms	no data available		
12.2 Persistence and degradability	no data available		
12.3 Bioaccumulative potential	no data available		
12.4 Mobility in soil	no data available		
12.5 Other adverse effects	no data available		

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Ingredient of greatest environmenta	l impact: 8008-57-9 : (2 - 5	5 %) : Citrus aurantium dulcis (Orange) oil
-------------------------------------	------------------------------	---

Regulator U.S. DOT (Non-Bulk)		Class	Pack Group	Sub Risk	UN-nr.
Chemicals NOI	-1/D -: 1)	Not Regulated	- Not Dangerou	s Guus	
ADR/RID (International Roa	d/Rall)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

All components of the substance/mixture are listed or exempt			
This product contains NO components of concern.			
This product contains the following components: beta-Myrcene (NFS)			



Safety Data Sheet

Crafter's Choice[™] Sugared Papaya & Hibiscus Fragrance Oil SDS Type: GHS / OSHA

Page 7 of 7 2018-01-31

Canadian Regulations:

DSL / NDSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk(1.58) Skin Corrosion/Irritation, Category 3(2.35) Aquatic Chronic Toxicity, Category 2

(TFV) Risk(8.00) Sensitization, Skin, Category 1B

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.