

Safety Data Sheet

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Tonka & Vetiver Fragrance Oil

Page 1 of 8 2018-11-28

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Crafter's Choice™ Tonka & Vetiver Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 12 : Causes skin irritation.
16 : Causes eye irritation.

Acute Oral 3: May be harmful if swallowed or if aspirated into the lungs

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Safety Data Sheet

Crafter's Choice™ Tonka & Vetiver Fragrance Oil

Page 2 of 8 2018-11-28

SDS Type: GHS / OSHA

Signal	Word:	Warning
--------	-------	---------

Hazard	-4-4	
mazaru	Statini	ents

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
	,

Precautionary Statements

Prevention:

H411

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Toxic to aquatic life with long lasting effects

Response:

sponse.	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

Composition/Information on Ingredients 3.

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411	28, 3
Benzyl Benzoate				
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
Tetramethy	yl Acetyloctahydi	ronaphthalenes		
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	11, 15
Hexyl cinnamaldehyde				
8008-57-9	232-433-8	2 - 5 %	H226; H304; H315; H400; H410	12, 3, 31
Citrus Aurantium Dulcis (Orange) Peel Oil				
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402	11, 15
2,6-dimethyloct-7-en-2-ol				
105-95-3	203-347-8	1 - 2 %	H401	11, 15
Ethylene brassylate				



Safety Data Sheet

SDS Type: GHS / OSHA

Crafter's Choice™ Tonka & Vetiver Fragrance Oil Page 3 of 8 2018-11-28

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H319; H402				
Linalyl ac	etate						
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39			
Butylpher	nyl Methylpropio	nal	H412				
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	12, 26			
Linalool							
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H401; H411				
a-Methyl-	1,3-benzodioxo	le-5-propionaldeh	yde				
6259-76-3	228-408-6	0.1 - 1.0 %	H315; H317; H319; H400; H410	11, 15			
Hexyl sali	icylate						
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411	12			
Formalde	Formaldehyde cyclododecyl ethyl acetal						
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410	15			
Cedrol me	ethyl ether						
127-51-5	204-846-3	0.1 - 1.0 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31			
a-Isometh	nyl ionone						
118-58-1	204-262-9	0.1 - 1.0 %	H303; H317; H320; H401; H412	31			
Benzyl Sa	alicylate						
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	11, 15, 31			
Methoxy o	dicyclopentadie	ne carboxaldehyd	le				
8008-52-4(Fr	283-880-0	0.1 - 1.0 %	H227; H303; H304; H315; H317; H319;	12, 16, 3, 31			
Coriandru	ım sativum (Coı	riander) fruit oil	H401; H411				
68647-72-3	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31			
Limonene)						
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31			
Dimethylt	Dimethyltetrahydro Benzaldehyde H411						
23696-85-7	245-833-2	0.01 - 0.1%	H313; H315; H317; H401; H411	31			
1-(2,6,6-7	rimethylcyclohe	exa-1,3-dienyl)-2-l	buten-1-one (Damascenone)				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 3.81

4. **First Aid Measures**

4.1 **Description of first aid measures**

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available



Safety Data Sheet

Crafter's Choice™ Tonka & Vetiver Fragrance Oil

Page 4 of 8 2018-11-28

SDS Type: GHS / OSHA

Refer to Section 2.2 "Hazard Statements" Risks:

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. **Handling and Storage**

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. **Exposure Controls/Personal Protection**

8.1 Control parameters

Contains no substances with occupational exposure limit values **Exposure Limits:**

Engineering Controls: Use local exhaust as needed.



Safety Data Sheet

Crafter's Choice™ Tonka & Vetiver Fragrance Oil

Page 5 of 8 2018-11-28

SDS Type: GHS / OSHA

8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Respiratory protection:

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. **Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined Not determined **Melting Point:** Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.043 %VOC: 4.6349

Specific Gravity @ 25 C: Not determined Density @ 25 C: Not determined Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None Stable 10.2 Chemical stability

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



Safety Data Sheet

Crafter's Choice™ Tonka & Vetiver Fragrance Oil

Page 6 of 8 2018-11-28

SDS Type: GHS / OSHA

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,401.16) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 5,917.05) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 113.42) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



Safety Data Sheet

SDS Type: GHS / OSHA

Crafter's Choice™ Tonka & Vetiver Fragrance Oil

Page 7 of 8 2018-11-28

14. Transport Information

Regulator U.S. DOT (Non-Bulk)		Class Not Regulated	Pack Group I - Not Dangerou	Sub Risk s Goods	UN-nr.
Chemicals NOI ADR/RID (International Road	d/Rail)	ŭ	J		
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

93-15-2 202-223-0 <= 5 ppm Methyl Eugenol (NFS) 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL100.40% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

94201-73-7 303-662-1 <= 6 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed and enters airways

H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation

H320 : Causes eye irritation H361 : Suspected of damaging fertility or the unborn child

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk



Safety Data Sheet

Crafter's Choice™ Tonka & Vetiver Fragrance Oil

Page 8 of 8 2018-11-28

SDS Type: GHS / OSHA

(1.55) Skin Corrosion/Irritation, Category 2

(1.27) Aquatic Acute Toxicity, Category 1

(1.00) Sensitization, Skin, Category 1A

(5.11) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.