

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Stormlands Fragrance Oil

Page 1 of 7 2019-05-02

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product Name:** Crafter's Choice™ Stormlands Fragrance Oil

#### 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 11 : May cause skin irritation.
16 : Causes eye irritation.

19: May cause photo-induced skin irritation.

Acute Oral 3 : May be harmful if swallowed .

Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys.

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

**Hazard pictograms** 

Carcinogenicity





7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Stormlands Fragrance Oil

Page 2 of 7 2019-05-02





#### Signal Word: Warning

#### **Hazard statments**

H303	May be harmful if swallowed
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
D202 - D252	IF ON SKIN, Week with seen and water

P302 + P352 IF ON SKIN: Wash with soap and water
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P363 Wash contaminated clothing before reuse
P391 Collect Spillage

## 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification		
	120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411	28, 3		
	Benzyl Bei						
	54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31		
Tetramethyl Acetyloctahydronaphthalenes							
	70788-30-6	274-892-7	1 - 2 %	H317	11		
Trimethyl-propylcyclohexanepropanol							
	28219-60-5	248-907-2	1 - 2 %	H319; H319; H401; H411			
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol							
	33704-61-9	251-649-3	1 - 2 %	H303; H315; H317; H319; H401; H411	11, 15, 26		
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)							
	70788-30-6 Trimethyl-p 28219-60-5 2-Methyl-4 33704-61-9	274-892-7 propylcyclohexar 248-907-2 !-(2,2,3-trimethyl 251-649-3	1 - 2 % nepropanol 1 - 2 % -3-cyclopenten-1 1 - 2 %	H319; H319; H401; H411 -yl)-2-buten-1-ol H303; H315; H317; H319; H401; H411			



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Stormlands Fragrance Oil

Page 3 of 7 2019-05-02

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
8014-09-3	282-493-4	1 - 2 %	H304; H316; H401; H411	
Pogostem	on cablin oil			
2020341-69-	939-627-8	1 - 2 %	H227; H317; H401; H411	
(3E)-3,4,5	5,6,6-pentameth	ylhept-3-en-2-one	9	
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410	16, 19
Acetyl ced	drene			
8023-85-6	295-985-9	0.1 - 1.0 %	H304; H317; H401; H411	3
Cedarwood oil atlas				
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarin				
4707-47-5	225-193-0	0.1 - 1.0 %	H317; H401	
Methyl atr	rarate			
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402	11, 15, 31
Geraniol				
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402	
Hydroxyis				
104-55-2	203-213-9	0.01 - 0.1%	H303; H312; H315; H317; H319; H319;	10, 12, 16, 26, 31, 36
Cinnamal			H401	
See Section 1	6 for full text of	GHS classification	n codes	

# 4. First Aid Measures

4.1 Description of first aid measures

Total Hydrocarbon Content (% w/w) = 0.09

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Stormlands Fragrance Oil

Page 4 of 7 2019-05-02

During fire fighting:

Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Stormlands Fragrance Oil

Page 5 of 7 2019-05-02

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

**Color:** Yellow Tint to Pale Yellow (G1-3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0016

 %VOC:
 0.105

 Specific Gravity @ 25 C:
 0.9820

 Density @ 25 C:
 0.9790

 Refractive Index @ 20 C:
 1.4860

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,856.84) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 5,049.58) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 290.85) May be harmful if inhaled

Skin corrosion / irritationNot classified - the classification criteria are not metSerious eye damage / irritationNot classified - the classification criteria are not metRespiratory sensitizationNot classified - the classification criteria are not met



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Stormlands Fragrance Oil

Page 6 of 7 2019-05-02

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI	W2 -11	Class Not Regulated	Pack Group  I - Not Dangerou	Sub Risk s Goods	UN-nr.
ADR/RID (International Road	d/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Stormlands Fragrance Oil

Page 7 of 7 2019-05-02

## 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

123-35-3(NF 204-622-5 <= 6 ppm

beta-Myrcene (NFS)

**Canadian Regulations:** 

**DSL / NDSL** 99.46% of the components are listed or exempt. The following

components are NOT on the List:

This product contains the following components:

8023-85-6 295-985-9 0.1 - 1.0 % 125109-85-5 412-050-4 0.01 - 0.1% Cedarwood oil atlas Isopropylphenylbutanal

## 16. Other Information

#### GHS H-Statements referred to under section 3

H227 : Combustible liquid H302 : Harmful if swallowed

H304: May be fatal if swallowed and enters airways H312: Harmful in contact with skin

H313 : May be harmful in contact with skin H315 : Causes skin irritation

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage H319 : Causes serious eye irritation

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

(2.90) Aquatic Chronic Toxicity, Category 2

### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(10.00) Sensitization, Skin, Category 1A (1.38) Aquatic Acute Toxicity, Category 1

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.