

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Lannister Cabernet Fragrance Oil

Page 1 of 8 2019-03-25

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Crafter's Choice™ Lannister Cabernet Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2 H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

16 : Causes eye irritation.

19 : May cause photo-induced skin irritation.9 : Harmful if absorbed through the skin.

Acute Inhalation 21 : Harmful if inhaled.

23: May cause respiratory tract irritation.

25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia.

Acute Oral 2 : Harmful if swallowed

Reproductive/Developmental 39 : Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Lannister Cabernet Fragrance Oil

Page 2 of 8 2019-03-25

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver,

stomach, brain, tongue, mucous membranes, musculo-skeletal system.

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Carcinogenicity





Signal Word: Warning

Hazard statments

11007

$\Pi Z Z I$	Combustible liquid
H303	May be harmful if swallowed

H313 May be harmful in contact with skin

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation H333 May be harmful if inhaled

H411 Toxic to aquatic life with long lasting effects

Combustible liquid

Precautionary Statements

Prevention:

P235	Keen cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available





7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Lannister Cabernet Fragrance Oil

Page 3 of 8 2019-03-25

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
88-41-5	201-828-7	10 - 20 %	H227; H303; H316; H401; H411	12, 2
2-t-Butyley	yclohexyl acetate)		
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	28, 3
Benzyl Be	enzoate			
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15
Hexyl cinr	namaldehyde			
77-83-8	201-061-8	2 - 5 %	H317; H401; H411	11, 15
Ethyl Metl	hylphenylglycidat	e		
134-20-3	205-132-4	2 - 5 %	H303; H316; H319; H319; H401; H402	11, 15
Methyl an	thranilate			
105-53-3	203-305-9	2 - 5 %	H227; H319; H319; H402	
Diethyl ma				
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
151-05-3	205-781-3	2 - 5 %	H303; H402	11, 15
	hyl-2-phenylethy			
8013-75-0	232-395-2	2 - 5 %	H226; H302; H332; H335	21, 23
Fusel Oil				
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15
	nylindanopyran			
140-11-4	205-399-7	1 - 2 %	H303; H401; H412	15, 25, 26, 31, 39
Benzyl ac				
141-97-9	205-516-1	1 - 2 %	H227	
Ethyl acet				
118-58-1	204-262-9	1 - 2 %	H303; H317; H319; H320; H401; H412	31
Benzyl Sa	=			
8030-89-5	232-449-5	1 - 2 %	H225; H316; H319; H336	
Rum ethe		4 0 0/	11400	
24851-98-7	246-495-9	1 - 2 %	H402	
	ydrojasmonate	4 0 0/	11000, 11047, 11400, 11440	40.40
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410	16, 19
Acetyl ced		4 20/	11007, 11040	44
6413-10-1	229-114-0	1 - 2 %	H227; H316	11
<i>Etnyi ∠-me</i> 123-68-2	ethyl-1,3-dioxolaı 204-642-4	•	•	11 2 0
		1 - 2 %	H227; H301; H311; H331; H400; H412	11, 3, 9
Allyl hexa	iioale			



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Lannister Cabernet Fragrance Oil

Page 4 of 8 2019-03-25

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
106-22-9 Citronellol	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H319; H401	11, 15
8016-20-4	289-904-6 adisi (Grapefrui	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
68737-61-1	272-113-5 etrahydro Benza	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401; H411	12, 15, 31
127-91-3 <i>ß-Pinene</i>	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 24, 25, 31
5989-27-5 <i>Limonene</i>	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 23
110-41-8 2-Methylu	203-765-0 ndecanal	0.1 - 1.0 %	H227; H315; H317; H402; H410	
2020341-69- (3E)-3,4,5	939-627-8 5,6,6-pentamethy	0.1 - 1.0 % /lhept-3-en-2-one	H227; H317; H401; H411	
24720-09-0 <i>trans-alph</i>	246-430-4 a-1-(2,6,6-Trime	0.1 - 1.0 % ethyl-2-cyclohexe	H302; H313; H317; H401; H411 n-1-yl)-2-buten-1-one (trans-alpha-Damaso	12, 15, 26, 3, 31 cone)
23696-85-7 1-(2,6,6-T	245-833-2 rimethylcyclohe	0.01 - 0.1%	H313; H315; H317; H401; H411 buten-1-one (Damascenone)	31

4. First Aid Measures

4.1 Description of first aid measures

Total Hydrocarbon Content (% w/w) = 1.51

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Lannister Cabernet Fragrance Oil

Page 5 of 8 2019-03-25

During fire fighting:

Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
140-11-4	Benzyl acetate	10
127-91-3	ß-Pinene	20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Lannister Cabernet Fragrance Oil

Page 6 of 8 2019-03-25

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 2.9431 **%VOC:** 15.2778

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,250.66) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,263.83) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 38.37) May be harmful if inhaled

Skin corrosion / irritationCauses mild skin irritationSerious eye damage / irritationCauses serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Lannister Cabernet Fragrance Oil

Page 7 of 8 2019-03-25

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Lannister Cabernet Fragrance Oil

Page 8 of 8 2019-03-25

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1%

This product contains the following components:

beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 99.80% of the components are listed or exempt. The following

components are NOT on the List:

94201-73-7 303-662-1 <= 35 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

125109-85-5 412-050-4 0.1 - 1.0 % Isopropylphenylbutanal

16. Other Information

GHS H-Statements referred to under section 3

H225 : Highly flammable liquid and vapor H226 : Flammable liquid and vapour

H301 : Toxic if swallowed H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways H311 : Toxic in contact with skin

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H320 : Causes eye irritation

H331 : Toxic if inhaled H332 : Harmful if inhaled

H335 : May cause respiratory irritation H336 : May cause drowsiness or dizziness

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(3.10) Skin Corrosion/Irritation, Category 3 (5.00) Sensitization, Skin, Category 1A (1.06) Eye Damage/Eye Irritation, Category 2 (3.08) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.