

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Plum Rain\* Fragrance Oil

Page 1 of 7 2019-05-02

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Name: Crafter's Choice™ Plum Rain\* Fragrance Oil

## 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability

Class IIIA Combustible Liquid

Acute Dermal/Eye

12 : Causes skin irritation.

16 : Causes eye irritation.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia.

Acute Oral 3 : May be harmful if swallowed or if aspirated into the lungs Reproductive/Developmental 39 : Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, stomach,

brain, tongue, mucous membranes, musculo-skeletal system.

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

**Hazard pictograms** 



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

## Crafter's Choice™ Plum Rain\* Fragrance Oil

Page 2 of 7 2019-05-02





#### Signal Word: Warning

#### **Hazard statments**

H227	Combustible liquid
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled

H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

P235	Keep cool
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse

In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

P391 Collect Spillage

#### 2.3 Other Hazards

no data available

P370 + P378

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

a direct water jet on burning material

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification		
6413-10-1	229-114-0	2 - 5 %	H227; H316	11		
Ethyl 2-methyl-1,3-dioxolane-2-acetate (Fructone)						
68647-72-3	232-433-8	2 - 5 %	H226; H304; H315; H317; H400; H410	12, 3, 31		
Limonene						
35044-57-6	252-333-8	1 - 2 %	H227; H317; H412	31		
2,4-Cyclohexadiene-1-carboxylic Acid, 2,6,6-triemethyl-, ethyl ester						
103-36-6	203-104-6	1 - 2 %	H303; H401			
Ethyl cinnamate						



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

### Crafter's Choice™ Plum Rain\* Fragrance Oil

Page 3 of 7 2019-05-02

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
140-11-4	205-399-7	1 - 2 %	H303; H401; H412	15, 25, 26, 31, 39
Benzyl ac	etate			
8014-17-3(P)	277-143-2	0.1 - 1.0 %	H227; H315; H317; H318; H401; H411	12, 3, 31
Citrus Au	rantium Amara (	Bitter Orange) Le	eaf/Twig Oil	
84929-38-4	284-521-0	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Citrus not	oilis (Mandarin C	Orange) peel oil		
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402	
Linalyl Ac	etate			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31
Dimethylte	etrahydro Benza	aldehyde	H411	
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411	12, 15, 26, 3, 31
trans-alph	na-1-(2,6,6-Trime	ethyl-2-cyclohexe	en-1-yl)-2-buten-1-one (trans-alpha-Damasc	cone)
57378-68-4	260-709-8	0.01 - 0.1%	H302; H315; H317; H318; H400; H410	11, 15, 31
delta-1-(2	,6,6-Trimethyl-3	-cyclohexen-1-yl)	)-2-buten-1-one (delta-Damascone)	
See Section 1	6 for full text of	GHS classification	on codes	

#### 4. First Aid Measures

### 4.1 Description of first aid measures

Total Hydrocarbon Content (% w/w) = 5.27

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

## Crafter's Choice™ Plum Rain\* Fragrance Oil

Page 4 of 7 2019-05-02

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** 

 Component
 ACGIH
 ACGIH
 OSHA

 TWA ppm
 STEL ppm
 TWA ppm
 STEL ppm

**140-11-4** Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

**Color:** Pale Yellow(G2)-Yellow(G4)



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### Crafter's Choice™ Plum Rain\* Fragrance Oil

Page 5 of 7 2019-05-02

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0625

 %VOC:
 7.505

 Specific Gravity @ 25 C:
 0.9310

 Density @ 25 C:
 0.9280

 Refractive Index @ 20 C:
 1.4500

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactionsNone known10.4 Conditions to avoidNone known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

## 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 5,262.69) Not classified - the classification criteria are

not met

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 7,140.80) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 296.19) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicityNot classified - the classification criteria are not met



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Plum Rain\* Fragrance Oil

Page 6 of 7 2019-05-02

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

## 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods				
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	
IATA (Air Cargo)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	
IMDG (Sea)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	

# 15. Regulatory Information

### **U.S. Federal Regulations:**

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)

This product contains NO components of concern.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

Crafter's Choice™ Plum Rain\* Fragrance Oil

Page 7 of 7 2019-05-02

**U.S. State Regulations:** 

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1%

This product contains the following components:

beta-Myrcene (NFS)

**Canadian Regulations:** 

**DSL / NDSL** 100.05% of the components are listed or exempt.

## 16. Other Information

#### GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H303 : May be harmful if swallowed H304 : May be fatal if swallowed and enters airways

H313 : May be harmful in contact with skin H315 : Causes skin irritation

H317 : May cause an allergic skin reaction H318 : Causes serious eye damage H320 : Causes eye irritation H400 : Very Toxic to aquatic life

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects H412 : Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.12) Skin Corrosion/Irritation, Category 3 (2.00) Sensitization, Skin, Category 1A

(2.16) Aquatic Chronic Toxicity, Category 2

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.