

## Leucidal Liquid PT

D. (		
Date: 02/28/2018		Page: 1/9
	Version: 8	Cancels and replaces version: 7
SECTION 1. IDENTIFICATION	J	
Product Name/Identifier	Leucidal Liquid PT	
Recommended Use Restrictions on Use	Topical Cosmetic Use; Antimicrobial None	
Supplier/Manufacturing Site	Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com	
Emergency Telephone #	(800) 255-3924 Domestic USA, Canada, F	Puerto Rico, and US Virgin Islands
	+1 813 248-0585 International	
Classification: GHS / CLP		
GHS / CLP Basis for Classification:		sification and labeling is required according to GF I implementation (United Nations version 2011)
USA		(
OSHA Regulatory Status:	This material is non-hazardou Communication Standard (29 C	s as defined by the American OSHA Hazard CFR 1910.1200).
Europe Basis for Classification:	according to Directives 67/548	s hazardous to health or environment
Labeling Elements:		
Pictograph:	No hazard symbol expected	
Hazard statements/Signal Wo	ord: Not applicable	
Precautionary statements:	P233: Keep container tightly closed P281: Use personal protective equ P402: Store in a dry place	

P404: Store in a closed container

P410: Protect from sunlight

P411: Store at temperatures not exceeding 25°C



### Leucidal Liquid PT

Date: 02/28/2018		Page: 2/9	
	Version: 8	Cancels and replaces version: 7	
Other hazards which do not resu	ult in classification:		
No particular fire or explosion haza By mechanical effect: By hydroscopic effect:	ard. No particular hazards. No particular hazards.		
US NFPA 704 (National Fire Prot	ection Association) Hazard Rating Sy	vstem:	
Health hazard: Rating 0; Normal M Flammability: Rating 0, Will Not Bu Reactivity: Rating 0, Stable Other Hazard Information: None			
Results of PBT and vPvB assess	sment:		
-PBT: Not applicable -vPvB: Not applicable			
SECTION 3. COMPOSITION / IN	FORMATION ON INGREDIENTS		
Common Chemical Name:	Lactobacillus Ferment		
Generic name:			
Chemical Family:	Ferment		
Description: Substance			
<u>Substance</u> Lactobacillus Ferment	<u>CAS Numbers</u> 1686112-36-6 (or) 9015-54-7	EC Numbers         Percentage           N/A (or)         100.00%	
Formula:	Not applicable		
SECTION 4. FIRST-AID MEASUR	ES		
General:	In all cases of doubt, or when symp	In all cases of doubt, or when symptoms persist, seek medical attention.	
Inhalation:	Move to fresh air from exposure are breathing difficulty.	Move to fresh air from exposure area. Get medical attention for any breathing difficulty.	
Skin contact:	Rinse with soap and water. Get m	edical advice if irritation develops.	
Eye contact:	Immediately rinse with water for at wide open. Consult with a physicial	least 15 minutes, while keeping the eyan.	



# Leucidal Liquid PT

Date: 02/28/2018		Page: 3/9	
	Version: 8	Cancels and replaces version: 7	
Ingestion:	Consult with a physician.		
Protection of first-aiders:	No special protection required.		
SECTION 5. FIRE-FIGHTING ME	ASURES		
Fire and explosion hazards:	Not considered to be a fire and ex	plosion hazard	
Extinguishing media:			
Suitable:	Water, dry chemicals, foam & carb	bon dioxide.	
Not suitable:	None known	None known	
Fire fighting:	Avoid inhalation of material or con	Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low area	
Protection for fire-fighters:	Boots, gloves, goggles.	Boots, gloves, goggles.	
SECTION 6. ACCIDENTAL RELEA	SE MEASURES		
Personal precautions:	Avoid contact with eyes.	Avoid contact with eyes.	
	Personal Protective Equipment: -Protective goggles		
Environmental precautions:		Prevent entry into sewers and waterways. Do not allow material to contaminate ground water system	
Methods for cleaning up:			
Recovery:	Pick up free liquid for recycling or absorbed on an inert material.	Pick up free liquid for recycling or disposal. Residual liquid can be absorbed on an inert material.	
Cleaning/Decontamination:	Wash non-recoverable remainder	Wash non-recoverable remainder with water.	
Disposal:	For disposal of residues refer to se	For disposal of residues refer to sections 8 & 13.	

### **SECTION 7. HANDLING AND STORAGE**

Handling	
Technical measures:	Labeling: Keep out of the reach of children.
Measures:	For industrial use, only as directed.
Safe handling advice:	Wash hands after use. Avoid storage near feed or food stuff.
This information is presented in good faith b	ut is not warranted as to accuracy of results. Also, freedom from natent infringement is not implied



### Leucidal Liquid PT

Date: 02/28/2018		Page: 4/9
	Version: 8	Cancels and replaces version: 7
<b>Storage</b> Technical measures: Recommended Storage Conditions:		is product should be stored at temperatures
Incompatible products:	between 23 - 28°C. It should not be exposed to excessive heat or cold. Do not freeze. Avoid contact with strong oxidizers. Refer to the detailed list of incompatible materials (Section 10 Stability/Reactivity)	
Packaging: Packaging materials:	Product may be packaged in normal commercial packaging. Recommended - Polypropylene & High Density Polyethylene	
SECTION 8. EXPOSURE CONTROL	S / PERSONAL PROTECTION	I
Precautionary statements:	Ensure adequate ventilation	
Control parameters		

Occupational exposure Limits:

France:	Not Determined
ACGIH:	Not Determined
Korea:	Not Determined
UK:	Not Determined
Surveillance procedures:	Not Determined
Engineering measures:	Not Determined

### **Personal Protective Equipment:**

Respiratory protection:	Local exhaust
Hand protection:	Protective gloves made of rubber or neoprene.
Eye protection:	Safety glasses.
Collective emergency equipment:	Eye fountain.
Skin and Body Protection:	Suitable protective clothing
Skin and Body Protection:	Suitable protective clothing

Hygiene measures:Handle in accordance with good industrial hygiene and safety practice.Measures related to the Environment:No particular measures.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear to slightly hazy liquid
Color:	Pale yellow to yellow
Odor:	Characteristic



# Leucidal Liquid PT

Heavy Metals:       < 20 ppm         Lead:       < 10 ppm         Arsenic:       < 2 ppm         Cadmium:       < 1 ppm         Specific Gravity (25°C):       Not determined         Vapor density:       Not applicable         Boiling Point:       100°C         Freezing Point:       0°C         Metting point:       0°C         Metting point:       > 200°F         Oxidizing properties:       Non oxidizing material according to EC criteria.         Solubility:       In water:         In water:       Soluble         In organic solvents:       Not determined         Log P:       Not determined         SECTION 10. STABILITY AND REACTIVITY         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Conditions to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.	Date: 02/28/2018		Page: 5/9	
Heavy Metals:       < 20 ppm         Lead:       < 10 ppm         Arsenic:       < 2 ppm         Cadmium:       < 1 ppm         Specific Gravity (25°C):       Not determined         Vapor density:       Not applicable         Boiling Point:       100°C         Freezing Point:       0°C         Metting point:       Not applicable         Flash point:       > 200°F         Oxidizing properties:       Non oxidizing material according to EC criteria.         Solubility:       > 200°F         In organic solvents:       Non oxidizing material according to EC criteria.         Solubility:       Not determined         Log P:       Not determined         Xog P:       Not determined         Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Raterials to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.		Version: 8	Cancels and replaces version: 7	
Lead:< 10 ppm	pH (Direct):	7.0 - 8.5		
Lead:< 10 ppm	Heavy Metals:	< 20 ppm		
Cadmium:< 1 pm				
Specific Gravity (25°C):       Not determined         Vapor density:       Not applicable         Boiling Point:       100°C         Freezing Point:       0°C         Melting point:       > 200°F         Not applicable       Non oxidizing material according to EC criteria.         Solubility:       Non oxidizing material according to EC criteria.         Solubility:       Not determined         In organic solvents:       Not determined         Log P:       Not determined         Stability:       Not determined         Log P:       Not determined         Stability:       Not determined         Log P:       Not determined         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Conditions to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.				
Vapor density:       Not applicable         Boiling Point:       100°C         Freezing Point:       0°C         Melting point:       Not applicable         Flash point:       > 200°F         Oxidizing properties:       Non oxidizing material according to EC criteria.         Solubility:       In water:         In water:       Soluble         In organic solvents:       Not determined         Log P:       Not determined         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.	Cadmium:	< 1 ppm		
Boiling Point:       100°C         Freezing Point:       0°C         Melting point:       Not applicable         Flash point:       > 200°F         Oxidizing properties:       Non oxidizing material according to EC criteria.         Solubility:       In water:         In water:       Soluble         In organic solvents:       Not determined         Log P:       Not determined         SECTION 10. STABILITY AND REACTIVITY         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Conditions to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.	Specific Gravity (25°C):	Not determined		
Boiling Point:       100°C         Freezing Point:       0°C         Melting point:       Not applicable         Flash point:       > 200°F         Oxidizing properties:       Non oxidizing material according to EC criteria.         Solubility:       In water:         In water:       Soluble         In organic solvents:       Not determined         Log P:       Not determined         SECTION 10. STABILITY AND REACTIVITY         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Conditions to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.	Vapor density:	Not applicable		
Melting point:       Not applicable         Flash point:       > 200°F         Oxidizing properties:       Non oxidizing material according to EC criteria.         Solubility:       In water:         In water:       Soluble         In organic solvents:       Not determined         Log P:       Not determined         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Conditions to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.	Boiling Point:	100°C		
Flash point:       > 200°F         Oxidizing properties:       Non oxidizing material according to EC criteria.         Solubility:       In water:         In water:       Soluble         In organic solvents:       Not determined         Log P:       Not determined         SECTION 10. STABILITY AND REACTIVITY         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Conditions to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.	Freezing Point:			
Oxidizing properties:       Non oxidizing material according to EC criteria.         Solubility:       In water:       Soluble         In organic solvents:       Not determined         Log P:       Not determined         SECTION 10. STABILITY AND REACTIVITY         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Conditions to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.	Melting point:	Not applicable		
Oxidizing properties:       Non oxidizing material according to EC criteria.         Solubility:       In water:         In water:       Soluble         In organic solvents:       Not determined         Log P:       Not determined         SECTION 10. STABILITY AND REACTIVITY         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Conditions to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.	Flash point:	> 200°F	> 200°F	
In water:SolubleIn organic solvents:Not determinedLog P:Not determinedSECTION 10. STABILITY AND REACTIVITYStability:Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf lifeHazardous reactions:None knownConditions to avoid:No dangerous reactions known under use of normal conditions. Avoid extreme heat.Materials to avoid:No dangerous reaction known with common products.	Oxidizing properties:	Non oxidizing material accor	Non oxidizing material according to EC criteria.	
In water:SolubleIn organic solvents:Not determinedLog P:Not determinedSECTION 10. STABILITY AND REACTIVITYStability:Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf lifeHazardous reactions:None knownConditions to avoid:No dangerous reactions known under use of normal conditions. Avoid extreme heat.Materials to avoid:No dangerous reaction known with common products.	Solubility:			
Log P:Not determinedSECTION 10. STABILITY AND REACTIVITYStability:Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf lifeHazardous reactions:None knownConditions to avoid:No dangerous reactions known under use of normal conditions. Avoid extreme heat.Materials to avoid:No dangerous reaction known with common products.	In water:	Soluble		
SECTION 10. STABILITY AND REACTIVITY         Stability:       Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life         Hazardous reactions:       None known         Conditions to avoid:       No dangerous reactions known under use of normal conditions. Avoid extreme heat.         Materials to avoid:       No dangerous reaction known with common products.	In organic solvents:	Not determined		
Stability:Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf lifeHazardous reactions:None knownConditions to avoid:No dangerous reactions known under use of normal conditions. Avoid extreme heat.Materials to avoid:No dangerous reaction known with common products.	Log P:	Not determined		
re-test to full product specifications to extend shelf lifeHazardous reactions:None knownConditions to avoid:No dangerous reactions known under use of normal conditions. Avoid extreme heat.Materials to avoid:No dangerous reaction known with common products.	SECTION 10. STABILITY AND	REACTIVITY		
Conditions to avoid:No dangerous reactions known under use of normal conditions. Avoid extreme heat.Materials to avoid:No dangerous reaction known with common products.	Stability:			
Avoid extreme heat.Materials to avoid:No dangerous reaction known with common products.	Hazardous reactions:	None known	None known	
	Conditions to avoid:		wn under use of normal conditions.	
Hazardous decomposition products: None known	Materials to avoid:	No dangerous reaction know	n with common products.	
	Hazardous decomposition pro	ducts: None known		

### SECTION 11. TOXICOLOGICAL INFORMATION

Ingestion:	Not Determined
Dermal:	Non-Irritant (Dermal Irritection Model)
Ocular:	Non-Irritant (Ocular Irritection Model)
Inhalation:	Not Determined
Acute toxicity data:	EC50 (Acute Daphnia): 121.0 mg/L - Not harmful to aquatic organisms



# Leucidal Liquid PT

Date: 02/28/2018		Page: 6/9
	Version: 8	Cancels and replaces version: 7
Sensitization:	Non-Primary Irritant & Non-Primary Sensitizers; Will not cause allergic contact dermatitis (In Chemico Skin Sensitization Direct Peptide Reactivity Assay & In Vitro Skin Sensitization ARE-Nrf2 Luciferase Test Method)	
Repeated dose toxicity:	No known effects	
Subacute to chronic toxicity:	Not Determined	
Mutagenicity:	Non-Mutagenic (OECD471/ISO Reverse Mutation Test)	10993.Part 3 – Genotoxicity: Bacterial
Additional Toxicological Information		lassification according to the calculation sification Guidelines for Preparations as
Specific effects:		
Carcinogenicity: Mutagenicity: Reproductive toxicity: Neuro-toxicity:	No known effects No known effects No known effects No known effects	
For more information:	Does not present any particular conditions of good occupationa	
This product has not been tested for t -Primary cutaneous and corrosive irr -Acute oral toxicity		
SECTION 12. ECOLOGICAL INFOR	MATION	
<b>Ecotoxicity</b> Effects on the aquatic environment:	Not Determined	
<b>Biodegradability:</b> Persistence:	Readily Biodegradable (88.3% b	biodegradation after 28 days of testing)
<b>Bioaccumulation:</b> Octanol / water partition coefficient:	Not Determined	
<b>Mobility:</b> Precipitation: Expected behavior of the product:	Ultimate destination of the produ	uct: Soil & sediment.
Other Adverse Effects:	None known	



### Leucidal Liquid PT

Date: 02/28/18		Page: 7/9	
	Version: 8	Cancels and replaces version: 7	
SECTION 13. DISPOSAL CONS	SIDERATIONS		
Residues from product			
Prohibition: Destruction/Disposal:	•	Do not allow the product to be released into the Environment. Dispose of in accordance with relevant local regulations	
Contaminated packaging			
Decontamination/cleaning: Destruction/Disposal:	Cleaning is not required prior	to disposal.	
Note: Take all necessary precau	utions when disposing of this product	according to local regulations.	
SECTION 14. TRANSPORT INF	ORMATION		
UN Number: UN Shipping Name: Transport Hazard Class:	None None Not classified as dangerous fo	or transport	

Transport Hazard Class:	Not classified as dangerous for transport
Land (rail/road): Sea: Air:	Material is not restrictive for land transport and is not regulated by ADR/RID Material is not restrictive for sea transport and is not regulated by IMO/IMDG Material is not restrictive for land transport and is not regulated by ICA/IATA
Marine Pollutant:	No
Transport/Additional Information:	Not regulated for US DOT Transport in non-bulk containers This material is not dangerous or hazardous
Special Precautions for User:	None known

The above regulatory prescriptions are those valid on the date of publication of this sheet. However, given the possible evolution of transport regulations for hazardous materials and in the event of the MSDS in your possession dating back more than 12 months, it is advisable to check their validity with your sales office.

### **SECTION 15. REGULATORY INFORMATION**

Labeling: EC regulations:	This product does not need to be labeled in accordance with EC Directives or respective national laws
Further regulations	
United Kingdom:	Handle in accordance with relevant British regulation: control of substance Hazardous to Health Regulations Environmental Hygiene Guidance: EH40 Workplace Exposure Limits (revised annually)



### Leucidal Liquid PT

Date: 02/28/2018		Page: 8/9
	Version: 8	Cancels and replaces version: 7
Korea regulations:	Industrial safety and hygiene regulation: Hazardous material control regulation:	No No
	Fire prevention regulation:	No
Other regulations:		
EINECS inventory status:	Lactobacillus Ferment	N/A (or) 295-635-5
TSCA inventory status:	Exempt	
AICS inventory status:	Not Listed: 1686112-36-6 Listed: 9015-54-7	
Canadian (CEPA DSL) inventory status	Not Listed: Lactobacillus Ferment (1686112-36-6) Listed: Protein Hydrolyzates (DSL)	
Japan (MITI list):	Lactobacillus Ferment	
Korea:	Lactobacillus Ferment	
China inventory status:	Lactobacillus Ferment	
Philippines inventory status:	Not Listed: Lactobacillus Ferment (1686112-36-6) Listed: Protein Hydrolyzates	

\*Listed on 2010 INCI Standard Chinese Name Directory

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the products described in this sheet. The user's attention is drawn to the possible existence of additional provision which complete these regulations. Please refer to all applicable international, national and local regulations and provisions

### **SECTION 16. OTHER INFORMATION**

Prohibited uses:	For specific uses, food industry, ask the manufacturer for more information.
Last Revision Date:	08/13/2015
Preparation Date:	02/28/2018
MSDS summary of changes	<ul> <li>New Logo</li> <li>Added Precautionary Statements - Section 2 (Hazards Identification)</li> <li>Added Heavy Metals &amp; Arsenic – Section 9 (Physical &amp; Chemical Properties) &amp; Updated Transport Information – Section 14 (Transport Information)</li> <li>Added Acute Toxicity &amp; Mutagenicity Data – Section 11 (Toxicological Information) &amp; Added Biodegradability Data – Section 12 (Ecological Information)</li> <li>Updated CAS#'s – Section 3 (Composition / Information on Ingredients) &amp; Section 15 (Regulatory Information)</li> <li>Added Sensitization Data – Section 3 (Composition / Information)</li> <li>Updated CAS/EINEC#'s – Section 3 (Composition / Information on Ingredients) &amp; Section 15 (Regulatory Information) &amp; Added Lead &amp; Cadmium – Section 9 (Physical &amp; Chemical Properties), Updated Sensitization &amp; Mutagenicity Data – Section 11 (Toxicological Information 9 (Physical &amp; Chemical Properties), Updated Biodegradability Data – Section 12 (Ecological Information)</li> </ul>



### Leucidal Liquid PT

Date: 02/28/2018		Page: 9/9
	Version: 8	Cancels and replaces version: 7

The information given is based on our knowledge of this product, at the time of publication in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than which it was intended. This is not in any way excuse the user from knowing and applying all the regulations governing their activity. It is sole responsibility of the user to take all precautions required in handling the product. The purpose of mandatory regulation mentioned is to help the user to fulfill his obligations regarding the use of products. This information is not exhaustive, this is not exonerate the user from ensuring that legal obligations other than those mentioned, relating to the use and storage.