

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Safety Data Sheet

Crafter's Choice™ Tuscan Leather\* Fragrance Oil

Page 1 of 7 2020-03-02

SDS v1 GHS / OSHA

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Crafter's Choice™ Tuscan Leather\* Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A Aquatic Acute Toxicity, Category 1

H317 : May cause an allergic skin reaction H400 : Very Toxic to aquatic life

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms



Signal Word: Warning Hazard statments



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

### Crafter's Choice™ Tuscan Leather\* Fragrance Oil

Page 2 of 7 2020-03-02

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
2.3 Other Hazards	

#### no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	40 - 50 %	H302; H313; H400; H411	
Benzyl Be	nzoate			
105-95-3	203-347-8	5 - 10 %	H401	
Ethylene b	orassylate			
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	
Hexameth	ylindanopyran			
63500-71-0	405-040-6	2 - 5 %	H319	
Isobutyl Methyl Tetrahydropyranol				
24851-98-7	246-495-9	2 - 5 %	H402	
Methyldihy	vdrojasmonate			
31906-04-4	250-863-4	2 - 5 %	H317; H402	
Hydroxyisohexyl 3-cyclohexene carboxaldehyde				
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	
Hexyl cinnamaldehyde				



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Tuscan Leather\* Fragrance Oil

Page 3 of 7 2020-03-02

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
<b>8050-15-5</b> 232-476-2 2 - 5 %		2 - 5 %	H402; H412		
Methyl es	ster of rosin (par	rtially hydrogenat	ed)		
8001-26-1	232-278-6	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332;		
Linum us	itatissimum (Lin	seed) seed oil	H335		
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;		
Butylpher	nyl Methylpropic	onal	H412		
See Section 1	16 for full text of	GHS classification	on codes		
See S	Section 16 for fu	Ill text of GHS cla	ssification codes which where not shown in section 2		
Total	Hydrocarbon C	ontent (% w/w) =	= 0.01		
4. Fi	irst Aid Meas	sures			
4.1 Descrip	otion of first aid	d measures			
Inhalation: Eye Exposure: Skin Exposure:			Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
			Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
			Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion	:		Rinse mouth with water and obtain medical advice.		
4.2 Most in	nportant sympt	oms and effects	s, both acute and delayed		
Symptom	s:		no data available		
Risks:			Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed					
Treatment	t:		Refer to Section 2.2 "Response"		
5. Fi	ire-Fighting	measures			
5.1 Extingu	uishing media				
Suitable:			Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitabl	е		Do not use a direct water jet on burning material		
5.2 Special	hazards arisir	ng from the subs	stance or mixture		
Durina fir	e fighting:		Water may be ineffective		
-	for firefighters				
Econtle en in	f				

## 6. Accidental Release Measures

Further information:

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Standard procedure for chemical fires



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Tuscan Leather\* Fragrance Oil

Page 4 of 7 2020-03-02

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.<br/>as may be appropriate for the exposureRespiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)

#### SDS v1 GHS / OSHA

# **Crafter's**Choice<sup>®</sup>

## Safety Data Sheet

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Tuscan Leather\* Fragrance Oil

Page 5 of 7 2020-03-02

Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0026
%VOC:	0.37
Specific Gravity @ 25 C:	1.0200
Density @ 25 C:	1.0170
Refractive Index @ 20 C:	1.5080
Soluble in:	Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

## 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2384.2608) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4767.5507) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 82.8515) May be harmful if inhaled
Skin corrosion / irritation	Not classified - the classification criteria are not met
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

### Crafter's Choice™ Tuscan Leather\* Fragrance Oil

Page 6 of 7 2020-03-02

2. Ecological Information	
2.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (40 - 50 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Road	d/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082

15.Regulatory InformationU.S. Federal Regulations	
TSCA (Toxic Substance Control Act) 40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	All components of the substance/mixture are listed or exempt This product contains NO components of concern.
California Proposition 65 Warning	This product contains the following components:



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Safety Data Sheet

Crafter's Choice™ Tuscan Leather\* Fragrance Oil

Page 7 of 7

2020-03-02

123-35-3(NF	204-622-5	<= 13 ppm	beta-Myrcene (Natural Source)	
nadian Regulations				

#### **Canadian Regulations**

DSL

100.00% of the components are listed or exempt.

### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H302 : Harmful if swallowed
H312 : Harmful in contact with skin	H315 : Causes skin irritation
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H332 : Harmful if inhaled
H335 : May cause respiratory irritation	H361 : Suspected of damaging fertility or the unborn child
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(60.35) Acute Toxicity Inhalation, Category 5	(38.85) Aquatic Chronic Toxicity, Category 3
(30.00) Sensitization, Skin, Category 1A	(5.13) Sensitization, Skin, Category 1
(3.87) Aquatic Chronic Toxicity, Category 2	(2.40) Sensitization, Skin, Category 1B
(2.10) Acute Toxicity Oral, Category 5	(2.07) Aquatic Chronic Toxicity, Category 4
(1.96) Aquatic Acute Toxicity, Category 1	(1.05) Acute Toxicity Dermal, Category 5

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice Brands, LLC<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice Brands, LLC<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.

SDS v1 GHS / OSHA