

SDS Type: GHS / OSHA

# Crafter's Choice™ Bergamot & Mandarin\* Fragrance Oil

Page 1 of 7 2016-03-10

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

(800) 908-7028

www.crafters-choice.com

Crafter's Choice™ Bergamot & Mandarin\* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 3 H226: Flammable liquid and vapour Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Carcinogenicity, Category 1B H350: May cause cancer

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class II Flammable Liquid

Acute Dermal/Eye 10 : May be harmful if absorbed through the skin.

12 : Causes moderate

16: Causes

Acute Oral 2 : Harmful if swallowed

4: Harmful or fatal

Genotoxicity 36 : Suspected of causing genetic defects
Reproductive/Developmental
Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

thymus gland, stomach, gastrointestinal tract, nasal cavity

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Bergamot & Mandarin\* Fragrance Oil

Page 2 of 7 2016-03-10

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms









# Signal Word: Danger

# Hazard Statements

H226	Flammable liquid and vapour
H303	May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled

H350 May cause cancer

H410 Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
D242	Lies only non-operating tools

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

#### Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin

with water/shower

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P352 Wash with soap and water

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Bergamot & Mandarin\* Fragrance Oil

Page 3 of 7 2016-03-10

P391

Collect Spillage

#### 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification			
68647-72-3	232-433-8	40 - 50 %	H226; H304; H315; H317; H400; H410	12, 3, 31			
Citrus aur	antium var. dulci	is					
8008-57-9	232-433-8	10 - 20 %	H226; H304; H315; H400; H410	12, 3, 31			
Citrus aurantium dulcis (Orange) oil							
101-39-3	202-938-8	5 - 10 %	H303; H317; H401	31			
alpha-Methylcinnamaldehyde							
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411	28, 3			
Benzyl Be	enzoate						
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H319; H402	12, 26			
Linalool							
110-41-8	203-765-0	2 - 5 %	H227; H315; H317; H402; H410				
2-Methylu	ndecanal						
115-95-7	204-116-4	2 - 5 %	H227; H315; H319; H401; H402				
Linalyl ac	etate						
8000-34-8	284-638-7	1 - 2 %	H303; H304; H313; H316; H319; H401	12, 31, 36, 4			
•	aryophyllus (Clo	ve) leaf oil					
104-55-2	203-213-9	1 - 2 %	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36			
Cinnamal							
123-35-3	204-622-5	1 - 2 %	H226; H304; H315; H319	12, 26, 39, 4			
beta-Myrc	ene						
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411	12, 2			
2-t-Butylcyclohexyl acetate							
8015-91-6	283-479-0	0.1 - 1.0 %	H227; H303; H313; H316; H319; H341;	11, 15, 31			
Cinnamomum Zeylanicum (Cinnamon Leaf 🕩,59xtH401; H412							

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 53.04

## 4. First Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Bergamot & Mandarin\* Fragrance Oil

Page 4 of 7 2016-03-10

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:**Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available



Crafter's Choice™ Bergamot & Mandarin\* Fragrance Oil

SDS Type: GHS / OSHA

Page 5 of 7 2016-03-10

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

(800) 908-7028

www.crafters-choice.com

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow to Greenish Yellow (G3-4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.5833

 %VOC:
 55.9

 Specific Gravity @ 25 C:
 0.8900

 Density @ 25 C:
 0.8870

 Refractive Index @ 20 C:
 1.4790

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

# **Safety Data Sheet**

Crafter's Choice™ Bergamot & Mandarin\* Fragrance Oil

SDS Type: GHS / OSHA

Page 6 of 7 2016-03-10

## 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4,149.38) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 5,264.13) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 63.74) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity May cause cancer

Reproductive toxicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

## 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Very toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator Class Pack Group Sub Risk UN-nr.



SDS Type: GHS / OSHA

Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# **Crafter's Choice™ Bergamot** & Mandarin\* Fragrance Oil

Page 7 of 7 2016-03-10

U.S. DOT (Non-Bulk) Chemicals NOI		Not Regulated - Not Dangerous Goods							
ADR/RID (International Road/Rail)									
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082				
Perfumery Products		3	Ш	Flammable Liquid	UN1266				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	Ш		UN3082				
IMDG (Sea)									
Perfumery Products		3	III	Flammable Liquid	UN1266				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082				

#### **Regulatory Information** 15.

### U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)

This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

This product contains the following components:

94-59-7 202-345-4 <= 48 ppm

Safrole (NFS)

93-15-2 202-223-0 <= 20 ppm Methyl Eugenol (NFS)

204-622-5 1 - 2 % 123-35-3 123-35-3(NF 204-622-5 1 - 2 %

beta-Myrcene beta-Myrcene (NFS)

**Canadian Regulations:** 

**DSL/NDSL** 

100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(5.50) Aspiration Hazard, Category 1 (6.05) Skin Corrosion/Irritation, Category 2

(12.00) Sensitization, Skin, Category 1A (4.00) Carcinogenicity, Category 1B

(2.16) Aquatic Chronic Toxicity, Category 1

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.