

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Ocean Water* Fragrance Oil

Page 1 of 8 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Ocean Water* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Carcinogenicity, Category 1B H350: May cause cancer

Target Organ Systemic Toxicity - Single H371: May cause damage to organs

Exposure, Category 2

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate

16 : Causes

Acute Oral 3: May be harmful if swallowed.

4 : Harmful

Genotoxicity 36 : Suspected of causing genetic defects
Reproductive/Developmental 39 : Causes reproductive/developmental
Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, male reproductive system



7820 E. Pleasant Valley Road Independence, OH 44131

(800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Ocean Water* Fragrance Oil

Page 2 of 8 2016-03-10

SDS Type: GHS / OSHA

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin, testes

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Danger Hazard Statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H350	May cause cancer
H371	May cause damage to organs
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201

P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
snonsa.	

Obtain special instructions before use

Response:

sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Ocean Water* Fragrance Oil

Page 3 of 8 2016-03-10

P363

Wash contaminated clothing before reuse

P370 + P378

In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391

Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification			
18479-58-8	242-362-4	20 - 30 %	H227; H303; H316; H319; H402	11, 15			
2,6-dimethyloct-7-en-2-ol							
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	28, 3			
Benzyl Benzoate							
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H319; H402	12, 26			
Linalool							
8007-35-0	232-357-5	5 - 10 %	H316; H401; H411	11			
Terpineol a	acetate						
60-12-8	200-456-2	5 - 10 %	H302; H313; H316; H319	11, 15, 3			
phenethyl	alcohol						
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	11, 15			
Hexyl cinn	amaldehyde						
125-12-2	204-727-6	2 - 5 %	H227; H316; H401	11, 15			
Isobornyl a	acetate						
1205-17-0	214-881-6	2 - 5 %	H303; H317; H401; H411				
a-Methyl-1	,3-benzodioxole	-5-propionaldehy	/de				
101-48-4	202-945-6	2 - 5 %	H227; H303; H316; H319	11, 16			
PHENYLA	CETALDEHYDE	DIMETHYLAC	ETAL				
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H371; H401; H412	31			
Benzyl Sa	licylate						
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	11, 15			
Hexameth	ylindanopyran						
8000-34-8	284-638-7	2 - 5 %	H303; H304; H313; H316; H319; H401	12, 31, 36, 4			
Eugenia caryophyllus (Clove) leaf oil							
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39			
Butylphenyl Methylpropional H411							
103-95-7	203-161-7	1 - 2 %	H227; H303; H315; H317; H401; H412	11, 15, 31			
2-Methyl-3-(p-isopropylphenyl)propionaldehyde							
8015-91-6	283-479-0	0.1 - 1.0 %	H227; H303; H313; H316; H319; H341;	11, 15, 31			
Cinnamomum Zeylanicum (Cinnamon Leaf ரிடு,5%;Н401; H412							



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Ocean Water* Fragrance Oil

Page 4 of 8 2016-03-10

CAS# Ingredient EC# Conc.

Range GHS Classification

OSHA Classification

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.89

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Ocean Water* Fragrance Oil

Page 5 of 8 2016-03-10

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Yellow Tint (G0/1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

None Expected

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.0462

%VOC: 1.1

 Specific Gravity @ 25 C:
 0.9530

 Density @ 25 C:
 0.9500

 Refractive Index @ 20 C:
 1.4920

Soluble in: Oil



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Roa Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Ocean Water* Fragrance Oil

Page 6 of 8 2016-03-10

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,617.77) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,176.69) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: Undetermined) Not classified - the classification criteria

are not met

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitizationNot classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity May cause cancer

Reproductive toxicity Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Ocean Water* Fragrance Oil

Page 7 of 8 2016-03-10

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

94-59-7 202-345-4 <= 60 ppm Safrole (NFS)

93-15-2 202-223-0 <= 25 ppm Methyl Eugenol (NFS) 123-35-3(NF 204-622-5 <= 45 ppm beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk (TFV) Risk

(1.88) Skin Corrosion/Irritation, Category 2 (3.50) Sensitization, Skin, Category 1B

(6.31) Eye Damage/Eye Irritation, Category 2A (5.00) Carcinogenicity, Category 1B



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Ocean Water* Fragrance Oil

Page 8 of 8 2016-03-10

(2.50) Target Organ Systemic Toxicity - Single Exposure, Category 2

(1.10) Aquatic Acute Toxicity, Category 1

(2.86) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.