

# Safety Data Sheet

## Crafter's Choice™ Glow J Lo\* Fragrance Oil

Page 1 of 8 2018-11-19

## Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier**

1.

Product Name: Crafter's Choice<sup>™</sup> Glow J Lo\* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS and (EC) No 1272/2008 (CLP)

	- · · · · · · · · · · · · · · · · · · ·		
	Acute Toxicity Oral, Category 5		H303: May be harmful if swallowed
	Acute Toxicity Dermal, Category	5	H313: May be harmful in contact with skin
	Skin Corrosion/Irritation, Categor	ry 2	H315: Causes skin irritation
	Sensitization, Skin, Category 1A		H317: May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Cate	gory 2A	H319: Causes serious eye irritation
	Acute Toxicity Inhalation, Catego	ory 5	H333: May be harmful if inhaled
	Reproductive Toxicology, Catego	ory 2	H361: Suspected of damaging fertility or the unborn child
	Aquatic Acute Toxicity, Category	1	H400: Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Catego	ry 2	H411: Toxic to aquatic life with long lasting effects
Clas	ssification OSHA (Provisions 19	10.1200 of title	29)
	Flammability	Class IIIB Com	bustible Liquid
	Acute Dermal/Eye	12 : Causes sl	kin irritation.
		15 : May cause	e eye irritation.
	Acute Oral	3 : May be harr	mful if swallowed .
	Reproductive/Developmental	39 : Causes re	productive/developmental toxicity in animals.
	Sensitization/Allergic Response	31 : May cause	e allergic skin reaction.
	Target Organ Effects	•	or repeated ingestion may cause damage to: kidneys, adrenal ale reproductive system.
		28 : Prolonged testes	or repeated Dermal Exposure may cause damage to: kidneys, skin,
	Carcinogenicity		ntains ingredients identified as carcinogens, at 0.1% or greater, g:None [X] ACGIH [] IARC [] NTP [] OSHA []

# **Crafter's**Choice<sup>®</sup>

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

## Crafter's Choice™ Glow J Lo\* Fragrance Oil

Page 2 of 8 2018-11-19

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

## Hazard pictograms





## Signal Word: Warning

#### Hazard statments

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

## **Prevention:**

	_	
	P201	Obtain special instructions before use
	P202	Do not handle until all safety precautions have been read and understood
	P264	Wash hands thoroughly after handling
	P272	Contaminated work clothing should not be allowed out of the workplace
	P273	Avoid release to the environment
	P281	Use personal protective equipment as required
F	Response:	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P391	Collect Spillage
2.3	Other Hazards	

## no data available



7820 E. Pleasant Valley Road

Independence, OH 44131

www.crafters-choice.com

# **Safety Data Sheet**

## Crafter's Choice™ Glow J Lo\* Fragrance Oil

Page 3 of 8 2018-11-19

## 3. Composition/Information on Ingredients

## 3.1 Mixtures

(800) 908-7028

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	28, 3
Benzyl Be	enzoate			
1222-05-5	214-946-9	10 - 20 %	H316; H400; H410	11, 15
Hexameth	nylindanopyran			
118-58-1	204-262-9	10 - 20 %	H303; H317; H320; H401; H412	31
Benzyl Sa	licylate			
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15
	namaldehyde			
60-12-8	200-456-2	5 - 10 %	H302; H313; H316; H319	11, 15, 3
phenethyl				
80-54-6	201-289-8	5 - 10 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
• •	yl Methylpropion		H412	
31906-04-4	250-863-4	2 - 5 %	H317; H402	
	ohexyl 3-cyclohe			
1205-17-0	214-881-6	2 - 5 %	H303; H317; H401; H411	
•	1,3-benzodioxole	• • •		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
103-95-7	203-161-7	1 - 2 %	H227; H303; H315; H317; H401; H412	11, 15, 31
-	3-(p-isopropylphe		-	
66068-84-6	266-100-3	1 - 2 %	H315; H401; H411	11, 15
	enyl cyclohexano			
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H402	11, 15, 31
Geraniol				
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	11, 15
Citronello				
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H318; H401	15
Nerol				
32388-55-9	251-020-3	0.1 - 1.0 %	H316; H317; H400; H410	16, 19
Acetyl ced		o 4 4 0 04		
2020341-69-	939-627-8	0.1 - 1.0 %	H227; H317; H401; H411	
	6,6-pentamethy			44 45
81-14-1	201-328-9	0.1 - 1.0 %	H316; H351; H400; H410	11, 15
Musk ketc		01 100/	LIDDE, LIDDA, LIDDE, LI	10 0 01
8007-75-8	289-612-9	0.1 - 1.0 %	H226; H304; H315; H317; H319; H401;	12, 3, 31
Citrus aur	antium bergamia	(Bergamot) fruit	. 011''''	



# Safety Data Sheet

## Crafter's Choice™ Glow J Lo\* Fragrance Oil

Page 4 of 8 2018-11-19

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
103-50-4	203-118-2	0.1 - 1.0 %	H303; H316; H317; H400; H410	11
Dibenzyl				
See Section 1	6 for full text of	GHS classification	on codes	
Total	Hydrocarbon C	ontent (% w/w) =	= 0.21	
	rst Aid Meas			
4.1 Descrip	tion of first aid	Imeasures		
Inhalation	:		Remove from exposure site to fresh a Obtain medical advice.	air and keep at rest.
Eye Expo	sure:		Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:		Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion	:		Rinse mouth with water and obtain m	edical advice.
4.2 Most im	portant sympt	oms and effects	s, both acute and delayed	
Symptom	s:		no data available	
Risks:			Refer to Section 2.2 "Hazard Stateme	ents"
4.3 Indicati	on of any imme	ediate medical a	ttention and special treatment neede	d
Treatment	::		Refer to Section 2.2 "Response"	
5. Fi	re-Fighting I	neasures		
	ishing media			
Suitable:			Carbon dioxide (CO2), Dry chemical,	Foam
Unsuitable		Do not use a direct water jet on burning material		
5.2 Special	hazards arisin	g from the subs	tance or mixture	-
During fire	e fighting: for firefighters		Water may be ineffective	
Further in			Standard procedure for chemical fires	

## 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.



# Safety Data Sheet

## Crafter's Choice™ Glow J Lo\* Fragrance Oil

Page 5 of 8 2018-11-19

### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Limits:	Contains no substances with	occupational exposure limit values
------------------	-----------------------------	------------------------------------

**Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow (G2-3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0093
%VOC:	0.393
Specific Gravity @ 25 C:	1.0370

# **Crafter's**Choice<sup>®</sup>

# Safety Data Sheet

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Glow J Lo\* Fragrance Oil

Page 6 of 8 2018-11-19

Density @ 25 C:	1.0340
Refractive Index @ 20 C:	1.5390
Soluble in:	Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

## 11. Toxicological Information

**11.1 Toxicological Effects** 

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2,391.16) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3,690.30) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 42.27) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

## 12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Chronic aquatic toxicity Toxicity Data on soil Toxicity on other organisms Very Toxic to aquatic life Toxic to aquatic life with long lasting effects no data available no data available

12.2 Persistence and degradability

no data available



# Safety Data Sheet

Crafter's Choice™	Glow J Lo*
Fragrance	e Oil
•	

Page 7 of 8 2018-11-19

12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

## 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

198404-98-7 427-900-1 0.01 - 0.1%

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo) Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	Ш		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082

Liquid, n.o.s.						
15. Regula	tory Infor	mation				
U.S. Federal Regul	ations:					
TSCA (Toxic Substance Control Act):		ntrol Act):	All components of the substance/mixture are listed or exempt			
40 CFR(EPCRA, SARA, CERCLA and CAA)		CLA and CAA)	This product contains NO components of concern.			
U.S. State Regulati	ons:					
California Proposition 65 Warning		arning	This product contains the following components:			
93-15-2	202-223-0	<= 3 ppm	Methyl Eugenol (NFS)			
123-35-3(NF	204-622-5	<= 31 ppm	beta-Myrcene (NFS)			
100-42-5(NF	202-851-5	<= 10 ppm	Styrene (NFS)			
Canadian Regulation	ons:					
DSL / NDSL			99.94% of the components are listed or exempt. The following components are NOT on the List:			
67801-20-1	267-140-4	0.1 - 1.0 %	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol			
94201-73-7	303-662-1	<= 0 ppm	Tetrahydro-4-methyl-2-phenyl-2H-pyran			
131812-67-4	412-950-7	<= 18 ppm	2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3-dioxolane (Okoumal)			

Cyclopropanemethanol,

1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]



# Safety Data Sheet

## Crafter's Choice™ Glow J Lo\* Fragrance Oil

Page 8 of 8 2018-11-19

54440-17-4

7820 E. Pleasant Valley Road

Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

<= 0 ppm

m 2,3,3-Trimethylindanone

## 16. Other Information

#### **GHS H-Statements referred to under section 3**

H226 : Flammable liquid and vapour

H302 : Harmful if swallowed

H316 : Causes mild skin irritation

H318 : Causes serious eye damage

H351 : Suspected of causing cancer

H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

## Total Fractional Values

(TFV) Risk

(1.49) Skin Corrosion/Irritation, Category 2

(4.83) Eye Damage/Eye Irritation, Category 2A

(2.14) Aquatic Acute Toxicity, Category 1

(TFV) Risk (400.00) Sensitization, Skin, Category 1A (1.77) Reproductive Toxicology, Category 2

H304 : May be fatal if swallowed and enters airways

H410 : Very toxic to aquatic life with long lasting effects

H317 : May cause an allergic skin reaction

(9.92) Aquatic Chronic Toxicity, Category 2

H227 : Combustible liquid

H320 : Causes eye irritation

H401 : Toxic to aquatic life

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.