

7820 E. Pleasant Valley Road
 Independence, OH 44131
 (800) 908-7028
www.crafters-choice.com

Crafter's Choice™ First Snow Fragrance Oil

Page 1 of 8
 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ First Snow Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC
 7820 E. Pleasant Valley Road
 Independence, Ohio 44131
 Phone: 1-800-908-7028
www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Reproductive Toxicology, Category 2	H361: Suspected of damaging fertility or the unborn child
Target Organ Systemic Toxicity - Single Exposure, Category 2	H371: May cause damage to organs
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes 16 : Causes
Acute Inhalation	25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Reproductive/Developmental	39 : Causes reproductive/developmental
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal glands, liver, stomach, brain, tongue, mucous membranes, musculo-skeletal system, male reproductive system 28 : Prolonged or repeated Dermal Exposure may cause damage to: testes

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Crafter's Choice™ First Snow Fragrance Oil

Page 2 of 8
2016-03-10

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Danger

Hazard Statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Crafter's Choice™ First Snow Fragrance Oil

Page 3 of 8
2016-03-10

P370 + P378

In case of fire: Use Carbon dioxide (CO₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

P391

Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
125-12-2 <i>Isobornyl acetate</i>	204-727-6	5 - 10 %	H227; H316; H401	11, 15
68647-72-3 <i>Citrus aurantium var. dulcis</i>	232-433-8	5 - 10 %	H226; H304; H315; H317; H400; H410	12, 3, 31
118-58-1 <i>Benzyl Salicylate</i>	204-262-9	5 - 10 %	H303; H317; H320; H371; H401; H412	31
80-54-6 <i>Butylphenyl Methylpropional</i>	201-289-8	5 - 10 %	H227; H302; H315; H317; H361; H401; H411	11, 15, 26, 28, 3, 31, 39
78-70-6 <i>Linalool</i>	201-134-4	2 - 5 %	H227; H303; H315; H319; H402	12, 26
2050-08-0 <i>Amyl salicylate</i>	218-080-2	2 - 5 %	H302; H316; H400; H410	
140-11-4 <i>Benzyl acetate</i>	205-399-7	2 - 5 %	H303; H316; H401; H412	15, 25, 26, 31, 39
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	11, 15
60-12-8 <i>phenethyl alcohol</i>	200-456-2	2 - 5 %	H302; H313; H316; H319	11, 15, 3
105-95-3 <i>Ethylene brassylate</i>	203-347-8	2 - 5 %	H401	11, 15
31906-04-4 <i>Hydroxyisohexyl 3-cyclohexene carboxaldehyde</i>	250-863-4	2 - 5 %	H317; H402	
8007-35-0 <i>Terpineol acetate</i>	232-357-5	2 - 5 %	H316; H401; H411	11
24851-98-7 <i>Methyldihydrojasmonate</i>	246-495-9	2 - 5 %	H402	
18871-14-2 <i>4-Acetoxy-3-pentyltetrahydropyran</i>	242-640-5	2 - 5 %	H316; H402; H412	
121-32-4 <i>Ethyl vanillin</i>	204-464-7	1 - 2 %	H303; H320; H402	

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Crafter's Choice™ First Snow Fragrance Oil

Page 4 of 8
2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
18479-58-8 <i>2,6-dimethyloct-7-en-2-ol</i>	242-362-4	1 - 2 %	H227; H303; H316; H319; H402	11, 15
86803-90-9 <i>Methoxy dicyclopentadiene carboxaldehyde</i>	429-860-9	1 - 2 %	H303; H317; H401; H411	11, 15, 31
93-92-5 <i>methylbenzyl acetate</i>	202-288-5	1 - 2 %	H227; H401	
68990-83-0 <i>Cedarwood oil, Texas</i>	294-461-7	1 - 2 %	H304; H316; H400; H410	3
8000-48-4 <i>Eucalyptus globulus leaf oil</i>	283-406-2	1 - 2 %	H226; H303; H304; H313; H315; H319; H401; H411	11, 3, 31
18127-01-0 <i>p-tert-Butyldihydrocinnamaldehyde</i>	242-016-2	0.1 - 1.0 %	H227; H303; H315; H317; H361; H373; H401	11, 15, 2, 31, 39

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 8.49

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO ₂), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
------------------------------	--------------------------

5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
-----------------------------	---------------------------------------

Crafter's Choice™ First Snow Fragrance Oil

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4 <i>Benzyl acetate</i>				10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Yellow Tint to Pale Golden Yellow (G0-2)
Viscosity:	Liquid

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Crafter's Choice™ First Snow Fragrance Oil

Page 6 of 8
2016-03-10

Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	172 F (77.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1367
%VOC:	16.47
Specific Gravity @ 25 C:	0.9590
Density @ 25 C:	0.9560
Refractive Index @ 20 C:	1.4840
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2,908.54) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: Undetermined) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: Undetermined) Not classified - the classification criteria are not met
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	May cause damage to organs

7820 E. Pleasant Valley Road
 Independence, OH 44131
 (800) 908-7028
www.crafters-choice.com

**Crafter's Choice™ First Snow
 Fragrance Oil**

Page 7 of 8
 2016-03-10

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met
Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Not classified - the classification criteria are not met
Chronic aquatic toxicity Toxic to aquatic life with long lasting effects
Toxicity Data on soil no data available
Toxicity on other organisms no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IATA (Air Cargo)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IMDG (Sea)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

**Crafter's Choice™ First Snow
Fragrance Oil**

Page 8 of 8
2016-03-10

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.1 - 1.0 %

This product contains the following components:
beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL

100.00% of the components are listed or exempt.

16. Other Information**GHS H-Statements referred to under section 3****Total Fractional Values**

(TFV) Risk

(1.09) Aspiration Hazard, Category 1

(5.40) Sensitization, Skin, Category 1B

(1.74) Reproductive Toxicology, Category 2

(6.12) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

(2.26) Skin Corrosion/Irritation, Category 2

(2.03) Eye Damage/Eye Irritation, Category 2A

(5.40) Target Organ Systemic Toxicity - Single Exposure,
Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.