

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Indigenous\* -EO & FO Blend

Page 1 of 7 2016-03-10

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Crafter's Choice™ Indigenous\* - EO & FO Blend

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

## 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 4 H332: Harmful if inhaled

Target Organ Systemic Toxicity - Single H371: May cause damage to organs

Exposure, Category 2

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate

16 : Causes

9: Harmful if absorbed through the skin.

Acute Inhalation 21 : Harmful if inhaled.

Acute Oral 2 : Harmful if swallowed

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

blood, bile duct

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Indigenous\* EO & FO Blend

Page 2 of 7 2016-03-10

### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

## **Hazard pictograms**







## Signal Word: Danger

## **Hazard Statements**

H227 Combustible liquid
H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H332 Harmful if inhaled

H371 May cause damage to organs

H410 Very toxic to aquatic life with long lasting effects

## **Precautionary Statements**

## Prevention:

P235 Keep cool

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product
P271 Use only outdoors or in a well-ventilated area

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

### Response:

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 + P340 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim

to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P309 IF exposed or you feel unwell:

P311 Call a POISON CENTER or doctor/physician

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Indigenous\* -EO & FO Blend

Page 3 of 7 2016-03-10

### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
68990-83-0	294-461-7	40 - 50 %	H304; H316; H400; H410	3
Cedarwood oil, Texas				
115-95-7	204-116-4	20 - 30 %	H227; H315; H319; H401; H402	
Linalyl acetate				
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H319; H402	12, 26
Linalool				
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H371; H401; H412	31
Benzyl Salicylate				
76-22-2	200-945-0	2 - 5 %	H228; H302; H332; H371; H402	
Camphor				
125-12-2	204-727-6	2 - 5 %	H227; H316; H401	11, 15
Isobornyl acetate				
91-64-5	202-086-7	2 - 5 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarin				
8014-17-3(P)	277-143-2	2 - 5 %	H227; H315; H317; H318; H401; H411	12, 3, 31
Citrus Aurantium Amara (Bitter Orange) Leaf/Twig Oil				
8022-56-8	282-025-9	1 - 2 %	H226; H302; H304; H316; H332; H371;	12, 2, 21, 3, 31
Salvia officinalis (Sage) oil H401; H411				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 6.32

## 4. First Aid Measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"



7820 E. Pleasant Valley Road Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

## Safety Data Sheet

Crafter's Choice™ Indigenous\* -

EO & FO Blend

Page 4 of 7 2016-03-10

SDS Type: GHS / OSHA

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

#### 5. Fire-Fighting measures

#### 5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures 6.1

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### Methods and materials for containment and cleaning up 6.3

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

#### 7. **Handling and Storage**

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** 

ACGIH ACGIH OSHA **OSHA** Component TWA ppm STELppm TWAppm STELppm

76-22-2 Camphor 2

**Engineering Controls:** Use local exhaust as needed.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Indigenous\* -EO & FO Blend

Page 5 of 7 2016-03-10

## 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

**Color:** Yellow to Brownish Green (G3-5)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

190 F (87.78 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0392

 %VOC:
 2.4

 Specific Gravity @ 25 C:
 0.9390

 Density @ 25 C:
 0.9360

 Refractive Index @ 20 C:
 1.4810

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials**Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

(LD50: 3,378.38) May be harmful if swallowed



7820 E. Pleasant Valley Road Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

## Safety Data Sheet

Crafter's Choice™ Indigenous\* -

EO & FO Blend

(LD50: 3,745.32) May be harmful in contact with skin

Page 6 of 7 2016-03-10

SDS Type: GHS / OSHA

Acute toxicity - Dermal - (Rabbit) mg/kg

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 19.48) Harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Carcinogenicity Reproductive toxicity Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

**Aspiration hazard** May be fatal if swallowed and enters airways

#### 12. **Ecological Information**

## 12.1 Toxicity

Acute aquatic toxicity Not classified - the classification criteria are not met Chronic aquatic toxicity Very toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available no data available Toxicity on other organisms

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

#### 13. **Disposal Conditions**

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. **Transport Information**

Class **Pack Group** Sub Risk UN-nr. Regulator

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

**Environmentally Hazardous** Ш Substance. 9 UN3082

Liquid, n.o.s.

IATA (Air Cargo)



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Indigenous\* EO & FO Blend

Page 7 of 7 2016-03-10

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s. IMDG (Sea)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

## 15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

**Canadian Regulations:** 

**DSL / NDSL** 100.00% of the components are listed or exempt.

## 16. Other Information

### GHS H-Statements referred to under section 3

## **Total Fractional Values**

(TFV) Risk (TFV) Risk

(4.20) Aspiration Hazard, Category 1 (3.24) Skin Corrosion/Irritation, Category 2

(5.00) Sensitization, Skin, Category 1B (5.54) Eye Damage/Eye Irritation, Category 2A

(5.00) Target Organ Systemic Toxicity - Single Exposure, (1.60) Aquatic Chronic Toxicity, Category 1

Category 2

## Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.