7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Safety Data Sheet

### Crafter's Choice™ Citrus Splash Fragrance Oil

Page 1 of 8 2016-03-10

### 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Citrus Splash Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924Domestic USA, Canada, Puerto Rico, and US Virgin Islands+1 813 248-0585International

#### 2. Hazards Identification

С

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 3			H226: Flammable liquid and vapour		
	Acute Toxicity Oral, Category 5		H303: May be harmful if swallowed		
Aspiration Hazard, Category 1			H304: May be fatal if swallowed and enters airways		
	Acute Toxicity Dermal, Category	5	H313: May be harmful in contact with skin		
	Skin Corrosion/Irritation, Categor	ry 2	H315: Causes skin irritation		
	Sensitization, Skin, Category 1B		H317: May cause an allergic skin reaction		
	Eye Damage/Eye Irritation, Cate	gory 2A	H319: Causes serious eye irritation		
	Acute Toxicity Inhalation, Catego	ory 5	H333: May be harmful if inhaled		
	Target Organ Systemic Toxicity - Exposure, Category 2	Single	H371: May cause damage to organs		
	Aquatic Chronic Toxicity, Catego	ry 1	H410: Very toxic to aquatic life with long lasting effects		
assification OSHA (Provisions 1910.1200 of title		10.1200 of title	29)		
Flammability Class II Flammal		Class II Flamma	ble Liquid		
Acute Dermal/Eye 12 : Causes		12 : Causes			
15 : May cause		15 : May cause			
		19 : May cause	photo-induced skin irritation.		
9 : Harmful if at		9 : Harmful if at	psorbed through the skin.		
Acute Inhalation 25 : Inhalation a lethargy, ataxia			at high levels may cause: tremors, labored breathing, hypothermia,		
	Acute Oral	2 : Harmful if swallowed			
	Reproductive/Developmental	39 : Causes rep	productive/developmental		
Sensitization/Allergic Response 31 : May cause		31 : May cause	allergic skin reaction.		

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com Safety Data Sheet

### Crafter's Choice™ Citrus Splash Fragrance Oil

SDS Type: GHS / OSHA

Page 2 of 8 2016-03-10

26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal glands, liver, spleen, bone marrow, stomach, brain, thyroid, tongue, mucous membranes, musculo-skeletal s
28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver, bone marrow, skin, testes
This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

Carcinogenicity

**Target Organ Effects** 

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms



#### Signal Word: Danger

Hazard Statements	
H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H371	May cause damage to organs
H410	Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention

ention:	
P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
oneo.	

#### Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Safety Data Sheet

### Crafter's Choice™ Citrus Splash Fragrance Oil

Page 3 of 8 2016-03-10

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
8008-57-9	232-433-8	30 - 40 %	H226; H304; H315; H400; H410	12, 3, 31
Citrus aura	antium dulcis (Oi	range) oil		
8028-48-6	232-433-8	5 - 10 %	H226; H304; H315; H400; H410	12, 3, 31
Citrus aura	antium dulcis (Oi	range) fruit extra	ct	
121-33-5	204-465-2	5 - 10 %	H303; H319	31
Vanillin				
4940-11-8	225-582-5	5 - 10 %	H302	2
Ethyl malte	ol			
140-11-4	205-399-7	5 - 10 %	H303; H316; H401; H412	15, 25, 26, 31, 39
Benzyl ace	etate			
121-32-4	204-464-7	2 - 5 %	H303; H320; H402	
Ethyl vanil	llin			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	11, 15
Hexyl cinn	amaldehyde			
127-51-5	204-846-3	2 - 5 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
a-Isometh	yl ionone			
5471-51-2	226-806-4	2 - 5 %	H302; H402	2
4-(p-Hydro	oxyphenyl)-2-but	anone (p-Hydrox	ybenzyl acetone)	
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H319; H402	12, 26
Linalool				
<b>118-58-1</b> Benzyl Sa	204-262-9 licylate	2 - 5 %	H303; H317; H320; H371; H401; H412	31

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Safety Data Sheet

## Crafter's Choice™ Citrus Splash Fragrance Oil

SDS Type: GHS / OSHA

Page 4 of 8 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	28, 3
Benzyl Be				
77-83-8	201-061-8	1 - 2 %	H317; H401; H411	11, 15
Ethyl met	hylphenylglycida	te		
115-95-7	204-116-4	1 - 2 %	H227; H315; H319; H401; H402	
Linalyl ac	etate			
93-16-3	202-224-6	1 - 2 %	H303; H316	12, 31
Methyl iso	eugenol (Isoeug	enyl methyl ethe	r)	
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319	11, 15, 3
phenethyl	alcohol			
123-68-2	204-642-4	1 - 2 %	H227; H301; H311; H318; H331; H400;	11, 3, 9
Allyl hexa	noate		H401; H412	
8013-90-9	232-396-8	1 - 2 %	H316; H401; H411	11, 15
lonone (m	nixed isomers)			
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
Butylpher	Butylphenyl Methylpropional		H411	
See Section 1	6 for full text of C	GHS classificatio	n codes	

Total Hydrocarbon Content (% w/w) = 38.72

4. First Aid Measures			
4.1 Description of first aid measures			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and effects,	both acute and delayed		
Symptoms:	no data available		
Risks:	Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting measures			
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable	Do not use a direct water jet on burning material		
5.2 Special hazards arising from the substance or mixture			
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective		



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

### Safety Data Sheet

### Crafter's Choice™ Citrus Splash Fragrance Oil

Page 5 of 8 2016-03-10

#### Further information:

Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Li	mits:					
Component	t		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl ace	tate	10			
Engineering 8.2 Exposure c		Use local exhaust as needed. conal protective equipment				
Eye protecti	on:	Tightly sealed goggles, face shield, o	or safety glasse	es with bro	w guards	and side shields, etc.

	as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
<b>.</b>	

#### Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Safety Data Sheet

### Crafter's Choice™ Citrus Splash Fragrance Oil

Page 6 of 8 2016-03-10

Color:	Yellow (G6-8)
	. ,
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	138 F (58.89 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.3578
%VOC:	47.9187
Specific Gravity @ 25 C:	0.9560
Density @ 25 C:	0.9530
Refractive Index @ 20 C:	1.5010
Soluble in:	Oil

### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

### 11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2,865.21) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3,845.98) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 26.18) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	May cause damage to organs



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Safety Data Sheet

### Crafter's Choice™ Citrus Splash Fragrance Oil

SDS Type: GHS / OSHA

Page 7 of 8 2016-03-10

Specific target organ toxicity - repeated exposure
Aspiration hazard

Not classified - the classification criteria are not met May be fatal if swallowed and enters airways

### 12. Ecological Information

12.1 Toxicity

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerou	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	111		UN3082
Perfumery Products		3	Ш	Flammable Liquid	UN1266
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	111		UN3082
Perfumery Products		3	Ш	Flammable Liquid	UN1266
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	Ш		UN3082

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Safety Data Sheet

SDS Type: GHS / OSHA

Page 8 of 8 2016-03-10

15. Regulatory Information		
U.S. Federal Regulations:		
TSCA (Toxic Substance Control Act):	All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations:	This product contains NO components of concern.	
California Proposition 65 Warning 123-35-3(NF 204-622-5 0.1 - 1.0 %	This product contains the following components: beta-Myrcene (NFS)	
Canadian Regulations:		
DSL / NDSL	100.00% of the components are listed or exempt.	
16. Other Information		
GHS H-Statements referred to under section 3		
Total Fractional Values		

#### **Total Fractional Values**

(TFV) Risk
(3.99) Aspiration Hazard, Category 1
(4.20) Sensitization, Skin, Category 1B
(2.25) Target Organ Systemic Toxicity - Single Exposure, Category 2

(TFV) Risk

(5.05) Skin Corrosion/Irritation, Category 2

(4.77) Eye Damage/Eye Irritation, Category 2A

(1.59) Aquatic Chronic Toxicity, Category 1

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.