

Crafter's Choice™ Bamboo Sugar Cane* Fragrance Oil SDS Type: GHS / OSHA

Page 1 of 8 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

Crafter's Choice™ Bamboo Sugar Cane* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 3 H226: Flammable liquid and vapour Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A

Acute Toxicity Inhalation, Category 5

Aquatic Acute Toxicity, Category 1

H319: Causes serious eye irritation

H333: May be harmful if inhaled

H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate

16: Causes

Acute Oral 3: May be harmful if swallowed or if aspirated into the lungs

Genotoxicity 36 : Suspected of causing genetic defects

Sensitization/Allergic Response 31: May cause allergic skin reaction.

32 : May cause light-induced allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver,

gastrointestinal tract, respiratory tract

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Bamboo Sugar Cane* Fragrance Oil

Page 2 of 8 2016-03-10

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal Word: Danger Hazard Statements

H226 Flammable liquid and vapour H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H333 May be harmful if inhaled
H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P233 Keep container tightly closed P235 Keep cool P240 Ground/bond container and receiving equipment P241 Use explosion-proof electrical/ventilating/light/.../equipment P242 Use only non-sparking tools P243 Take precautionary measures against static discharge P264 Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace P272

P273 Avoid release to the environment

Response:

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin

with water/shower

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention

P352 Wash with soap and water

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Bamboo **Sugar Cane* Fragrance Oil**

Page 3 of 8 2016-03-10

SDS Type: GHS / OSHA

P370 + P378

In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

P391

Collect Spillage

2.3 Other Hazards

no data available

Composition/Information on Ingredients 3.

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification					
115-95-7	204-116-4	10 - 20 %	H227; H315; H319; H401; H402						
Linalyl acetate									
68647-72-3	232-433-8	10 - 20 %	H226; H304; H315; H317; H400; H410	12, 3, 31					
Citrus aurantium var. dulcis									
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	28, 3					
Benzyl Be	Benzyl Benzoate								
5392-40-5	226-394-6	5 - 10 %	H313; H315; H317; H319; H401	26					
Citral									
93-92-5	202-288-5	5 - 10 %	H227; H401						
methylber	methylbenzyl acetate								
68917-33-9	284-515-8	5 - 10 %	H226; H304; H315; H400; H410	12, 3, 31					
Lemon oil	Lemon oil terpenes								
110-27-0	203-751-4	5 - 10 %	H316						
Isopropyl	myristate								
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H319; H402	12, 26					
Linalool									
18479-58-8	242-362-4	2 - 5 %	H227; H303; H316; H319; H402	11, 15					
	hyloct-7-en-2-ol								
7549-37-3	231-434-0	2 - 5 %	H227; H316						
	ethyl acetal								
5182-36-5	225-963-6	1 - 2 %	H302; H402; H412						
2,4,6-Trimethyl-4-phenyl-1,3-dioxane									
8007-02-1	289-752-0	1 - 2 %	H227; H303; H315; H318; H401; H411	11, 31, 36					
Cymbopogon schoenanthus oil									
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	11, 15					
•	namaldehyde								
7452-79-1	231-225-4	1 - 2 %	H226						
Ethyl 2-methylbutyrate									
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15					
Hexamethylindanopyran									



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Bamboo Sugar Cane* Fragrance Oil

Page 4 of 8 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification				
1205-17-0	214-881-6	1 - 2 %	H303; H317; H401; H411					
a-Methyl-1,3-benzodioxole-5-propionaldehyde								
81782-77-6	279-815-0	1 - 2 %	H227; H400	15				
4-Methyl-3-decen-5-ol								
8008-56-8	284-515-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31, 32				
Citrus medica limonum (Lemon) peel oil								
68737-61-1	272-113-5	1 - 2 %	H227; H303; H313; H315; H317; H319;	12, 15, 31				
Dimethylte	etrahydro Benald	lehyde	H402; H412					
6259-76-3	228-408-6	1 - 2 %	H315; H317; H319; H400; H410	11, 15				
Hexyl salicylate								
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39				
Butylphen	yl Methylpropion	al	H411					
See Section 16 for full text of GHS classification codes								

4. First Aid Measures

4.1 Description of first aid measures

Total Hydrocarbon Content (% w/w) = 19.94

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Refer to Section 2.2 "Response"

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

5. Fire-Fighting measures

5.1 Extinguishing media

Treatment:

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Bamboo Sugar Cane* Fragrance Oil

Page 5 of 8 2016-03-10

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow Tint to Pale Yellow (G0-2)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Bamboo Sugar Cane* Fragrance Oil

SDS Type: GHS / OSHA

Page 6 of 8 2016-03-10

Melting Point:Not determinedFlashpoint (CCCFP):140 F (60.00 C)Auto flammability:Not determinedExplosive Properties:None ExpectedOxidizing properties:None Expected

 Vapor Pressure (mmHg@20 C):
 0.4205

 %VOC:
 23.38

 Specific Gravity @ 25 C:
 0.9170

 Density @ 25 C:
 0.9140

 Refractive Index @ 20 C:
 1.4730

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,600.02) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,256.55) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 33.69) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Bamboo Sugar Cane* Fragrance Oil

Page 7 of 8 2016-03-10

SDS Type: GHS / OSHA

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.				
U.S. DOT (Non-Bulk)	Not Regulated	 Not Dangerous 	s Goods						
Chemicals NOI									
ADR/RID (International Road/Rail)									
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082				
Perfumery Products		3	III	Flammable Liquid	UN1266				
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082				
Perfumery Products		3	III	Flammable Liquid	UN1266				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082				

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)



Crafter's Choice™ Bamboo Sugar Cane* Fragrance Oil

SDS Type: GHS / OSHA

Page 8 of 8 2016-03-10

Canadian Regulations:

DSL/NDSL

www.crafters-choice.com

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk

(1.98) Aspiration Hazard, Category 1

(7.59) Sensitization, Skin, Category 1B

(1.34) Aquatic Acute Toxicity, Category 1

(TFV) Risk

(4.99) Skin Corrosion/Irritation, Category 2

(4.96) Eye Damage/Eye Irritation, Category 2A

(9.21) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.