

Safety Data Sheet

Crafters Choice™ Matte White Pigment Powder - For Oil

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier **Crafters Choice™ Matte White Pigment Powder - For Oil**

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

White pigment for cosmetics, food and pharmaceutical applications

Uses advised against:

-

- 1.3 Details of the supplier of the safety data sheet

Manufacturer / supplier: Crafter's Choice Brands, LLC
7820 E. Pleasant Valley Road
Independence, Ohio 44131
Phone: 1-800-908-7028
www.Crafters-Choice.com

- 1.4 Emergency telephone number ChemTel (800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+ (813) 248-0585 International

2. POSSIBLE HAZARDS

- 2.1 Classification of the substance or mixture

May cause eye, skin and respiratory tract irritation. May be harmful if inhaled.

OSHA regulatory status: This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication)

HMIS Ratings: Health 1 - Flammability 0 - Reactivity 0

Routes of exposure	Inhalation: Eye contact. Skin contact. Inhalation.
Eyes	Dust may cause: mechanical irritation.
Skin	TiO2 pigments are not irritant but as with all fine powders can absorb moisture and natural oils from the surface of the skin during prolonged exposure.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause discomfort if swallowed. Target organs - Eyes. Skin. Respiratory system.
Chronic effects	Dust or powder may irritate the respiratory tract, skin and eyes. Frequent inhalation of fume/dust over a long period of time may increase the risk of developing lung diseases although epidemiological studies among titanium dioxide workers could not demonstrate this.
Symptoms	Upper respiratory tract irritation. Coughing. Irritation of eyes and mucous membranes. Skin irritation.

- **2.2. Label elements**

USA: Label has to comply with OSHA Hazard Communication Standard ((29 CFR 1910. 1200).
CANADA: Label has to state D2A and corresponding WHMIS symbol.

- **2.3 Other hazards**

-

3. COMPOSITION/INFORMATION ON INGREDIENTS

- **3.1 Chemical Characterisation (Substance)**

Classification according to DSD -DPD / CLP

Substance identification	ID Numbers		%	Classification	Hazard Statemernts (R/H)
Titanium Dioxide	CAS.	13463-67-7	99-100	-	-
	EINECS	236-675-5			
	INDEX:	-			
	REACH	01-2119489379-17-0005			
		01-2119489379-17-0006			
		01-2119489379-17-0018			
	Color Index	C.I. 77891 Pigment white 6			

- **3.2 Chemical Characterisation (Mixture)**

Description: No mixture

Hazardous components: -

4. FIRST AID MEASURES

- **4.1 Description of first aid measures**

General indications: No hazards which require special first aid measures.
Inhalation: Move to fresh air. Give symptomatic treatment as necessary.
Skin contact: Wash with soap and water.
Eye contact: Wash with water or neutral eyewash solution.
Ingestion: Do not induce vomiting. Give up to 200 ml water. In case of persistent symptoms, consult a doctor.

- **4.2 Most important symptoms and effects, both acute and delayed**

-

- **4.3 Indication of any immediate medical attention and special treatment needed**

-

5. FIREFIGHTING MEASURES

- **5.1 Extinguishing media**

No restrictions

- **5.2 Special hazards arising from the substance or mixture**

The product itself does not burn. Product is inert, not flammable and incombustible.

- **5.3 Advice for firefighters**

NFPA Ratings: Health 1 - Flammability 0 - Reactivity 0

6. ACCIDENTAL RELEASE MEASURES

- **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Ensure adequate ventilation.

- **6.2 Environmental precautions**

Avoid dust dispersion to the environment. Dust may cause the surroundings to become white.
Prevent
leakages from entering drains and ditches that lead to natural waterways.

- **6.3 Methods and material for containment and cleaning up**
Use any suitable mechanical means (e.g. vacuum, sweeping), but avoid dusting during clean-up.
- **6.4 Reference to other sections**
-

7. HANDLING AND STORAGE

- **7.1 Precautions for safe handling**
Avoid dust formation during handling. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. In case of insufficient ventilation, wear suitable respiratory equipment.
- **7.2 Conditions for safe storage, including any incompatibilities**
Fire Precautions: The product is not flammable
Storage conditions/ packing material: Keep in a dry place.
Incompatible products: No restrictions
- **7.3 Specific end use(s)**
-

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- **8.1 Control parameters**

Substance CAS No.	Titanium dioxide 13463-67-7		Dust, inhalable		Dust, respirable	
	Limit value - Eight hours mg/m ³	Limit value - Short term mg/m ³	Limit value - Eight hours mg/m ³	Limit value - Short term mg/m ³	Limit value - Eight hours mg/m ³	Limit value - Short term mg/m ³
Austria			10	20	5	10
Belgium	10		10		3	
Canada - Québec	10					
Denmark	6 total dust	12 total dust	10	20		
European Union						
France	11 inhalable aerosol		10		5 respirable aerosol	
Germany (AGS)			10	20	3	6
Germany (DFG)			4		1,5	
Hungary			10		6	
Italy						
Japan						
Poland	10	30				
Spain	10 inhalable aerosol		10		3	
Sweden	5 inhalable aerosol		10		5	
Switzerland	3 respirable aerosol		10		3	
The Netherlands						
USA - OSHA	15 total dust		15		5	
United Kingdom	10 inhalable aerosol					
	4 respirable aerosol					

Remarks:

Austria

*STV 15 minutes average

France	*Bold type: Restrictive statutory limit values	value
Germany(AGS)	*15 minutes average value, insoluble particulates	*Bold type: Restrictive statutory limit values
Germany(DFG)	*long term exposure level, insoluble particulates	*15 minutes average value, insoluble particulates

(Source: GESTIS - Internationale Grenzwerte für chemische Substanzen - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA))

• 8.2 Exposure controls

Engineering measures: Maintain exposures below applicable exposure limits.

Personal Protection Equipment

Industrial hygiene measures: Keep in clean conditions

Respiratory protection: A respirator must be used if the dust concentration is likely to exceed the occupational exposure limit. At higher concentrations wear particle filter DIN EN 143 - P2. or equivalent approved by NIOSH.

Hand protection: Prolonged exposure should be avoided by wearing suitable protective gloves and clothing.

Eye protection: The use of an approved dustproof goggles is recommended if the dust concentration is likely to exceed the occupational exposure limit

Skin protection: TiO₂ pigments are not irritant but as with all fine powders can adsorb moisture and natural oils from the surface of the skin during prolonged exposure. Prolonged exposure should be avoided by wearing suitable protective gloves and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

• 9.1 Information on basic physical and chemical properties

Appearance

Physical State: powder

Color: white

Odor: none

Critical Data

Melting point or range:	> 1,800°C
Boiling point or range:	not applicable
Flash point:	not flammable
Ignition temperature:	not flammable
Auto-ignition temperature:	not flammable
Oxidizing properties:	none
Explosive properties:	no danger of explosion.
Explosivity or flammability limit in air:	-
Vapour pressure:	not applicable
Density:	approx. 3,9 g/ml
Solubility:	<0,01 g/l
pH-value:	approx. 8
Partition coefficient:	not applicable
Viscosity:	not applicable

• 9.2 Other information

Bulk density: approximately 430 g/l

10. STABILITY AND REACTIVITY

• 10.1 Reactivity

No special reactivity known

• 10.2 Chemical stability

Stable under normal use conditions

- **10.3 Possibility of hazardous reactions**
No hazardous reactions known
 - **10.4 Conditions to avoid**
Stable under normal use conditions
 - **10.5 Incompatible materials**
None known
 - **10.6 Hazardous decomposition products**
No hazardous decomposition products known.
-

11. TOXICOLOGICAL INFORMATION

- **11.1 Information on toxicological effects**
 - **Acute toxicity:** LD₅₀ (rats, oral) > 10,000 mg/kg
Acute toxicity: Inhalative LC₅₀ /4 hrs (Rat): > 6.8 mg/l
 - **Irritation/corrosion:**
Titanium dioxide is not irritating
 - **Sensitisation:**
No sensitisation known
 - **Chronic Toxicity:**
Carcinogenicity: Suspecting that long term inhalation of TiO₂ dust may be a reason of causing cancer, IARC has classified TiO₂ in 2006 as "possibly carcinogenic" to humans (Group 2B). Unless tumors produced in rats on inhalation of very high concentrations of titanium dioxide are believed to be the result of prolonged "lung overload" and probably not relevant to man. Two major epidemiology studies among titanium dioxide workers in the US and in EUROPE could not demonstrate an elevated lung cancer risk.
Non genotoxic.
 - **Further information:**
-

12. ECOLOGICAL INFORMATION

- **12.1 Toxicity**
Aquatic toxicity: Fish LC₅₀ (Leuciscus idus, 48h): > 1000 mg/l
 - **12.2 Persistence and degradability**
Methods for the determination of biodegradability are not applicable to inorganic substances.
 - **12.3 Bioaccumulative potential**
The product is practically insoluble in water and not biodegradable.
 - **12.4 Mobility in soil**
No data
 - **12.5 Results of PBT and vPvB assessment**
According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances. Titanium Dioxide is an inorganic substance, thus a PBT and vPvB assessment is not required.
 - **12.6 Other adverse effects**
-
-

13. DISPOSAL CONSIDERATIONS

- **13.1 Waste treatment methods**
Product: No hazardous waste according to European Directive 2000/532/EC. Place in an appropriate disposal facility in compliance with local and national regulations.

Contaminated packaging:	Containers that cannot be cleaned must be treated as waste and disposed of in an approved industrial incineration facility. The empty and clean containers may be reused in conformity with regulations.
Cleanser:	Water

14. TRANSPORT INFORMATION

- **14.1 UN number**
The product is not classified as a hazardous material according to the DOT, ADR/RID, IMDG, IATA on the transport of dangerous or hazardous goods.
- **14.2 UN proper shipping name**
-
- **14.3 Transport hazard class(es)**
-
- **14.4 Packing group**
-
- **14.5 Environmental hazards**
-
- **14.6 Special precautions for user**
-
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**
-

15. REGULATORY INFORMATION

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National Regulations**

OSHA: This product is considered hazardous under the OSHA Hazard Communication Standard ((29 CFR 1910.1200).	
SARA Title III Sec. 302/303 (Extremely Hazardous Substances):	Not listed
SARA Title III Sec. 311/312 (40 CFR 370)	Hazard Category: None
SARA Title III Sec. 313 (Toxic Chemicals Emissions Reporting):	Not listed
CERCLA Hazardous Substance (40 CFR Part 302):	Not listed
California Proposition 65: WARNING I This product contains a chemical known to the State of California to cause cancer: Titanium Dioxide (airborne, unbound particles of respirable size) The listing does not cover Titanium Dioxide when it remains bound within a product matrix.	
Canada (WHMIS) This product has been classified as D2A controlled product under WHMIS. The listing does not cover titanium dioxide when it is inextricably bound within a product.	
EINECS: (European Inventory of Existing Commercial Chemical Substances)	236-675-5
ELINCS: (European List of Notified Chemical Substances)	Not listed
TSCA: (Toxic Substances Control Act (EPA-Inventory)	13463-67-7
AICS: (Australian Inventory of Chemical Substances)	13463-67-7
DSL: (Canadian Domestic Substances List)	13463-67-7
NDSL: (Canadian Non-Domestic Substances List)	Not listed
KECI: (Korean Existing Chemicals Inventory)	KE-33900
PICCS: (Philippine Inventory of Chemicals and Chemical Substances)	522 5600
BAGT: (Giftliste des BA für Abfall und Gesundheitswesen der Schweiz)	G 2950
METI: (Ministry of Economy, Trade and Industry - Japan)	1-558
SEPA: (State Environmental Protection Administration - China)	13463-67-7

- **15.2 Chemical safety assessment**
The substance has undergone a safety assessment.

16. OTHER INFORMATION

Changes against last version

Integration of Sachtleben Pigment GmbH site products.

Hazard information which is referred to in section 2 or 3

According to Regulation (EC) No 1272/2008:

-

According to Directive (EC) 67/548/EWG:

-

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.