

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Verbena & Lemon* Fragrance Oil

Page 1 of 7 2016-03-10

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Verbena & Lemon* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4 H227: Combustible liquid
Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 1 H318: Causes serious eye damage

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes

15: May cause

Acute Oral 3 : May be harmful if swallowed or if aspirated into the lungs

Reproductive/Developmental 39 : Causes reproductive/developmental Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

gastrointestinal tract, hematopoietic system, respiratory tract

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Verbena & Lemon* Fragrance Oil

Page 2 of 7 2016-03-10

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal Word: Danger

Hazard Statements

H227 Combustible liquid
H302 Harmful if swallowed
H304 May be fatal if swallowed and enters airways
H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician
P312 Call a POISON CENTER or doctor/physician if you feel unwell

P330 Rinse mouth

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Verbena & Lemon* Fragrance Oil

Page 3 of 7 2016-03-10

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

122-99-6 204-589-7 10 - 20 % H302; H319 26, 39 Phenoxyethanol 68647-72-3 232-433-8 10 - 20 % H226; H304; H315; H317; H400; H410 12, 3, 31 Citrus aurantium var. dulcis 5392-40-5 226-394-6 10 - 20 % H313; H315; H317; H319; H401 26 Citral 120-51-4 204-402-9 10 - 20 % H302; H313; H400; H411 28, 3 Benzyl Benzoate 101-86-0 202-983-3 5 - 10 % H303; H316; H317; H400; H411 11, 15 Hexyl cinnamaldehyde 106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15 Nerol	CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
68647-72-3 232-433-8 10 - 20 % H226; H304; H315; H317; H400; H410 12, 3, 31 Citrus aurantium var. dulcis 5392-40-5 226-394-6 10 - 20 % H313; H315; H317; H319; H401 26 Citral 120-51-4 204-402-9 10 - 20 % H302; H313; H400; H411 28, 3 Benzyl Benzoate 101-86-0 202-983-3 5 - 10 % H303; H316; H317; H400; H411 11, 15 Hexyl cinnamaldehyde 106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15	122-99-6	204-589-7	10 - 20 %	H302; H319	26, 39	
Citrus aurantium var. dulcis 5392-40-5 226-394-6 10 - 20 % H313; H315; H317; H319; H401 26 Citral 120-51-4 204-402-9 10 - 20 % H302; H313; H400; H411 28, 3 Benzyl Benzoate 101-86-0 202-983-3 5 - 10 % H303; H316; H317; H400; H411 11, 15 Hexyl cinnamaldehyde 106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15	Phenoxyethanol					
5392-40-5 226-394-6 10 - 20 % H313; H315; H317; H319; H401 26 Citral 120-51-4 204-402-9 10 - 20 % H302; H313; H400; H411 28, 3 Benzyl Benzoate 101-86-0 202-983-3 5 - 10 % H303; H316; H317; H400; H411 11, 15 Hexyl cinnamaldehyde 106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15	68647-72-3	232-433-8	10 - 20 %	H226; H304; H315; H317; H400; H410	12, 3, 31	
Citral 120-51-4 204-402-9 10 - 20 % H302; H313; H400; H411 28, 3 Benzyl Benzoate 101-86-0 202-983-3 5 - 10 % H303; H316; H317; H400; H411 11, 15 Hexyl cinnamaldehyde 106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15	Citrus aurantium var. dulcis					
120-51-4 204-402-9 10 - 20 % H302; H313; H400; H411 28, 3 Benzyl Benzoate 101-86-0 202-983-3 5 - 10 % H303; H316; H317; H400; H411 11, 15 Hexyl cinnamaldehyde 106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15	5392-40-5	226-394-6	10 - 20 %	H313; H315; H317; H319; H401	26	
Benzyl Benzoate 101-86-0 202-983-3 5 - 10 % H303; H316; H317; H400; H411 11, 15 Hexyl cinnamaldehyde 106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15	Citral					
101-86-0 202-983-3 5 - 10 % H303; H316; H317; H400; H411 11, 15 Hexyl cinnamaldehyde 106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15	120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411	28, 3	
Hexyl cinnamaldehyde 106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15	Benzyl Benzoate					
106-25-2 203-378-7 2 - 5 % H303; H315; H317; H319; H402 15	101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15	
	Hexyl cinnamaldehyde					
Nerol	106-25-2	203-378-7	2 - 5 %	H303; H315; H317; H319; H402	15	
	Nerol					
106-24-1 203-377-1 2 - 5 % H303; H315; H317; H318; H401 11, 15, 31	106-24-1	203-377-1	2 - 5 %	H303; H315; H317; H318; H401	11, 15, 31	
Geraniol	Geraniol					
115-95-7 204-116-4 2 - 5 % H227; H315; H319; H401; H402	115-95-7	204-116-4	2 - 5 %	H227; H315; H319; H401; H402		
Linalyl acetate						
106-22-9 203-375-0 2 - 5 % H303; H313; H315; H317; H319; H401 11, 15	106-22-9	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401	11, 15	
Citronellol						
78-70-6 201-134-4 2 - 5 % H227; H303; H315; H319; H402 12, 26	78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H319; H402	12, 26	
Linalool	Linalool					
8008-57-9 232-433-8 2 - 5 % H226; H304; H315; H400; H410 12, 3, 31	8008-57-9	232-433-8	2 - 5 %	H226; H304; H315; H400; H410	12, 3, 31	
Citrus aurantium dulcis (Orange) oil						
68917-33-9 284-515-8 2 - 5 % H226; H304; H315; H400; H410 12, 3, 31	68917-33-9	284-515-8	2 - 5 %	H226; H304; H315; H400; H410	12, 3, 31	
Lemon oil terpenes						

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 23.76

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Verbena & Lemon* Fragrance Oil

Page 4 of 7 2016-03-10

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Verbena & Lemon* Fragrance Oil

Page 5 of 7 2016-03-10

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Pale Yellow to Yellow (G2-4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.2736

 %VOC:
 25.4285

 Specific Gravity @ 25 C:
 0.9380

 Density @ 25 C:
 0.9350

 Refractive Index @ 20 C:
 1.4960

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Verbena & Lemon* Fragrance Oil

Page 6 of 7 2016-03-10

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,596.49) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,814.47) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: Undetermined) Not classified - the classification criteria

are not met

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye damage

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Carcinogenicity

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator Class Pack Group Sub Risk UN-nr.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Verbena & Lemon* Fragrance Oil

Page 7 of 7 2016-03-10

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

IATA (Air Cargo)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

IMDG (Sea)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

122-99-6 204-589-7 10 - 20 % Phenoxyethanol

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

94-59-7 202-345-4 <= 5 ppm Safrole (NFS)

93-15-2 202-223-0 <= 2 ppm Methyl Eugenol (NFS) 89-82-7 201-943-2 <= 10 ppm Pulegone (NFS) 123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk
(2.43) Aspiration Hazard, Category 1
(16.95) Sensitization, Skin, Category 1B
(1.59) Aquatic Acute Toxicity, Category 1
(1.69) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.