

Crafter's Choice™ Preservative - Water Soluble PF

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Product identifier**

Product name : Crafter's Choice™ Preservative - Water Soluble PF

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Preservative

Details of the supplier of the safety data sheetCrafter's Choice™
7820 E. Pleasant Valley Road
Independence, OH 44131 (800) 908-7028
www.crafters-choice.com**Emergency telephone number****(800) 255-3924** Domestic USA, Canada, Puerto Rico and US Virgin Islands
+1 813 248-0585 International

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Eye irritation : Category 2A

Skin sensitization : Category 1

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : May cause an allergic skin reaction.
Causes serious eye irritation.Precautionary Statements : **Prevention:**
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Wash skin thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.

Crafter's Choice™ Preservative - Water Soluble PF

Wear eye protection/ face protection.

Wear protective gloves.

Response:

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/ attention.

Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
DIAZOLIDINYL UREA	78491-02-8	Eye Irrit. 2A; H319	39.56
3-iodo-2-propynyl butyl carbamate	55406-53-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	0.50

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

Crafter's Choice™ Preservative - Water Soluble PF

- If unconscious place in recovery position and seek medical advice.
 If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
 If on skin, rinse well with water.
 First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
 Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
 Remove contact lenses.
 Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
 May cause an allergic skin reaction.
 Causes serious eye irritation.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Foam
 Carbon dioxide (CO2)
 Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
 Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide
 organic compounds
 Carbon dioxide (CO2)
- Specific extinguishing :

Crafter's Choice™ Preservative - Water Soluble PF

methods

Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours/dust. Do not smoke. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Container hazardous when empty. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with

Crafter's Choice™ Preservative - Water Soluble PF

the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:
 impervious clothing
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Discard gloves that show tears, pinholes, or signs of wear.
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid
 Colour : colourless
 Odour : characteristic
 Odour Threshold : No data available
 pH : No data available
 Melting point/freezing point : -83.00 °F / -63.89 °C
 Boiling point/boiling range : 378.00 °F / 192.22 °C

Crafter's Choice™ Preservative - Water Soluble PF

Flash point	: 210.00 °F / 98.89 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 0.09576 hPa (20 °C)
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.15 - 1.25 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Conditions to avoid	: excessive heat Exposure to sunlight. Exposure to moisture
Incompatible materials	: isocyanates

Crafter's Choice™ Preservative - Water Soluble PF

Strong acids
 strong bases
 Strong oxidizing agents
 UV light.

Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin contact
 Eye Contact
 Ingestion

Acute toxicity

Not classified based on available information.

Components:

DIAZOLIDINYL UREA:

Acute oral toxicity : LD 50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD 50 (Rabbit): > 2,000 mg/kg

3-IODO-2-PROPYNYL BUTYL CARBAMATE:

Acute oral toxicity : LD50 (Rat): 1,153 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.327 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

DIAZOLIDINYL UREA:

Result: Not irritating to skin

3-IODO-2-PROPYNYL BUTYL CARBAMATE:

Result: Mildly irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:

Crafter's Choice™ Preservative - Water Soluble PF

DIAZOLIDINYL UREA:
 Result: Irritating to eyes

3-IODO-2-PROPYNYL BUTYL CARBAMATE:
 Result: Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction.
 Respiratory sensitisation: Not classified based on available information.

Components:

DIAZOLIDINYL UREA:
 Test Type: Maximisation Test (GPMT)
 Species: Guinea pig
 Assessment: Did not cause sensitisation on laboratory animals.

3-IODO-2-PROPYNYL BUTYL CARBAMATE:
 Assessment: May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

DIAZOLIDINYL UREA:
 Genotoxicity in vitro : Test Type: Ames test
 Metabolic activation: with and without metabolic activation
 Result: negative

: Test Type: Chromosome aberration test in vitro
 Metabolic activation: with and without metabolic activation
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Test species: Mouse (male and female)
 Application Route: Oral
 Method: Mutagenicity (micronucleus test)
 Result: negative

Application Route: Oral
 Method: OECD Test Guideline 486
 Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

DIAZOLIDINYL UREA:
 Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Oral
 Dose: 500 milligram per kilogram

STOT - single exposure

Not classified based on available information.

Crafter's Choice™ Preservative - Water Soluble PF

Components:

3-IODO-2-PROPYNYL BUTYL CARBAMATE:
 Target Organs: Respiratory Tract
 Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

DIAZOLIDINYL UREA:
 Species: Rat, male and female
 NOEL: 200 mg/kg
 Application Route: Oral
 Exposure time: 90-day

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

DIAZOLIDINYL UREA:

Toxicity to fish : LC 50 (Fish): > 100 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 58 mg/l
 Exposure time: 48 h
 Test Type: flow-through test

Crafter's Choice™ Preservative - Water Soluble PF

Toxicity to algae : ErC50 (Green algae (Selenastrum capricornutum)): 5.78 mg/l
End point: EC 50
Exposure time: 72 h
Test Type: Growth inhibition
Analytical monitoring: yes

3-iodo-2-propynyl butyl carbamate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.067 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.16 mg/l
Exposure time: 48 h

Toxicity to algae : EC 50 (Desmodesmus subspicatus (green algae)): 0.022 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Persistence and degradability**Components:****DIAZOLIDINYL UREA:**

Biodegradability : Biodegradation: 24 %
Exposure time: 28 d
Remarks: Not readily biodegradable.

Stability in water : Degradation half life(DT50): 12 h (20.4 °C) pH: 7

Bioaccumulative potential**Components:****DIAZOLIDINYL UREA:**

Bioaccumulation : Remarks: The substance has low potential for bioaccumulation.

Partition coefficient: n-octanol/water : log Pow: 0.9 (20 °C)

3-iodo-2-propynyl butyl carbamate:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 4.5
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.81

Mobility in soil**Components:****DIAZOLIDINYL UREA:**

Distribution among : Adsorption/Soil

Crafter's Choice™ Preservative - Water Soluble PF

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute Health Hazard

Crafter's Choice™ Preservative - Water Soluble PF

US State Regulations

Pennsylvania Right To Know

PROPYLENE GLYCOL	57-55-6	50.00 - 70.00
------------------	---------	---------------

The identity of one or more component(s) is being withheld under business confidentiality.

DIAZOLIDINYL UREA	78491-02-8	30.00 - 50.00 %
-------------------	------------	-----------------

New Jersey Right To Know

PROPYLENE GLYCOL	57-55-6	50.00 - 70.00
------------------	---------	---------------

The identity of one or more component(s) is being withheld under business confidentiality.

DIAZOLIDINYL UREA	78491-02-8	30.00 - 50.00 %
-------------------	------------	-----------------

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL.
- AUSTR : On the inventory, or in compliance with the inventory
- ENCS : Not in compliance with the inventory
- KECL : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECL (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

Crafter's Choice™ Preservative - Water Soluble PF

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 05/21/2015

<p>NFPA:</p> <div style="text-align: center;"> <p>Flammability</p> <p>Health: 2 1 Instability: 0</p> <p>Special hazard.</p> </div>	<p>HMIS III:</p> <table border="1" style="width: 100%;"> <tr> <td style="background-color: blue; color: white;">HEALTH</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="background-color: red; color: white;">FLAMMABILITY</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: yellow;">PHYSICAL HAZARD</td> <td style="text-align: center;">0</td> </tr> </table> <p>0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH	2	FLAMMABILITY	1	PHYSICAL HAZARD	0
HEALTH	2						
FLAMMABILITY	1						
PHYSICAL HAZARD	0						

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements referred to under sections 2 and 3.

- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

Crafter's Choice™ Preservative - Water Soluble PF

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act

DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

HMIRC : Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System