

# Safety Data Sheet

### Crafter's Choice™ Ocean Rain Fragrance Oil

Page 1 of 8 2016-03-10

### 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Crafter's Choice™ Ocean Rain Fragrance Oil

### 1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

### 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International

### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS Regulation (EC) No 1272/2008

	Flammable Liquids, Category 4	<b>S</b>	H227: Combustible liquid	
			H303: May be harmful if swallowed	
	Aspiration Hazard, Category 1		•	
			H304: May be fatal if swallowed and enters airways	
	Acute Toxicity Dermal, Category	5	H313: May be harmful in contact with skin	
			H315: Causes skin irritation	
			H317: May cause an allergic skin reaction	
	Eye Damage/Eye Irritation, Cate	gory 2A	H319: Causes serious eye irritation	
	Acute Toxicity Inhalation, Catego	ory 5	H333: May be harmful if inhaled	
	Target Organ Systemic Toxicity -	Single	H371: May cause damage to organs	
	Exposure, Category 2	2		
	Aquatic Chronic Toxicity, Catego	ry 2	H411: Toxic to aquatic life with long lasting effects	
Clas	ssification OSHA (Provisions 19	10.1200 of title	29)	
	Flammability Class IIIA Comb		bustible Liquid	
	Acute Dermal/Eye	12 : Causes		
	16 : Causes19 : May cause photo-induced skin irritation.Acute Inhalation24 : Causes respiratory tract irritation.			
			photo-induced skin irritation.	
			spiratory tract irritation.	
		<ul> <li>25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia lethargy, ataxia</li> <li>3 : May be harmful if swallowed or if aspirated into the lungs</li> </ul>		
	Acute Oral			
	Reproductive/Developmental	39 : Causes rep	productive/developmental	
			allergic skin reaction.	



# Safety Data Sheet

# Crafter's Choice™ Ocean Rain Fragrance Oil

Page 2 of 8 2016-03-10

26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen, bone marrow, stomach, brain, thyroid, tongue, mucous membranes, musculo-skeletal system
28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver, bone marrow
This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP[] OSHA []

Carcinogenicity

**Target Organ Effects** 

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

### Hazard pictograms





### Signal Word: Danger

### Hazard Statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H371	May cause damage to organs
H411	Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### **Prevention:**

P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. Continue rinsing
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention



# **Safety Data Sheet**

# Crafter's Choice™ Ocean Rain Fragrance Oil

Page 3 of 8 2016-03-10

P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage
Other Hazards	

### no data available

### 3. Composition/Information on Ingredients

### 3.1 Mixtures

2.3

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
60-12-8	200-456-2	10 - 20 %	H302; H313; H316; H319	11, 15, 3	
phenethyl	alcohol				
8008-57-9	232-433-8	10 - 20 %	H226; H304; H315; H400; H410	12, 3, 31	
Citrus aura	antium dulcis (Ol	range) oil			
140-11-4	205-399-7	5 - 10 %	H303; H316; H401; H412	15, 25, 26, 31, 39	
Benzyl ac	etate				
68912-13-0	272-805-7	5 - 10 %	H316; H401; H411	11, 15	
Hexahydro	o-methanoindeny	/l Propionate			
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15	
Hexyl cinn	amaldehyde				
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H319; H402	12, 26	
Linalool					
115-95-7	204-116-4	5 - 10 %	H227; H315; H319; H401; H402		
Linalyl ace	etate				
8000-41-7	232-268-1	2 - 5 %	H227; H303; H315; H319; H402	11, 15, 24	
Terpineol	Terpineol				
2050-08-0	218-080-2	2 - 5 %	H302; H316; H400; H410		
Amyl salic	ylate				
107-75-5	203-518-7	2 - 5 %	H317; H319	11, 15, 31	
Hydroxycitronellal					
8007-35-0	232-357-5	2 - 5 %	H316; H401; H411	11	
Terpineol acetate					
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H371; H401; H412	31	
Benzyl Salicylate					
127-51-5	204-846-3	1 - 2 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31	
a-Isometh	yl ionone				
103-95-7	203-161-7	1 - 2 %	H227; H303; H315; H317; H401; H412	11, 15, 31	
2-Methyl-3-(p-isopropylphenyl)propionaldehyde					

# **Crafter's**Choice®

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

# Crafter's Choice™ Ocean Rain Fragrance Oil

Page 4 of 8 2016-03-10

EC#	Conc. Range	GHS Classification	OSHA Classification		
266-819-2	1 - 2 %	H316	11, 15		
imethylhydrocinr	namal				
250-954-9	1 - 2 %	H303; H317; H401	11, 15		
4-tert-Butylcyclohexyl acetate					
202-255-5	0.1 - 1.0 %	H227; H303; H315; H317; H319; H361	12, 16, 31, 39		
Hydratropic aldehyde (2-Phenylpropionaldehyde)					
See Section 16 for full text of GHS classification codes					
	266-819-2 methylhydrocinr 250-954-9 cyclohexyl aceta 202-255-5 e aldehyde (2-Ph	EC#         Range           266-819-2         1 - 2 %           imethylhydrocinnamal           250-954-9         1 - 2 %           cyclohexyl acetate           202-255-5         0.1 - 1.0 %           aldehyde (2-Phenylpropionalde	EC#         Range         GHS Classification           266-819-2         1 - 2 %         H316           2methylhydrocinnamal         250-954-9         1 - 2 %           250-954-9         1 - 2 %         H303; H317; H401           cyclohexyl acetate         202-255-5         0.1 - 1.0 %           aldehyde (2-Phenylpropionaldehyde)         H227; H303; H315; H317; H319; H361		

Total Hydrocarbon Content (% w/w) = 9.70

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and effects,	both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical att	tention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	
0 0	
5.1 Extinguishing media	
0 0	Carbon dioxide (CO2), Dry chemical, Foam
5.1 Extinguishing media	Carbon dioxide (CO2), Dry chemical, Foam Do not use a direct water jet on burning material
5.1 Extinguishing media Suitable:	Do not use a direct water jet on burning material
5.1 Extinguishing media Suitable: Unsuitable	Do not use a direct water jet on burning material
<ul> <li>5.1 Extinguishing media</li> <li>Suitable:</li> <li>Unsuitable</li> <li>5.2 Special hazards arising from the substance</li> </ul>	Do not use a direct water jet on burning material ance or mixture

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.



# Safety Data Sheet

### Crafter's Choice<sup>™</sup> Ocean Rain Fragrance Oil

Page 5 of 8 2016-03-10

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits:					
Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4 Benzyl ace	tate	10			
Engineering Controls:	Use local exhaust as needed.				
8.2 Exposure controls - Pers	onal protective equipment				
Eye protection:	Tightly sealed goggles, face shield, or a as may be appropriate for the exposure		es with bro	w guards	and side shields, etc.
<b>Respiratory protection:</b>	Avoid excessive inhalation of concentra	ated vapors.	Apply loca	al ventilati	on where appropriate.
Skin protection: Avoid Skin contact. Use chemic		istant gloves	s as neede	ed.	

### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Yellow to Greenish Yellow (G2-5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	170 F (76.67 C)
Auto flammability:	Not determined

# **Crafter's**Choice<sup>®</sup>

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

## Crafter's Choice™ Ocean Rain Fragrance Oil

Page 6 of 8 2016-03-10

Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1167
%VOC:	19.75
Specific Gravity @ 25 C:	0.9540
Density @ 25 C:	0.9510
Refractive Index @ 20 C:	1.4850
Soluble in:	Oil

### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

### 11. Toxicological Information

### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3,623.19) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 2,745.07) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 38.32) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	May cause damage to organs
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

### 12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Chronic aquatic toxicity Not classified - the classification criteria are not met Toxic to aquatic life with long lasting effects



# Safety Data Sheet

# Crafter's Choice™ Ocean Rain Fragrance Oil

Page 7 of 8 2016-03-10

Toxicity Data on soil Toxicity on other organisms	no data available no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

### 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.		
U.S. DOT (Non-Bulk) Not Regu			I - Not Dangerous	s Goods			
Chemicals NOI							
ADR/RID (International Road/Rail)							
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	111		UN3082		
Environmentally Hazardous Liquid, n.o.s. <b>IMDG (Sea)</b>	Substance,	9	111		UN3082		
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082		
15. Regulatory Information							
U.S. Federal Regulations:							
TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt							
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern. U.S. State Regulations:							
California Proposition 65 WarningThis product contains the following components:123-35-3(NF 204-622-5 0.1 - 1.0 %beta-Myrcene (NFS)Canadian Regulations:							

Canadian Regulations:

DSL / NDSL

100.00% of the components are listed or exempt.



# Safety Data Sheet

Crafter's Choice™ Ocean Rain Fragrance Oil

Page 8 of 8 2016-03-10

16. Other Information

### **GHS H-Statements referred to under section 3**

### **Total Fractional Values**

(TFV) Risk
(1.00) Aspiration Hazard, Category 1
(5.50) Sensitization, Skin, Category 1B
(2.35) Target Organ Systemic Toxicity - Single Exposure,

Category 2

(TFV) Risk

(2.91) Skin Corrosion/Irritation, Category 2

(3.87) Eye Damage/Eye Irritation, Category 2A

(6.24) Aquatic Chronic Toxicity, Category 2

### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.