

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Mother Earth - Certified 100% Natural

Page 1 of 7 2016-03-10

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Mother Earth - Certified 100% Natural Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1 H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318: Causes serious eye damage Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Germ Cell Mutagenicity, Category 2 H341: Suspected of causing genetic defects

Carcinogenicity, Category 1B H350: May cause cancer

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes

16: Causes

9: Harmful if absorbed through the skin.

Acute Oral 3 : May be harmful if swallowed or if aspirated into the lungs

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: central nervous

system

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [] ACGIH [] IARC [X] NTP [] OSHA []



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Mother Earth - Certified 100% Natural

Page 2 of 7 2016-03-10

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal Word: Danger

Hazard Statements

H227 Combustible liquid H303 May be harmful if swallowed H304 May be fatal if swallowed and enters airways H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H333 May be harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer

Precautionary Statements

Prevention:

H411

P201 Obtain special instructions before use
P202 Do not handle until all safety precautions have been read and understood
P235 Keep cool
P264 Wash hands thoroughly after handling
P272 Contaminated work clothing should not be allowed out of the workplace
P273 Avoid release to the environment
P281 Use personal protective equipment as required

Toxic to aquatic life with long lasting effects

Response:

P362

ponse.	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P313	Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

Take off contaminated clothing and wash before reuse

a direct water jet on burning material

P391 Collect Spillage



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Mother Earth - Certified 100% Natural

Page 3 of 7 2016-03-10

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
	8022-15-9	294-470-6	20 - 30 %	H227; H401; H412	
	Lavandin d	il (Lavandula hyi	brida)		
	8000-27-9	285-370-3	10 - 20 %	H304; H316; H400; H401; H410; H411	3
	Juniperus	Virginiana Oil			
	8006-90-4	282-015-4	5 - 10 %	H227; H303; H315; H401; H411	11, 15, 26, 31
	Mentha pip	erita (Peppermir	nt) oil		
	8007-75-8	289-612-9	5 - 10 %	H226; H227; H315; H318; H401; H410;	12, 3, 31
	Citrus aura	ntium bergamia	(Bergamot) fruit	o ∏ 411	
	8007-08-7	283-634-2	2 - 5 %	H227; H304; H315; H316; H319; H402;	11, 3, 31
	Zingiber officinale (Ginger) Root Oil			H412	
	8000-28-0	283-994-0	2 - 5 %	H227; H304; H315; H401; H412	12, 3
Lavandula angustifolia (Lavender) oil					
	8007-80-5	284-635-0	1 - 2 %	H227; H303; H304; H312; H315; H319;	12, 16, 31, 9
	Cinnamomum cassia leaf oil			H401	
	8008-45-5	282-013-3	1 - 2 %	H226; H304; H315; H317; H341; H350;	11, 15
	Myristica fragrans (Nutmeg) kernel oil			H400; H410	
	89-82-7	201-943-2	0.1 - 1.0 %	H227; H302; H313; H316; H402	IARC
	Pulegone (NFS)			

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 6.90

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Mother Earth - Certified 100% Natural

Page 4 of 7 2016-03-10

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment



Crafter's Choice™ Mother Earth - Certified 100% Natural

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Page 5 of 7 2016-03-10

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Greenish Yellow G2/3 to Golden Yellow (G5)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Not determined

170 F (76.67 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.0917 **%VOC:** 29

 Specific Gravity @ 25 C:
 0.9130

 Density @ 25 C:
 0.9100

 Refractive Index @ 20 C:
 1.4740

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactionsNone known10.4 Conditions to avoidNone known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4,651.16) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,589.37) May be harmful in contact with skin



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Mother Earth - Certified 100% Natural

Page 6 of 7 2016-03-10

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 23.57) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye damage

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitizationMay cause an allergic skin reactionGerm cell mutagenicitySuspected of causing genetic defects

Carcinogenicity May cause cancer

Reproductive toxicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

IATA (Air Cargo)



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Mother Earth - Certified 100% Natural

Page 7 of 7 2016-03-10

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s. IMDG (Sea)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

94-59-7 202-345-4 0.01 - 0.1% Safrole (NFS)

93-15-2 202-223-0 <= 50 ppm Methyl Eugenol (NFS) 89-82-7 201-943-2 0.1 - 1.0 % Pulegone (NFS)

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

(7.32) Aquatic Chronic Toxicity, Category 2

Total Fractional Values

(TFV) Risk
(1.70) Aspiration Hazard, Category 1
(1.00) Sensitization, Skin, Category 1
(1.00) Germ Cell Mutagenicity, Category 2
(1.00) Carcinogenicity, Category 1
(1.00) Carcinogenicity, Category 1

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.