

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Sparkling Plum Fragrance Oil

Page 1 of 7 2016-03-10

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Crafter's Choice™ Sparkling Plum Fragrance Oil

1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

# 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

# Classification according to GHS Regulation (EC) No 1272/2008

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Target Organ Systemic Toxicity - Single H371: May cause damage to organs

Exposure, Category 2

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes

15: May cause

Acute Oral 3: May be harmful if swallowed.

Reproductive/Developmental 39 : Causes reproductive/developmental Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, male reproductive system

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin,

testes

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Sparkling Plum Fragrance Oil

Page 2 of 7 2016-03-10

# Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms







# Signal Word: Warning

## **Hazard Statements**

H302 Harmful if swallowed

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled
H371 May cause damage to organs
H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

#### Prevention:

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

## Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse

mouth

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P309 IF exposed or you feel unwell:

P311 Call a POISON CENTER or doctor/physician

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

## 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS#       | EC# | Conc. |  |
|------------|-----|-------|--|
| Ingredient | EC# | Range |  |



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Sparkling Plum Fragrance Oil

Page 3 of 7 2016-03-10

| CAS#<br>Ingredient  | EC#              | Conc.<br>Range | GHS Classification                  | OSHA Classification       |  |  |  |
|---|------------------|----------------|-------------------------------------|---------------------------|--|--|--|
| 120-51-4  | 204-402-9        | 60 - 70 %      | H302; H313; H400; H411              | 28, 3                     |  |  |  |
| Benzyl Benzoate   |                  |                |                                     |                           |  |  |  |
| 54464-57-2  | 259-174-3        | 5 - 10 %       | H315; H317; H400; H410              | 11, 31                    |  |  |  |
| Tetramethyl Acetyloctahydronaphthalenes                                     |                  |                |                                     |                           |  |  |  |
| 24851-98-7  | 246-495-9        | 5 - 10 %       | H402                                |                           |  |  |  |
| Methyldih   | ydrojasmonate    |                |                                     |                           |  |  |  |
| 80-54-6   | 201-289-8        | 2 - 5 %        | H227; H302; H315; H317; H361; H401; | 11, 15, 26, 28, 3, 31, 39 |  |  |  |
| Butylphenyl Methylpropional H411  |                  |                |                                     |                           |  |  |  |
| 105-95-3  | 203-347-8        | 1 - 2 %        | H401                                | 11, 15                    |  |  |  |
| Ethylene brassylate   |                  |                |                                     |                           |  |  |  |
| 1222-05-5   | 214-946-9        | 1 - 2 %        | H316; H400; H410                    | 11, 15                    |  |  |  |
| Hexamethylindanopyran   |                  |                |                                     |                           |  |  |  |
| 65113-99-7  | 265-453-0        | 1 - 2 %        | H316; H319; H401; H411              | 31                        |  |  |  |
| Pentamet  | hylcyclopnet-3-e | ne-butanol     |                                     |                           |  |  |  |
| 67707-75-9  | 266-959-4        | 1 - 2 %        | H227; H402; H412                    |                           |  |  |  |
| Ethyl 3,5,  | 5-trimethylhexan | oate (Melusat) |                                     |                           |  |  |  |
| 63500-71-0  | 405-040-6        | 1 - 2 %        | H319                                |                           |  |  |  |
| TETRAH  | /DRO-METHYL-     | METHYLPROP\    | /L)-PYRAN-4-OL                      |                           |  |  |  |
| 78-70-6   | 201-134-4        | 1 - 2 %        | H227; H303; H315; H319; H402        | 12, 26                    |  |  |  |
| Linalool  |                  |                |                                     |                           |  |  |  |
| 118-58-1  | 204-262-9        | 1 - 2 %        | H303; H317; H320; H371; H401; H412  | 31                        |  |  |  |
| Benzyl Salicylate   |                  |                |                                     |                           |  |  |  |
| 31906-04-4  | 250-863-4        | 1 - 2 %        | H317; H402                          |                           |  |  |  |
| Hydroxyisohexyl 3-cyclohexene carboxaldehyde                                |                  |                |                                     |                           |  |  |  |
| 57378-68-4  | 260-709-8        | 0.1 - 1.0 %    | H302; H315; H317; H318; H400; H410  | 11, 15, 31                |  |  |  |
| delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone) |                  |                |                                     |                           |  |  |  |
| See Section 16 for full text of GHS classification codes                    |                  |                |                                     |                           |  |  |  |

# 4. First Aid Measures

## 4.1 Description of first aid measures

Total Hydrocarbon Content (% w/w) = 0.85

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Sparkling Plum Fragrance Oil

Page 4 of 7 2016-03-10

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

# 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

# 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

# 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Sparkling Plum Fragrance Oil

Page 5 of 7 2016-03-10

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow Tint to Pale Yellow (G0-2)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0149

 %VOC:
 1.883

 Specific Gravity @ 25 C:
 1.0680

 Density @ 25 C:
 1.0650

 Refractive Index @ 20 C:
 1.5400

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,798.91) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,884.86) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 127.23) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Sparkling Plum Fragrance Oil

Page 6 of 7 2016-03-10

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

**Skin sensitization** May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Reproductive toxicity

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

# 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

| Regulator   |            | Class                               | Pack Group | Sub Risk | UN-nr. |  |  |
|---|------------|-------------------------------------|------------|----------|--------|--|--|
| U.S. DOT (Non-Bulk)   |            | Not Regulated - Not Dangerous Goods |            |          |        |  |  |
| Chemicals NOI   |            |                                     |            |          |        |  |  |
| ADR/RID (International Road/Rail)                               |            |                                     |            |          |        |  |  |
| Environmentally Hazardous<br>Liquid, n.o.s.<br>IATA (Air Cargo) | Substance, | 9                                   | III        |          | UN3082 |  |  |
| Environmentally Hazardous<br>Liquid, n.o.s.<br>IMDG (Sea)       | Substance, | 9                                   | III        |          | UN3082 |  |  |



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Sparkling Plum **Fragrance Oil**

Page 7 of 7 2016-03-10

**Environmentally Hazardous** Substance, 9 Ш UN3082

Liquid, n.o.s.

#### 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations:** 

**California Proposition 65 Warning** 

This product contains the following components: 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

**Canadian Regulations:** 

**DSL/NDSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3

## **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.27) Skin Corrosion/Irritation, Category 2 (2.00) Sensitization, Skin, Category 1A

(1.00) Target Organ Systemic Toxicity - Single Exposure,

Category 2

(7.11) Aquatic Chronic Toxicity, Category 2

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.

(3.19) Aquatic Acute Toxicity, Category 1