

SAFETY DATA SHEET

Crafter's™ Choice Matte Purple Pigment Powder

Section 1. Identification

Product Name: Crafter's Choice™ Matte Purple Pigment Powder

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Cosmetics

Manufacturer/Supplier: Crafter's Choice Brands, LLC

7820 E. Pleasant Valley Road Independence, OH 44131

(800) 908-7028

www.crafters-choice.com

Emergency Contact: ChemTel(MIS3548100) - (800) 255-3924 Domestic USA, Canada, Puerto Rico, USVI

+ (813) 248-0585 International

Section 2. Hazards Identification

While this material is not considered hazardous by the OSHA Hazard

OSHA/HCS status Communication Standard (29 CFR 1910.1200), this SDS contains valuable

information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture Not classified.

GHS label elements

Signal word No signal word.

Hazard statements No known significant effects or critical hazards.

Precautionary statements

General Read label before use. Keep out of reach of children. If medical advice is needed,

have product container or label at hand.

Prevention Not applicable.
Response Not applicable.
Storage Not applicable.
Disposal Not applicable.

Hazards not otherwise classified Fine dust clouds may form explosive mixtures with air. Handling and/or processing

of this material may generate a dust which can cause mechanical irritation of the

eyes, skin, nose and throat.

Section 3. Composition / Information on Ingredients

Substance/mixture: Substance

CAS number/other identifiers

Ingredient Name	CAS Number	%
Manganese Violet	10101-66-3	> 80

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



Section 4. First-aid Measures

Description of necessary first-aid measures

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur. In case of inhalation of decomposition products in a fire,

symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do

so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects - acute and delayed

Potential acute health effects

Eye contact Exposure to airborne concentrations above statutory or recommended exposure limits may

cause irritation of the eyes.

Inhalation Exposure to airborne concentrations above statutory or recommended exposure limits may

cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a

health hazard. Serious effects may be delayed following exposure.

Skin contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The

exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training

See toxicological information (Section 11)

Section 5. Fire-fighting Measures

Extinguishing media

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media None known

Specific hazards arising from the chemical No specific fire or explosion hazard

Hazardous thermal decomposition products Decomposition products may include the following materials: nitrogen oxides,

phosphorus oxides, metal oxide/oxides

Special protective actions for fire-fighters Promptly isolate the scene by removing all personal from the vicinity of the incident

if there is a fire. No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.



Section 6. Accidental Release Measures

Personal precautions protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Put on appropriate personal protective

equipment.

For emergency responders If specialized clothing is required to deal with the spillage, take note of any information in

Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency

personnel".

Environmental precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill Move containers from spill area. Vacuum or sweep up material and place in a designated,

labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill Move containers from spill area. Approach release from upwind. Prevent entry into sewers,

water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for

emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions for safe handling

Protective measures Put on appropriate personal protective equipment (see Section 8). Avoid breathing

dust

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material

is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional

information on hygiene measures.

Conditions for safe storage, including any

incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid

environmental contamination.



Section 8. Exposure Controls/Personal Protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Manganese Violet	ACGIH TLV (United States, 4/2014).
	TWA: 0.1 mg/m³, (as Mn) 8 hours. Form: Inhalable fraction
	ACGIH TLV (United States, 4/2014). Notes: as Mn
	TWA 0.02 mg/m³, (as Mn) 8 hours. Form: Respirable fraction
	OSHA PEL (United States, 2/2013). Notes: as Mn
	CEIL: 5 mg/m³, (as Mn)
	OSHA PEL 1989 (United States, 3/1989). Notes: as Mn
	CEIL: 5 mg/m³, (as Mn)
	0, /(/

Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side- shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Skin Protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.



Section 9. Physical and Chemical Properties

Appearance

Solid. [Powder] Physical state

Color Violet. Odor Odorless. Odor threshold Not applicable. рΗ Not tested Melting point Not available. **Boiling point** Not available. Flash point Not applicable. Evaporation rate Not tested Not available. Flammability (solid, gas)

Lower & upper explosive (flammable) limits Not tested Vapor pressure Not available. Vapor density Not tested 0.59 Relative density

Insoluble in the following materials: cold water, hot water, Solubility

methanol, diethyl ether, n- octanol and acetone.

Partition coefficient: n-octanol / water

Not applicable. Auto-ignition temperature Not applicable. Not applicable. Decomposition temperature Viscosity Not tested.

Section 10. Stability and Reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials No specific data.

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products prod

should not be produced.



Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Conclusion/Summary No known significant effects or critical hazards.

Irritation / corrosion

Conclusion/Summary

Skin No known significant effects or critical hazards. **Eves** No known significant effects or critical hazards. No known significant effects or critical hazards. Respiratory

Sensitization

Conclusion/Summary

Skin No known significant effects or critical hazards. Respiratory No known significant effects or critical hazards.

Mutagenicity

Conclusion/Summary No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary No known significant effects or critical hazards.

Teratogenicity

Conclusion/Summary No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure Not Available

Potential acute health effects

Eye contact Exposure to airborne concentrations above statutory or recommended exposure

limits may cause irritation of the eyes.

Inhalation Exposure to airborne concentrations above statutory or recommended exposure

limits may cause irritation of the nose, throat and lungs. Exposure to

decomposition products may cause a health hazard. Serious effects may be

delayed following exposure.

Skin contact No known significant effects or critical hazards.

No known significant effects or critical hazards. Ingestion



Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following: irritation, redness

Inhalation Adverse symptoms may include the following: respiratory tract irritation, coughing

Skin contact No specific data. Ingestion No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects

Not available.

Potential delayed effects

Not available.

Long term exposure

Potential immediate effects Not available.
Potential delayed effects Not available.

Potential chronic health effects

General Repeated or prolonged inhalation of dust may lead to chronic respiratory

irritation.

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Developmental effects

No known significant effects or critical hazards.

Fertility effects

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological Information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available

Mobility in soil

Soil / water partition coefficient (Koc) Not available

Other adverse effects No known significant effects or critical hazards



Section 13. Disposal considerations

<u>Disposal methods</u>: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport Information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
UN proper shipping name	-	•	•	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No	No	No	No	No
Additional Information	-	-	-	-	-

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory Information

TSCA 8(b) inventory Listed U.S. Federal regulations

SARA 313

	Product Name	CAS Number	%
Supplier Notification	Manganese Compound	10101-66-3	100

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Toxics in Packaging (CONEG): In compliance.



California Prop. 65

None identified.

Canada inventory International regulations

International lists

All components are listed or exempted.

Australia inventory (AICS): All components are listed or exempted. **China inventory (IECSC):** All components are listed or exempted.

Japan inventory: All components are listed or exempted.
Korea inventory: All components are listed or exempted.
Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Taiwan inventory (CSNN): Not determined.

Europe Inventory: Please contact your supplier to get the information.

Section 16. Other Information

National Fire Protection Association (U.S.A.)

Health Instability/Reactivity Special

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ®1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright @2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of issue/Date of revision
Date of previous issue
Version

4/30/2015. 4/16/2015. 1.02

Key to abbreviations

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73178 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the

Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References: Not available

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist