

Crafter's Choice™ Pumpkin Caramel Latte* Fragrance Oil

SDS Type: GHS / OSHA

Page 1 of 7 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

(800) 908-7028

www.crafters-choice.com

Crafter's Choice™ Pumpkin Caramel Latte* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Carcinogenicity, Category 1B H350: May cause cancer

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid Acute Dermal/Eye 11 : May cause skin irritation.

15: May cause

Acute Oral 2 : Harmful if swallowed

Target Organ Effects 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Danger Hazard Statements



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Pumpkin Caramel Latte* Fragrance Oil

Page 2 of 7 2016-03-10

H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H350	May cause cancer
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

ъ.			4	:_		
Р	rev	٧e	nτ	ю	n:	•

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

sponse.	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
121-32-4	204-464-7	2 - 5 %	H303; H320; H402	
Ethyl vani	llin			
128-37-0	204-881-4	2 - 5 %	H316; H400; H410	
Butylated	hydroxytoluene			
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	28, 3
Benzyl Benzoate				
54982-83-1	259-423-6	1 - 2 %	H303; H316; H400; H412	
Ethylene o	dodecanedioate			
34902-57-3	422-320-3	1 - 2 %	H400; H410	
Oxacyclol	nexadecenone			
4940-11-8	225-582-5	1 - 2 %	H302	2
Ethyl malt	ol			
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15
Hexameth	nylindanopyran			



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Pumpkin Caramel Latte* Fragrance Oil

Page 3 of 7 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
102-13-6 Isobutyl p	203-007-9 henylacetate	1 - 2 %	H316	
1 02-19-2 Isoamyl p	203-012-6 henylacetate	1 - 2 %	H316	
8008-45-5 Myristica	282-013-3 fragrans (Nutme	0.1 - 1.0 % g) kernel oil	H226; H304; H315; H317; H341; H350; H400; H410	11, 15
104-55-2 Cinnamai	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36
	283-479-0 mum Zeylanicum		H227; H303; H313; H316; H319; H341; f d-18,59; H4401; H412	11, 15, 31

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.13

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



s Choice™ Pumpkin

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Pumpkin Caramel Latte* Fragrance Oil

Page 4 of 7 2016-03-10

SDS Type: GHS / OSHA

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

128-37-0 Butylated hydroxytoluene 2

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Greenish Yellow (G2-3)

Viscosity: Liquid



Oxidizing properties:

Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

Safety Data Sheet

Crafter's Choice™ Pumpkin Caramel Latte* Fragrance Oil

SDS Type: GHS / OSHA

Page 5 of 7 2016-03-10

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

>200 F (93.33 C)

Auto flammability:

Not determined

None Expected

 Vapor Pressure (mmHg@20 C):
 0.698

 %VOC:
 1.202

 Specific Gravity @ 25 C:
 1.0230

 Density @ 25 C:
 1.0200

 Refractive Index @ 20 C:
 1.4530

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

None Expected

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 6,967.52) Not classified - the classification criteria are

not met

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 12,324.70) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 21.73) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity May cause cancer

Reproductive toxicity

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met



Crafter's Choice™ Pumpkin Caramel Latte* Fragrance Oil

SDS Type: GHS / OSHA

Page 6 of 7 2016-03-10

Specific target organ toxicity - repeated exposure

Aspiration hazard

Not classified - the classification criteria are not met Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Pumpkin Caramel Latte* Fragrance Oil

Page 7 of 7

2016-03-10

SDS Type: GHS / OSHA

California Proposition 65 Warning

94-59-7 202-345-4 <= 66 ppm

93-15-2 202-223-0 <= 14 ppm

123-35-3(NF 204-622-5 <= 42 ppm

Canadian Regulations:

DSL / NDSL

94201-19-1 303-602-4 0.1 - 1.0 %

This product contains the following components:

Safrole (NFS)

Methyl Eugenol (NFS)

beta-Myrcene (NFS)

99.90% of the components are listed or exempt.

1-Oxaspiro[4.5]decan-2-one, 8-methyl-, cis-

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk

(1.08) Skin Corrosion/Irritation, Category 3

(2.50) Carcinogenicity, Category 1B

(TFV) Risk

(1.50) Sensitization, Skin, Category 1A

(2.05) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.