

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cashmere

Fragrance Oil

Page 1 of 8 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Black Cashmere Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

- 2.2 Label elements
 - Labelling (GHS)

Hazard pictograms



Signal Word: Warning Hazard statements



7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cashmere Fragrance Oil

Page 2 of 8 Print Date: 2023-03-16

(800) 359-0944 www.WholesaleSuppliesPlus.com	
H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Fievention.	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411
Hexyl cinna	amal		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Tetramethy	/I Acetyloctahydi	ronaphthalenes	
105-95-3	203-347-8	5 - 10 %	H401
Ethylene b	rassylate		
28219-61-6	248-908-8	2 - 5 %	H315; H319; H401; H411
Ethyl trime	thylcyclopentene	e butenol	
31906-04-4	250-863-4	1 - 2 %	H317; H402
Hydroxyisc	havyl 3-cycloha	vono carhovaldo	hyde

Hydroxyisohexyl 3-cyclohexene carboxaldehyde

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cashmere Fragrance Oil

Page 3 of 8 Print Date: 2023-03-16

(800) 359-0944 www.WholesaleSuppliesPlus.com			
CAS# Ingredient	EC#	Conc. Range	GHS Classification
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410
Acetyl ceo	drene		
54982-83-1	259-423-6	1 - 2 %	H303; H400; H412
Ethylene	Dodecanedioate	e	
93-16-3	202-224-6	0.1 - 1.0 %	H303; H317; H402
Methyl iso	peugenol (Isoeu	genyl methyl eth	er)
6259-76-3	228-408-6	0.1 - 1.0 %	H316; H317; H400; H410
Hexyl sali	cylate		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
104-54-1	203-212-3	0.1 - 1.0 %	H302; H316; H317; H401
Cinnamyl	Alcohol		
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332;
Iso Euger	างไ		H335; H401
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411
a-Methyl-1,3-benzodioxole-5-propionaldehyde			nyde
See Section 1	See Section 16 for full text of GHS classification codes		

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.05

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and eff	ects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate media	cal attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	
5.1 Extinguishing media	

Suitable:Carbon dioxide (CO2), Dry chemical, FoamUnsuitableDo not use a direct water jet on burning material

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cashmere

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

Water may be ineffective

Page 4 of 8 Print Date: 2023-03-16

5.2	Cussial harved a stain of the substance of ministeres
~ /	Shecial hazards arising from the substance or mixture
J. 2	
	Special hazards arising from the substance or mixture

During fire fighting:

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cashmere Fragrance Oil

Page 5 of 8 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G0-1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0006
%VOC:	0.05
Specific Gravity @ 25 C:	0.9410
Density (g/mL) @ 25 C:	0.9380
Refractive Index @ 20 C:	1.4630
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4900.6600) May be harmful it swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 134.5013) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cashmere Fragrance Oil

Page 6 of 8 Print Date: 2023-03-16

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information			
12.1 Toxicity			
Acute acquatic toxicity	Not classified - the classification criteria are not met		
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects		
Toxicity Data on soil	no data available		
Toxicity on other organisms	no data available		
12.2 Persistence and degradability	no data available		
12.3 Bioaccumulative potential	no data available		
12.4 Mobility in soil	no data available		
12.5 Other adverse effects	no data available		

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 32388-55-9 : (1 - 2 %) : Acetyl cedrene				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Roa	ıd/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082
IMDG (Sea)					

IMDG (Sea)

Crafter'sChoice[®]

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cashmere Fragrance Oil

Page 7 of 8 Print Date: 2023-03-16

Independence, OH 44131 (800) 359-0944		Print Date: 2023-03-16
www.WholesaleSuppliesPlus.com Environmentally Hazardous) III	UN3082
Substance, Liquid, n.o.s.		0113002
15. Regulatory Information		
U.S. Federal Regulations		
TSCA (Toxic Substance Control Act)	All components of the substance/mixture a	re listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	This product contains NO components of c	oncern.
California Proposition 65 Warning	This product contains the following compor	nents:
93-15-2 202-223-0 <= 3 ppm	Methyl Eugenol (Natural Source)	
Canadian Regulations		
DSL	100.00% of the components are listed or e components are NOT on the List:	xempt.The following
67801-20-1 267-140-4 0.1 - 1.0 %	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-y	l)pent-4-en-2-ol

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

GHS H-Statements referred to under section 5 and not listed in section 2				
H302 : Harmful if swallowed	H312 : Harmful in contact with skin			
H315 : Causes skin irritation	H317 : May cause an allergic skin reaction			
H319 : Causes serious eye irritation	H332 : Harmful if inhaled			
H335 : May cause respiratory irritation	H400 : Very Toxic to aquatic life			
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life			
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects			
Total Fractional Values				
(TFV) Risk	(TFV) Risk			
(37.17) Acute Toxicity Inhalation, Category 5	(15.00) Sensitization, Skin, Category 1A			
(12.21) Aquatic Chronic Toxicity, Category 3	(7.00) Sensitization, Skin, Category 1B			
(4.00) Sensitization, Skin, Category 1	(1.65) Skin Corrosion/Irritation, Category 3			
(1.21) Aquatic Chronic Toxicity, Category 2	(1.02) Acute Toxicity Oral, Category 5			
(1.00) Reproductive Toxicity, Category 2				

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cashmere Fragrance Oil

Page 8 of 8 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com