

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cherry Merlot Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 9 Print Date: 2023-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Black Cherry Merlot Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's ChoiceTM Black Cherry Merlot Product: **Fragrance Oil**

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 2 of 9 Print Date: 2023-03-10







Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Res

sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available





Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cherry Merlot Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 3 of 9 Print Date: 2023-03-10

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	
Benzyl Be	nzoate			
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	
Linalool				
60-12-8	200-456-2	5 - 10 %	H302; H313; H316; H319	
phenethyl	alcohol			
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	
Hexyl cinn	amal			
100-52-7	202-860-4	2 - 5 %	H227; H302; H313; H316; H319; H332;	
Benzaldeh	nyde		H335; H401	
121-32-4	204-464-7	2 - 5 %	H303; H320; H402	
Ethyl Vani	llin			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412	
Limonene				
140-11-4	205-399-7	2 - 5 %	H303; H401; H412	
Benzyl ace	etate			
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402	
2,6-dimeth	nyloct-7-en-2-ol			
77-83-8	201-061-8	2 - 5 %	H317; H401; H411	
Ethyl Meth	nylphenylglycidat	e		
5471-51-2	226-806-4	2 - 5 %	H402	
Raspberry	' Ketone			
142-92-7	205-572-7	2 - 5 %	H226; H316; H401; H411	
Hexyl ace	tate			
31906-04-4	250-863-4	2 - 5 %	H317; H402	
Hydroxyis	ohexyl 3-cyclohe	xene carboxalde	ehyde	
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402	
Linalyl Ace	etate			
106-27-4	203-380-8	1 - 2 %	H226; H401	
Isoamyl bu	utyrate			
105-54-4	203-306-4	1 - 2 %	H226; H319	
Ethyl butyrate				
6485-40-1	229-352-5	1 - 2 %	H227; H303; H313; H317; H401	
I-Carvone				
2705-87-5	220-292-5	1 - 2 %	H302; H312; H317; H400; H411	
Allyl cyclol	hexylpropionate		•	



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cherry Merlot Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 9 Print Date: 2023-03-10

www.WholesaleSuppliesPlus.com						
CAS# Ingredient	EC#	Conc. Range	GHS Classification			
123-11-5	204-602-6	1 - 2 %	H303; H402; H412			
Anisaldeh	nyde					
4940-11-8	225-582-5	1 - 2 %	H302; H401			
Ethyl Mal	tol					
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401			
Eugenol						
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;			
pinene			H410			
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361			
gamma-T	gamma-Terpinene					
119-36-8	204-317-7	0.1 - 1.0 %	H302; H317; H318; H361; H402; H412			
Methyl Sa	Methyl Salicylate					
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401			
Citronello	Citronellol					
23726-91-2	245-842-1	0.1 - 1.0 %	H303; H315; H317; H401; H411			
(2E)-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-2-buten-1-one						
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402			
Geraniol						
79-78-7	201-225-9	0.1 - 1.0 %	H317; H401; H411			
Allyl a-ionone						
See Section 16 for full text of GHS classification codes						

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 5.32

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cherry Merlot

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil Page 5 of 9
Print Date: 2023-03-10

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

 140-11-4
 Benzyl acetate
 10

 80-56-8
 pinene
 20

Engineering Controls: Use local exhaust as needed.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's ChoiceTM Black Cherry Merlot Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 6 of 9 Fragrance Oil Print Date: 2023-03-10

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Respiratory protection:

Avoid Skin contact. Use chemically resistant gloves as needed. Skin protection:

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Liquid Appearance:

Odor: Conforms to Standard

Color: Nearly Colorless(G0) to Pale Yellow (G0-2)

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined Not determined **Melting Point:** Flashpoint (CCCFP): 150 F (65.56 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.6744 %VOC: 21.79 Specific Gravity @ 25 C: 0.9820 Density (g/mL) @ 25 C: 0.9790 Refractive Index @ 20 C: 1.4920 Soluble in: Oil

10. **Stability and Reactivity**

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cherry Merlot Fragrance Oil

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Page 7 of 9 Print Date: 2023-03-10

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2811.1943) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3660.7360) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 34.9299) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cherry Merlot

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil Page 8 of 9
Print Date: 2023-03-10

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (5 - 10 %): Benzyl Benzoate

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) 9 Ш UN3082 **Environmentally Hazardous** Substance, Liquid, n.o.s. IATA (Air Cargo) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** 9 Ш UN3082

15. Regulatory Information

U.S. Federal Regulations

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

94-59-7 202-345-4 <= 14 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 6 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following

components are NOT on the List:

815580-59-7 453-570-1 <= 12 ppm 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways H312 : Harmful in contact with skin

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage H320 : Causes eye irritation

H332 : Harmful if inhaled H335 : May cause respiratory irritation

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Cherry Merlot Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 9 of 9 Print Date: 2023-03-10

Total Fractional Values

(TFV) Risk

(143.14) Acute Toxicity Inhalation, Category 5

(16.18) Aquatic Chronic Toxicity, Category 3

(7.73) Sensitization, Skin, Category 1B

(3.51) Reproductive Toxicity, Category 2

(2.10) Skin Corrosion/Irritation, Category 2

(1.58) Aquatic Chronic Toxicity, Category 2

(1.37) Acute Toxicity Dermal, Category 5

(TFV) Risk

(20.00) Sensitization, Skin, Category 1A

(11.00) Sensitization, Skin, Category 1

(4.57) Skin Corrosion/Irritation, Category 3

(3.44) Eye Damage/Eye Irritation, Category 2A

(1.78) Acute Toxicity Oral, Category 5

(1.44) Aquatic Chronic Toxicity, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.