

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Cashmere & Pear Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 8 Print Date: 2023-03-21

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Cashmere & Pear Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed Skin Corrosion/Irritation, Category 3 H316 : Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction
Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA


Revised Date: 2023-02-07 00:00

Page 2 of 8

Print Date: 2023-03-21

Crafter's Choice[™] Cashmere & Pear

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com









Signal Word: Danger

Hazard statements

H227 Combustible liquid H303 May be harmful if swallowed H316 Causes mild skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled

H360 May damage fertility or the unborn child H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P235

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards


no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
142-92-7	205-572-7	5 - 10 %	H226; H316; H401; H411	
Hexyl ace	etate			





Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Cashmere & Pear **Fragrance Oil**

Page 3 of 8 Print Date: 2023-03-21

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.co

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	
Benzyl Be	enzoate			
88-41-5	201-828-7	2 - 5 %	H227; H303; H316; H401; H411	
2-t-Butylo	yclohexyl aceta	te		
628-63-7	211-047-3	2 - 5 %	H226	
Amyl Ace	tate			
140-11-4	205-399-7	2 - 5 %	H303; H401; H412	
Benzyl ad	etate			
121-32-4	204-464-7	2 - 5 %	H303; H320; H402	
Ethyl Van	illin			
141-97-9	205-516-1	2 - 5 %	H227	
Ethyl ace	toacetate			
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	
Hexametl	hylindanopyran			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412	
Limonene)			
93-92-5	202-288-5	2 - 5 %	H227; H402	
methylbei	nzyl acetate			
4940-11-8	225-582-5	1 - 2 %	H302; H401	
Ethyl Mal	tol			
141-16-2	205-463-4	1 - 2 %	H317; H400; H410	
Citronelly	l butyrate			
105-87-3	203-341-5	1 - 2 %	H315; H317; H401; H412	
Geranyl A	Acetate			
53398-85-9	258-517-4	1 - 2 %	H227	
(Z)-Hex-3	R-enyl 2-methylb	outyrate		
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H360; H401;	
Butylphenyl Methylpropional		onal	H412	
706-14-9	211-892-8	1 - 2 %	H316	
gamma-D	ecalactone			
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	
Hexyl cini				
105-95-3	203-347-8	1 - 2 %	H401	
	brassylate			
3681-71-8	222-960-1	1 - 2 %	H315	
Hexenyl A		. – ,,		
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402	
Coumarin		,,	,,	
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401	
Neryl ace		31. 110 /3	,	
105-90-8	203-344-1	0.1 - 1.0 %	H315; H317; H401; H411	



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Cashmere & Pear Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 8

Print Date: 2023-03-21

CAS# Ingredient	EC#	Conc. Range	GHS Classification
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;

H411 Dimethyltetrahydro Benzaldehyde

104-55-2 203-213-9 0.1 - 1.0 % H303; H312; H315; H317; H319; H401;

Cinnamal

115-95-7 0.1 - 1.0 % H227; H315; H317; H320; H402 204-116-4

Linalyl Acetate

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.32

First Aid Measures

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Rinse mouth with water and obtain medical advice. Ingestion:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Refer to Section 2.2 "Hazard Statements" Risks: 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

Fire-Fighting measures

Extinguishing media 5.1

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. **Accidental Release Measures**

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Cashmere & Pear Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-03-21

Page 5 of 8

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

628-63-7 *Amyl Acetate* 50 100 100

140-11-4 Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint to Greenish Yellow (G1-5)

Viscosity: Liquid

Freezing Point: Not determined



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

roduct: Crafter's Choice[™] Cashmere & Pear Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 8 Print Date: 2023-03-21

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

160 F (71.11 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.6372

 %VOC:
 23.40

 Specific Gravity @ 25 C:
 0.9900

 Density (g/mL) @ 25 C:
 0.9870

 Refractive Index @ 20 C:
 1.4590

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4146.1841) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 46.0516) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation Not classified - the classification criteria are not met
Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity

Not classified - the classification criteria are not met

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 8

Crafter's Choice[™] Cashmere & Pear Product:

Fragrance Oil Print Date: 2023-03-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

no data available **Toxicity Data on soil** Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Marine Pollutant

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

1222-05-5 : (2 - 5 %) : Hexamethylindanopyran Sub Risk Regulator Class **Pack Group** UN-nr.

Yes. Ingredient of greatest environmental impact :

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IATA (Air Cargo) **Environmentally Hazardous** 9 Ш UN3082 Substance, Liquid, n.o.s.

9 Ш UN3082 **Environmentally Hazardous** Substance, Liquid, n.o.s.

15. **Regulatory Information**

U.S. Federal Regulations

IMDG (Sea)

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

628-63-7 211-047-3 2 - 5 % Amyl Acetate

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Cashmere & Pear Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 8 of 8 Print Date: 2023-03-21

U.S. State Regulations

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1% 94-59-7 202-345-4 <= 2 ppm

93-15-2 202-223-0 <= 1 ppm

This product contains the following components:

beta-Myrcene (Natural Source)

Safrole (Natural Source)

Methyl Eugenol (Natural Source)

Canadian Regulations

DSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H301 : Toxic if swallowed

H302 : Harmful if swallowed and enters airways

H312 : Harmful in contact with skin
H315 : Causes skin irritation
H317 : May be harmful in contact with skin
H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H320 : Causes eye irritation H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(108.57) Acute Toxicity Inhalation, Category 5
(16.45) Sensitization, Skin, Category 1
(12.00) Reproductive Toxicity, Category 1B
(2.65) Aquatic Chronic Toxicity, Category 2
(2.21) Sensitization, Skin, Category 1B
(TFV) Risk
(26.87) Aquatic Chronic Toxicity, Category 1A
(16.45) Sensitization, Skin, Category 1B
(2.00) Reproductive Toxicity, Category 1B
(2.43) Skin Corrosion/Irritation, Category 3
(1.35) Aquatic Chronic Toxicity, Category 4

(1.21) Acute Toxicity Oral, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.