

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Cashmere Noir Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 4413 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 9 Print Date: 2023-03-21

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice™ Cashmere Noir Fragrance Oil

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cashmere Noir Fragrance Oil

Page 2 of 9

Print Date: 2023-03-21

7820 E Pleasant Valley Road Independence, OH 4413 (800) 359-0944 www.WholesaleSuppliesPlus.com







## **Signal Word: Warning**

#### Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled

H361 Suspected of damaging fertility or the unborn child

H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

#### Response:

DOOG . DOEG	IF ON CIVINI, Week with soon and water
P302 + P352	IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

#### 2.3 Other Hazards

#### no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc.	
Ingredient	EC#	Range	GHS Classification





Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cashmere Noir **Fragrance Oil** 

Page 3 of 9 Print Date: 2023-03-21

7820 E Pleasant Valley Road Independence, OH 4413 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411
Benzyl Be	nzoate		
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411
Hexyl cinn	namal		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Tetrameth	yl Acetyloctahy	dronaphthalenes	
121-32-4	204-464-7	2 - 5 %	H303; H320; H402
Ethyl Vani	illin		
31906-04-4	250-863-4	2 - 5 %	H317; H402
Hydroxyis	ohexyl 3-cycloh	exene carboxalo	
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameth	nylindanopyran		
54982-83-1	259-423-6	2 - 5 %	H303; H400; H412
Ethylene I	Dodecanedioate	)	, ,
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			, , , , , , , , , , , , , , , , , , , ,
10339-55-6	233-732-6	1 - 2 %	H227; H303; H316; H317; H319; H402
Ethyl Lina			, , , , , , , , , , , , , , , , , , , ,
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ace			, , , ,
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411
Ethyl trime	ethylcyclopentei	ne butenol	, ,
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			, , , , , , , , , , , , , , , , , , , ,
128-37-0	204-881-4	1 - 2 %	H316; H400; H410
BHT			,
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin			, - , -
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
	dimethylhydroci		, - ,,
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronellol			
127-43-5	204-843-7	0.1 - 1.0 %	H315; H317; H401; H411
Methyl-ß-i			,
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol	200 011 1	011 110 70	11000, 110 10, 110 11, 110 10, 11102
29461-13-0	249-648-8	0.1 - 1.0 %	H316; H317; H401; H411
			ethyl-2H-2,4a-methanonaphthalene-8(5H)-on
2.a.,-a.a., 80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene	2012010	0.1 1.0 /0	H410
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401
		V I = I V /0	1 1000 HOTA HOU



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cashmere Noir Fragrance Oil

Page 4 of 9

Print Date: 2023-03-21

Independence, OH 4413 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

CAS# Ingredient	EC#	Conc. Range	GHS Classification
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ene		
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411
a-IsometI	hyl ionone		
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-T	Terpinene		
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			
4180-23-8	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401
Anethole			
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
6,7-Dihya	dro-1,1,2,3,3-pei	ntamethyl-4(5H)-i	indanone (Cashmeran)
See Section 1	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.62

#### **First Aid Measures**

**Description of first aid measures** 

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## Fire-Fighting measures

Extinguishing media 5.1

> Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cashmere Noir

7820 E Pleasant Valley Road Independence, OH 4413 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil Print Date: 2023-03-21

#### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 128-37-0
 BHT
 2

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9

Print Date: 2023-03-21

7820 E Pleasant Valley Road Independence, OH 4413 (800) 359-0944 www.WholesaleSuppliesPlus.com

## <sup>duct:</sup> Crafter's Choice<sup>™</sup> Cashmere Noir Fragrance Oil

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

**Color:** Yellow Tint (G10/1) to Pale Yellow (G2)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0470

 %VOC:
 3.19

 Specific Gravity @ 25 C:
 1.0150

 Density (g/mL) @ 25 C:
 1.0120

 Refractive Index @ 20 C:
 1.5210

 Soluble in:
 Oil

## 10. Stability and Reactivity

**10.1 Reactivity** None

**10.2 Chemical stability** Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2399.6165) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4199.5213) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 83.7281) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cashmere Noir **Fragrance Oil** 

Page 7 of 9 Print Date: 2023-03-21

Independence, OH 4413 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

#### 12. **Ecological Information**

### 12.1 Toxicity

Populator

IMDG (Sea)

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available no data available 12.3 Bioaccumulative potential 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

#### 13. **Disposal Conditions**

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Pack Group

Sub Dick

IIN-pr

#### 14. **Transport Information**

**Marine Pollutant** Yes. Ingredient of greatest environmental impact:

120-51-4: (30 - 40 %): Benzyl Benzoate

Regulator	Class	rack Gloup Sub K	isk Uiv-iii.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods		
Chemicals NOI			
ADR/RID (International Road/Rail)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice<sup>™</sup> Cashmere Noir Fragrance Oil

Ш

Page 8 of 9

Print Date: 2023-03-21

7820 E Pleasant Valley Road Independence, OH 4413 (800) 359-0944 www.WholesaleSuppliesPlus.com

Environmentally Hazardous Substance, Liquid, n.o.s.

9

UN3082

## 15. Regulatory Information

**U.S. Federal Regulations** 

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)

This product contains the following components:

1222-05-5 214-946-9 2 - 5 %

Hexamethylindanopyran

**U.S. State Regulations** 

**California Proposition 65 Warning** 

123-35-3(NF 204-622-5 0.01 - 0.1%

This product contains the following components:

beta-Myrcene (Natural Source)

**Canadian Regulations** 

DSL

99.70% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 815580-59-7 453-570-1 <= 6 ppm

3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

315580-59-7 453-570-1 <= 6 ppm

### 16. Other Information

## GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour
H301 : Toxic if swallowed
H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage
H319 : Causes serious eye irritation
H320 : Causes eye irritation

H401 : Toxic to aquatic life

H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk (TFV) Risk (39.11) Aquatic Chronic Toxicity, Category 3

(27.50) Sensitization, Skin, Category 1A (11.00) Sensitization, Skin, Category 1B

(3.89) Aquatic Chronic Toxicity, Category 2 (3.36) Skin Corrosion/Irritation, Category 3

(2.77) Aquatic Chronic Toxicity, Category 4 (2.31) Aquatic Acute Toxicity, Category 1

(2.08) Acute Toxicity Oral, Category 5 (1.55) Skin Corrosion/Irritation, Category 2 (1.19) Acute Toxicity Dermal, Category 5 (1.17) Reproductive Toxicity, Category 2

#### Department issuing data sheet:

### Department E-mail address:



**Fragrance Oil** 

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9

Print Date: 2023-03-21

Crafter's Choice<sup>™</sup> Cashmere Noir

7820 E Pleasant Valley Road Independence, OH 4413 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.