

Safety Data Sheet

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice[™] Balsam Cedar* Fragrance Oil

Page 1 of 7 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Balsam Cedar* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924Domestic USA, Canada, Puerto Rico, and US Virgin Islands+1 813 248-0585International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 4	H302: Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

s, liver, spleen,
o: kidneys, skin
or greater,

2.2 Label elements



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028

www.crafters-choice.com

Safety Data Sheet

Crafter's Choice[™] Balsam Cedar* Fragrance Oil

Page 2 of 7 2016-03-10

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning

Hazard	Statements
i iuzui u	otatomonto

H227	Combustible liquid
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Frevention.	
P235	Keep cool
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Balsam Cedar* Fragrance Oil

Page 3 of 7 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	60 - 70 %	H302; H313; H400; H411	28, 3
Benzyl Be	nzoate			
125-12-2	204-727-6	10 - 20 %	H227; H316; H401	11, 15
Isobornyl	acetate			
8021-29-2	294-351-9	2 - 5 %	H226; H304; H316; H319; H400; H410	12, 16, 3, 31
Abies sibi	rica oil			
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	11, 15
Hexamethylindanopyran				
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401	11, 15
4-tert-Buty	lcyclohexyl acet/	ate		
115-95-7	204-116-4	1 - 2 %	H227; H315; H319; H401; H402	
Linalyl acetate				
68737-61-1	272-113-5	1 - 2 %	H227; H303; H313; H315; H317; H319;	12, 15, 31
Dimethyltetrahydro Benaldehyde H402; H412				
4940-11-8	225-582-5	1 - 2 %	H302	2
Ethyl maltol				
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H319; H402	12, 26
Linalool				
101-48-4	202-945-6	1 - 2 %	H227; H303; H316; H319	11, 16
PHENYLACETALDEHYDE DIMETHYL ACETAL				
91-64-5	202-086-7	1 - 2 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarin				
See Section 1	6 for full text of G	GHS classification	n codes	

Total Hydrocarbon Content (% w/w) = 2.92

4. First Aid Measures	
4.1 Description of first aid measures	8
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and e	ffects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate med	lical attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice[™] Balsam Cedar* Fragrance Oil

Page 4 of 7 2016-03-10

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the subs	tance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Skin protection:

Exposure Limits:	Contains no substances with occupational exposure limit values	
Engineering Controls:	Use local exhaust as needed.	
8.2 Exposure controls - Personal protective equipment		
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure	
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	

Avoid Skin contact. Use chemically resistant gloves as needed.



Safety Data Sheet

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice[™] Balsam Cedar* Fragrance Oil

Page 5 of 7 2016-03-10

9. Physical and Chemic	•
0.1 Information on basic physical ar	nd chemical properties
Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Colorless to Pale Yellow
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	193 F (89.44 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.057
%VOC:	6.313
Specific Gravity @ 25 C:	1.0535
Density @ 25 C:	1.0505
Refractive Index @ 20 C:	1.5270
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1,902.14) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3,559.97) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 110.43) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

12.

Safety Data Sheet

Crafter's Choice™ Balsam Cedar* Fragrance Oil

Page 6 of 7 2016-03-10

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12.1 Toxicity				
Acute aquatic toxicity	Very Toxic to aquatic life			
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects			
Toxicity Data on soil	no data available			
Toxicity on other organisms	no data available			
12.2 Persistence and degradability	no data available			
12.3 Bioaccumulative potential	no data available			
12.4 Mobility in soil	no data available			
12.5 Other adverse effects	no data available			

13. Disposal Conditions

Ecological Information

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk)		Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Chemicals NOI					
ADR/RID (International Road	d/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	Ш		UN3082

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Balsam Cedar* Fragrance Oil

Page 7 of 7 2016-03-10

15.Regulatory InformationU.S. Federal Regulations:				
TSCA (Toxic Substance Control Act):	All components of the substance/mixture are listed or exempt This product contains NO components of concern.			
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations:				
California Proposition 65 Warning 93-15-2 202-223-0 <= 3 ppm 123-35-3(NF 204-622-5 0.01 - 0.1% Canadian Regulations:	This product contains the following components: Methyl Eugenol (NFS) beta-Myrcene (NFS)			
DSL / NDSL	100.00% of the components are listed or exempt.			
16. Other Information GHS H-Statements referred to under section	on 3			

Total Fractional Values

(TFV) Risk(3.21) Skin Corrosion/Irritation, Category 3(1.03) Eye Damage/Eye Irritation, Category 2A

(4.94) Aquatic Chronic Toxicity, Category 2

(TFV) Risk(2.02) Sensitization, Skin, Category 1B(2.63) Aquatic Acute Toxicity, Category 1

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.