

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Balsam Cedar\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 8 Print Date: 2023-03-15

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice™ Balsam Cedar\* Fragrance Oil

# 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

# 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316 : Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8

Print Date: 2023-03-15

Crafter's Choice<sup>TM</sup> Balsam Cedar\* **Fragrance Oil** 



(800) 359-0944



# Signal Word: Warning

### Hazard statements

7820 E Pleasant Valley Road Independence, OH 44131

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
<b>⊔</b> //11	Toxic to aquatic life with long lacting offe

Toxic to aquatic life with long lasting effects H411

### **Precautionary Statements**

#### Prevention:

P235 Keep cool

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

#### 2.3 Other Hazards

no data available

#### 3. **Composition/Information on Ingredients**

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>120-51-4</b> Benzyl Be	204-402-9	50 - 60 %	H302; H313; H400; H411
125-12-2	204-727-6	10 - 20 %	H227; H316; H401
Isobornyl	acetate		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice<sup>TM</sup> Balsam Cedar\* Fragrance Oil

Page 3 of 8 Print Date: 2023-03-15

CAS#	FC#
www.Wholesale	SuppliesPlus.con
(800) 359-0944	
Independence,	OH 44131

7820 E Pleasant Valley Road

	uppliesPlus.com		
CAS# Ingredient	EC#	Conc. Range	GHS Classification
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401
	/lcyclohexyl ace		11303, 11317, 11401
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
	ylindanopyran	2-3 /6	11310, 11400, 11410
2756-56-1	220-410-5	2 - 5 %	H316; H401
	propionate	2-3 /6	11310, 11401
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ac		1 - 2 /0	11227, 11313, 11317, 11320, 11402
68737-61-1	272-113-5	1 - 2 %	H227; H303; H313; H315; H317; H401;
	etrahydro Benza		H411
4940-11-8	225-582-5	1 - 2 %	H302; H401
Ethyl Malt		1 2 70	11002, 11401
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool	201 104 4	1 2 70	11227, 11303, 11313, 11317, 11313, 11402
91-64-5	202-086-7	1 - 2 %	H301; H317; H402
Coumarin		1 2 70	11001, 11011, 11402
101-48-4	202-945-6	1 - 2 %	H227; H303; H316; H319; H402
	etaldehyde dime		11227, 11000, 11010, 11010, 11402
<b>80-56-8</b>	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene	201 201 0	0.1 1.0 70	H410
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene		011 110 70	,,,
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto		011 110 70	,,,
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410
2-Methylu			,, - ,
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Cary			
29461-13-0	249-648-8	0.1 - 1.0 %	H316; H317; H401; H411
			ethyl-2H-2,4a-methanonaphthalene-8(5H)-one
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332;
delta-3-Ca	arene		H401; H411
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pinei	ne		
586-62-9	209-578-0	0.1 - 1.0 %	H227; H303; H304; H316; H317; H400;
Terpinolei	пе		H410
See Section 1	6 for full text of	GHS classification	on codes



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Balsam Cedar\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-03-15

Page 4 of 8

### 4. First Aid Measures

# 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:**Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

# 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

# 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Balsam Cedar\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-03-15

# 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

# 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

 13466-78-9
 delta-3-Carene
 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless to Yellow Tint (G0-1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

193 F (89.44 C)

Auto flammability:

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

**Vapor Pressure (mmHg@20 C):** 0.0566 **%VOC:** 6.34



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Balsam Cedar\* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 8 Print Date: 2023-03-15

 Specific Gravity @ 25 C:
 1.0360

 Density (g/mL) @ 25 C:
 1.0330

 Refractive Index @ 20 C:
 1.5190

Soluble in: Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactionsNone known10.4 Conditions to avoidNone known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# 11. Toxicological Information

# 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2074.7552) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3756.2775) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 151.2788) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

# 12. Ecological Information

# 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available



7820 E Pleasant Valley Road

www.WholesaleSuppliesPlus.com

Independence, OH 44131

(800) 359-0944

# **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Malsam Cedar\*

Fragrance Oil

Page 7 of 8 Print Date: 2023-03-15

**'** 

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

# 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

**Marine Pollutant** Yes. Ingredient of greatest environmental impact :

120-51-4: (50 - 60 %): Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.  IATA (Air Cargo)	9	III		UN3082
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous	9	III		UN3082

# 15. Regulatory Information

# **U.S. Federal Regulations**

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains the following components:

or Net Cha, Sana, Center and Caa)

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

### U.S. State Regulations

### California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)
140-67-0 205-427-8 <= 9 ppm Estragole (Methyl chavicol) (Natural Source)
89-82-7 201-943-2 <= 6 ppm Pulegone (Natural Source)

93-15-2 202-223-0 <= 3 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following components are NOT on the List:



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: (

Crafter's Choice<sup>TM</sup> Balsam Cedar\* Fragrance Oil

Page 8 of 8

Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

149713-23-5

<= 3 ppm

2H-Pyran, tetrahydro-4-methyl-2-phenyl-,(2R,4S)-rel

# 16. Other Information

# GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H301 : Toxic if swallowed

H302 : Harmful if swallowed and enters airways

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H320 : Causes eye irritation H332 : Harmful if inhaled H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

#### Total Fractional Values

(TFV) Risk
(39.57) Aquatic Chronic Toxicity, Category 3
(3.95) Aquatic Chronic Toxicity, Category 2
(2.90) Skin Corrosion/Irritation, Category 3
(2.41) Acute Toxicity Oral, Category 5
(2.30) Sensitization, Skin, Category 1
(2.30) Sensitization, Skin, Category 1
(2.27) Aquatic Acute Toxicity, Category 1
(2.16) Sensitization, Skin, Category 1B

# Department issuing data sheet:

(1.33) Acute Toxicity Dermal, Category 5

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.