### Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Calamondin Sea Salt

Fragrance Oil

Page 1 of 9 Print Date: 2023-03-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Calamondin Sea Salt Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road
	Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands
14 042 240 0505	International

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Clussification according to One	
Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of ti	itle 29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child
Classification Other	

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Calamondin Sea Salt


Fragrance Oil

Page 2 of 9 Print Date: 2023-03-20

е

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

2.2 Label elements



Hazard pictograms





#### Signal Word: Danger

#### **Hazard statements** H227 Combustible liquid H303 May be harmful if swallowed H304 May be fatal if swallowed and enters airways H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled H361 Suspected of damaging fertility or the unborn child H400 Very Toxic to aquatic life H411 Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### **Response:**

polise.	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not us a direct water jet on burning material

### **Safety Data Sheet**

Revised Date: 2023-02-07 00:00

Page 3 of 9

Print Date: 2023-03-20

### Product: Crafter's Choice<sup>™</sup> Calamondin Sea Salt Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

**Collect Spillage** 

P391 2.3 Other Hazards

no data available

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	
Benzyl Ber	nzoate			
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	
Linalool				
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412	
Limonene				
105-95-3	203-347-8	5 - 10 %	H401	
Ethylene b				
24851-98-7		5 - 10 %	H402	
	drojasmonate			
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401	
•	lcyclohexyl aceta			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	
Hexyl cinna				
121-32-4	204-464-7	2 - 5 %	H303; H320; H402	
Ethyl Vanil				
91-64-5	202-086-7	1 - 2 %	H301; H317; H402	
Coumarin				
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411	
-	Ethyl trimethylcyclopentene butenol			
1205-17-0	214-881-6	1 - 2 %	H303; H317; H361; H401; H411	
•	,3-benzodioxole-			
4940-11-8	225-582-5	1 - 2 %	H302; H401	
Ethyl Malto				
121-33-5	204-465-2	1 - 2 %	H303; H313; H319; H402	
vanillin				
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401	
Citral				
19870-74-7	243-384-7	1 - 2 %	H317; H400; H410	
Cedrol met				
14901-07-6	238-969-9	1 - 2 %	H303; H401; H411	
lonone				

# **Crafter's**Choice

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9

Print Date: 2023-03-20

#### Crafter's Choice<sup>™</sup> Calamondin Sea Salt Product:

7820 E Pleasant \ Independence, OF (800) 359-0944 www.WholesaleSe	44131		Fragrance Oil
CAS# Ingredient	EC#	Conc. Range	GHS Classification
8008-31-9 Citrus nob	297-672-2 ilis (Mandarin Or	1 - 2 % ange) peel oil	H226; H304; H315; H317; H361; H401; H411
81782-77-6	279-815-0	1 - 2 %	H227; H400; H411
Methyl De	cenol		
80-71-7	201-303-2	0.1 - 1.0 %	H302; H317; H402
Methylcyc	lopentenolone		
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			
406488-30-0	446-190-2	0.1 - 1.0 %	H302; H316; H317; H320; H401; H411
2-ethyl-N-l	methyl-N-(3-meth	nylphenyl)butana	nmide
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Te	erninene		

gamma-T	Terpinene		
<b>80-56-8</b> pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
119-36-8	204-317-7	0.1 - 1.0 %	H302; H317; H318; H361; H402; H412
Methyl Sa	alicylate		
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ene		

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 9.68

#### 4. **First Aid Measures**

#### **Description of first aid measures** 4.1

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and ef	fects, both acute and delayed		
Symptoms:	no data available		
Risks:	Refer to Section 2.2 "Hazard Statements"		

4.3 Indication of any immediate medical attention and special treatment needed

```
Treatment:
                               Refer to Section 2.2 "Response"
```



## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Calamondin Sea Salt

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

Page 5 of 9 Print Date: 2023-03-20

www.wholesaleSuppliesPlus.com	
5. Fire-Fighting measure	res
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from t	the substance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Li	mits:				
Componen	t	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8	pinene	20	)		
127-91-3	beta Pinene	20	)		
<b></b>					

**Engineering Controls:** Use local exhaust as needed.

# **Crafter's**Choice®

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Calamondin Sea Salt

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

Page 6 of 9 Print Date: 2023-03-20

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow (G4-8)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	166 F (74.44 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1353
%VOC:	10.84
Specific Gravity @ 25 C:	0.9840
Density (g/mL) @ 25 C:	0.9810
Refractive Index @ 20 C:	1.4950
Soluble in:	Oil

#### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

# **Crafter's**Choice®

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Calamondin Sea Salt

Fragrance Oil

Page 7 of 9 Print Date: 2023-03-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2533.7607) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3541.6654) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 66.7984) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

#### 12. Ecological Information

Very Toxic to aquatic life
Toxic to aquatic life with long lasting effects
no data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

#### Crafter's Choice<sup>™</sup> Calamondin Sea Salt Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com **Fragrance Oil** 

Page 8 of 9 Print Date: 2023-03-20

14. **Transport Information** 

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	This product contains NO components of concern.
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.1 - 1.0 %	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	99.60% of the components are listed or exempt. The following components are NOT on the List:
406488-30-0 446-190-2 0.1 - 1.0 %	2-ethyl-N-methyl-N-(3-methylphenyl)butanamide

#### 16. **Other Information**

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage
H320 : Causes eye irritation	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(74.85) Acute Toxicity Inhalation, Category 5	(19.91) Aquatic Chronic Toxicity, Category 3
(16.00) Reproductive Toxicity, Category 2	(14.43) Sensitization, Skin, Category 1



## Safety Data Sheet

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Calamondin Sea Salt

Fragrance Oil

Page 9 of 9 Print Date: 2023-03-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

(14.43) Sensitization, Skin, Category 1A

(2.62) Skin Corrosion/Irritation, Category 3

(1.98) Eye Damage/Eye Irritation, Category 2A

(1.95) Aquatic Chronic Toxicity, Category 2

(1.44) Aquatic Acute Toxicity, Category 1

(1.07) Aspiration Hazard, Category 1

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

(8.77) Sensitization, Skin, Category 1B

(2.28) Skin Corrosion/Irritation, Category 2

(1.97) Acute Toxicity Oral, Category 5

(1.72) Aquatic Chronic Toxicity, Category 4

(1.41) Acute Toxicity Dermal, Category 5

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.