

Crafter's Choice™ Kentish Rain Fragrance Oil

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Page 1 of 8
2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Kentish Rain Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC
7820 E. Pleasant Valley Road
Independence, Ohio 44131
Phone: 1-800-908-7028
www.Crafters-Choice.com

1.4 Emergency Telephone Number ChemTel (MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+ (813) 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Acute Toxicity Oral, Category 4	H302: Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Target Organ Systemic Toxicity - Single Exposure, Category 2	H371: May cause damage to organs
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	12 : Causes 15 : May cause
Acute Oral	3 : May be harmful if swallowed .
Reproductive/Developmental	39 : Causes reproductive/developmental
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal glands, liver, male reproductive system 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin, testes
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Crafter's Choice™ Kentish Rain Fragrance Oil

Page 2 of 8
2016-03-10

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning

Hazard statements

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H371	May cause damage to organs
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

No data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
--------------------	-----	----------------	--------------------	---------------------

Crafter's Choice™ Kentish
Rain Fragrance Oil

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Page 3 of 8
2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	50 - 60 %	H302; H313; H400; H411	28, 3
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	10 - 20 %	H303; H316; H317; H400; H411	11, 15
66068-84-6 <i>Isocamphenyl cyclohexanol (mixed isomers)</i>	266-100-3	5 - 10 %	H315; H401; H411	11, 15
24851-98-7 <i>Methyldihydrojasmonate</i>	246-495-9	5 - 10 %	H402	
118-58-1 <i>Benzyl Salicylate</i>	204-262-9	2 - 5 %	H303; H317; H320; H371; H401; H412	31
54464-57-2 <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
54830-99-8 <i>Acetoxymethyldihydrocyclopentadiene</i>	259-367-2	2 - 5 %	H303; H316; H402; H412	
106-22-9 <i>Citronellol</i>	203-375-0	1 - 2 %	H303; H313; H315; H317; H319; H401	11, 15
80-54-6 <i>Butylphenyl Methylpropional</i>	201-289-8	1 - 2 %	H227; H302; H315; H317; H361; H401; H411	11, 15, 26, 28, 3, 31, 39
110-27-0 <i>Isopropyl myristate</i>	203-751-4	1 - 2 %	H316	
13828-37-0 <i>cis-p-Menthan-7-ol</i>	237-539-8	1 - 2 %	H317; H401	12, 15, 31
78-69-3 <i>Tetrahydrolinalool</i>	201-133-9	1 - 2 %	H227; H315; H319; H401	11, 15
65405-77-8 <i>cis-3-Hexenyl salicylate</i>	265-745-8	1 - 2 %	H400; H410	11, 15
8016-88-4 <i>Estragon oil (Artemisia dracunculus L.)</i>	290-356-5	0.1 - 1.0 %	H227; H302; H304; H316; H341; H351; H401; H411	11, 15
8015-73-4(S) <i>Ocimum Basilicum (Basil) Oil</i>	283-900-8	0.1 - 1.0 %	H227; H302; H316; H317; H341; H351; H402; H412	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.19

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Crafter's Choice™ Kentish
Rain Fragrance Oil**

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Page 4 of 8
2016-03-10

Symptoms: no data available
Risks: Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical attention and special treatment needed
Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During firefighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

**Crafter's Choice™ Kentish
Rain Fragrance Oil**

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Page 5 of 8
2016-03-10

8. Exposure Controls/Personal Protection**8.1 Control parameters**

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties**9.1 Information on basic physical and chemical properties**

Appearance: Conforms to Standard
Odor: Conforms to Standard
Color: Nearly Colorless to Pale Yellow (G0-2)
Viscosity: Liquid
Freezing Point: Not determined
Boiling Point: Not determined
Melting Point: Not determined
Flashpoint (CCCFP): >200 F (93.33 C)
Auto flammability: Not determined
Explosive Properties: None Expected
Oxidizing properties: None Expected
Vapor Pressure (mmHg@20 C): 0.0164
%VOC: 0.848
Specific Gravity @ 25 C: 1.0460
Density @ 25 C: 1.0430
Refractive Index @ 20 C: 1.5370
Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None
10.2 Chemical stability Stable
10.3 Possibility of hazardous reactions None known
10.4 Conditions to avoid None known
10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products None known

**Crafter's Choice™ Kentish
Rain Fragrance Oil**

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Page 6 of 8
2016-03-10

11. Toxicological Information**11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1,991.92) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3,577.78) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 79.88) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	May cause damage to organs
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information**12.1 Toxicity**

Acute aquatic toxicity	Very Toxic to aquatic life
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bio accumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions**13.1 Waste treatment methods**

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator

U.S. DOT (Non-Bulk)

Class

Not Regulated - Not Dangerous Goods

Pack Group

Sub Risk

UN-nr.

Crafter's Choice™ Kentish Rain Fragrance Oil

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Page 7 of 8
2016-03-10

Chemicals NOI

ADR/RID (International Road/Rail)	9	III	UN3082
Environmentally Hazardous Substance, Liquid, n.o.s.			
IATA (Air Cargo)	9	III	UN3082
Environmentally Hazardous Substance, Liquid, n.o.s.			
IMDG (Sea)	9	III	UN3082
Environmentally Hazardous Substance, Liquid, n.o.s.			

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act):	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning	This product contains the following components:
140-67-0 205-427-8 0.1 - 1.0 %	Estragole (Methyl chavicol) (NFS)
93-15-2 202-223-0 <= 17 ppm	Methyl Eugenol (NFS)
123-35-3(NF 204-622-5 <= 37 ppm	beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL	100.00% of the components are listed or exempt.
-------------------	---

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk	(TFV) Risk
(1.74) Skin Corrosion/Irritation, Category 2	(11.00) Sensitization, Skin, Category 1B
(4.00) Target Organ Systemic Toxicity - Single Exposure, Category 2	(2.69) Aquatic Acute Toxicity, Category 1
(4.45) Aquatic Chronic Toxicity, Category 2	

Crafter's Choice™ Kentish Rain Fragrance Oil

Page 8 of 8
2016-03-10

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.