

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Espresso Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 7 Print Date: 2023-03-27

# 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade Name: Crafter's Choice™ Espresso Fragrance Oil

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

# 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

Acute Toxicity Oral, Category 5

H303 : May be harmful if swallowed
Sensitization, Skin, Category 14

H317 : May cause an allergic skin rea

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Signal Word: Warning Hazard statements

H303 May be harmful if swallowed



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice<sup>TM</sup> Espresso Fragrance Oil

Page 2 of 7 Print Date: 2023-03-27

H317 May cause an allergic skin reaction
H333 May be harmful if inhaled
H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

Prevention:

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411	
Benzyl Ber	nzoate			
121-33-5	204-465-2	2 - 5 %	H303; H313; H319; H402	
vanillin				
80-71-7	201-303-2	2 - 5 %	H302; H317; H402	
Methylcyclopentenolone				
4940-11-8	225-582-5	2 - 5 %	H302; H401	
Ethyl Malto	o/			
105-95-3	203-347-8	2 - 5 %	H401	
Ethylene b	rassylate			
100-51-6	202-859-9	1 - 2 %	H302; H313; H319	
Benzyl Alco	ohol			
63314-79-4	429-900-5	0.1 - 1.0 %	H317; H400; H412	
5-Cycloper				

See Section 16 for full text of GHS classification codes



7820 E Pleasant Valley Road

www.WholesaleSuppliesPlus.com

Independence, OH 44131

(800) 359-0944

# **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice<sup>™</sup> Espresso Fragrance Oil

Page 3 of 7

Print Date: 2023-03-27

# 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

# 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice<sup>™</sup> Espresso Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 4 of 7 Print Date: 2023-03-27

#### 7. Handling and Storage

## Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

# Specific end uses

No information available

#### **Exposure Controls/Personal Protection** 8.

### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values.

**Engineering Controls:** Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. **Physical and Chemical Properties**

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Yellow/Amber Tint (G0/1)

**Viscosity:** Liquid

**Freezing Point:** Not determined **Boiling Point:** Not determined Melting Point: Not determined Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.5391 %VOC: 0.82 Specific Gravity @ 25 C: 1.0140 Density (g/mL) @ 25 C: 1.0110 Refractive Index @ 20 C: 1.4970 Soluble in: Oil



Fragrance Oil

Crafter's Choice<sup>™</sup> Espresso

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 7

Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### Stability and Reactivity 10.

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. **Toxicological Information**

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2431.9174) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 165.4700) May be harmful if inhaled

Skin corrosion / irritation Not classified - the classification criteria are not met Serious eye damage / irritation Not classified - the classification criteria are not met Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Reproductive toxicity Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Aspiration hazard Not classified - the classification criteria are not met

#### 12. **Ecological Information**

#### 12.1 Toxicity

Very Toxic to aquatic life Acute acquatic toxicity

Toxic to aquatic life with long lasting effects Chronic acquatic toxicity

no data available **Toxicity Data on soil** Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice<sup>™</sup> Espresso Fragrance Oil

Page 6 of 7 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (30 - 40%): Benzyl Benzoate

120-31-4. (30 - 40 /0). Delizyi Delizoale							
Regulator	Class	Pack Group	Sub Risk	UN-nr.			
U.S. DOT (Non-Bulk)	Not Regulat	ted - Not Dangerou	s Goods				
Chemicals NOI							
ADR/RID (International Road/Rail)							
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082			
IATA (Air Cargo)							
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082			
IMDG (Sea)							
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082			

# 15. Regulatory Information

**U.S. Federal Regulations** 

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations** 

California Proposition 65 Warning No Warning required

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.

# 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H302 : Harmful if swallowed H313 : May be harmful in contact with skin

H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

**Total Fractional Values** 

(TFV) Risk (TFV) Risk



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice<sup>™</sup> Espresso Fragrance Oil

Page 7 of 7 Print Date: 2023-03-27

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

(30.22) Acute Toxicity Inhalation, Category 5	(30.00) Sensitization, Skin, Category 1
(30.00) Sensitization, Skin, Category 1A	(17.45) Aquatic Chronic Toxicity, Category 3
(2.06) Acute Toxicity Oral, Category 5	(1.74) Aquatic Chronic Toxicity, Category 2
(1.51) Aquatic Chronic Toxicity, Category 4	(1.51) Aquatic Acute Toxicity, Category 1

## Department issuing data sheet:

Department E-mail address:

### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.