

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Amber & Incense Fragrance Oil

Page 1 of 7 2016-09-23

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Crafter's Choice™ Amber & Incense Fragrance Oil

1.2 Relevant identified product use

Intended Use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency Telephone Number: ChemTel (MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+ (813) 248-0585 International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A

Acute Toxicity Inhalation, Category 5

Aquatic Acute Toxicity, Category 1

H319: Causes serious eye irritation

H333: May be harmful if inhaled

H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 12 : Causes skin irritation.
16 : Causes eye irritation.

19: May cause photo-induced skin irritation.

Acute Oral 3: May be harmful if swallowed or if aspirated into the lungs

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

**Hazard pictograms** 



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Amber & Incense Fragrance Oil

Page 2 of 7 2016-09-23





# **Signal Word: Warning**

#### **Hazard statements**

H	303	May be harmful if swallowed
Н	313	May be harmful in contact with skin
Н	315	Causes skin irritation
Н	317	May cause an allergic skin reaction
Н	319	Causes serious eye irritation
Н	333	May be harmful if inhaled
Η₄	400	Very Toxic to aquatic life
Н	111	Toxic to aquatic life with long lasting effect

H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

#### Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. Continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

# 2.3 Other Hazards

### No data available

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411	28, 3
Benzyl Benzoate				
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
Tetramethyl Acetyloctahydronaphthalenes				



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Amber & **Incense Fragrance Oil**

Page 3 of 7 2016-09-23

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification				
105-95-3	203-347-8	2 - 5 %	H401	11, 15				
Ethylene l	Ethylene brassylate							
8008-57-9	232-433-8	2 - 5 %	H226; H304; H315; H400; H410	12, 3, 31				
Citrus aura	Citrus aurantium dulcis (Orange) oil							
24851-98-7	246-495-9	2 - 5 %	H402					
Methyldih	Methyldihydrojasmonate							
32388-55-9	251-020-3	2 - 5 %	H316; H317; H400; H410	16, 19				
Acetyl ced	drene							
18479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H402	11, 15				
2,6-dimetl	hyloct-7-en-2-ol							
10339-55-6	233-732-6	1 - 2 %	H227; H315; H319; H402	11, 15				
3,7-Dimet	hyl-1,6-nonadien	-3-ol						
28219-61-6	248-908-8	1 - 2 %	H319; H400; H410	11, 15, 31				
Ethyl trime	ethylcyclopenten	e butenol						
115-95-7	204-116-4	1 - 2 %	H227; H315; H319; H401; H402					
Linalyl ace	etate							
8023-89-0	232-557-2	1 - 2 %	H226; H303; H304; H313; H315; H400;	12, 3, 31				
Elemi oil (	Canarium spp.)		H410; H411					
121-33-5	204-465-2	1 - 2 %	H303; H319	31				
Vanillin								
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9				
Coumarin								
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	12, 26				
Linalool								
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	11, 15, 26				
6,7-Dihydi	ro-1,1,2,3,3-pent	amethyl-4(5H)-ir	ndanone (Cashmeran)					
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402					
Hydroxyis	ohexyl 3-cyclohe	exene carboxalde	ehyde					
8014-17-3(P)	277-143-2	0.1 - 1.0 %	H227; H315; H317; H318; H401; H411	12, 3, 31				
Citrus Aur	antium Amara (E	Bitter Orange) Le	af/Twig Oil					
68647-72-3	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31				
Citrus aurantium var. dulcis								
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H316; H317	12, 15, 26, 3, 31				
trans-alph	trans-alpha-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (trans-alpha-Damascone)							
See Section 16 for full text of GHS classification codes								

# **First Aid Measures**

# 4. **Description of first aid measures**

Total Hydrocarbon Content (% w/w) = 4.08

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Amber & Incense Fragrance Oil

Page 4 of 7 2016-09-23

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Amber & Incense Fragrance Oil

Page 5 of 7 2016-09-23

# 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow (G4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0396

 %VOC:
 4.1595

 Specific Gravity @ 25 C:
 0.9880

 Density @ 25 C:
 0.9850

 Refractive Index @ 20 C:
 1.4930

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials**Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Amber & Incense Fragrance Oil

Page 6 of 7 2016-09-23

# 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,750.81) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,916.37) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 103.86) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

# 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Regulator Class Pack Group Sub Risk UN-nr.
U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Amber & Incense Fragrance Oil

Page 7 of 7 2016-09-23

Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

IATA (Air Cargo)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s. IMDG (Sea)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

This product contains the following components:

93-15-2 202-223-0 <= 11 ppm Methyl Eugenol (NFS) 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations:

**DSL / NDSL** 100.00% of the components are listed or exempt.

## 16. Other Information

### GHS H-Statements referred to under section 3

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.48) Skin Corrosion/Irritation, Category 2 (3.50) Sensitization, Skin, Category 1B (1.36) Eye Damage/Eye Irritation, Category 2A (1.80) Aquatic Acute Toxicity, Category 1

(6.67) Aquatic Chronic Toxicity, Category 2

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.