

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Eucalyptus Tea*

Fragrance Oil

Page 1 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Eucalyptus Tea* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation

H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

Reproductive Toxicity, Category 1B

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Labelling (GHS)

Hazard pictograms





Signal Word: Danger

Hazard statements H227 Combustible liquid H303 May be harmful if swallowed H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled H360 May damage fertility or the unborn child H400 Very Toxic to aquatic life Toxic to aquatic life with long lasting effects H411

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage
- · · ·	

2.3 Other Hazards

no data available

Crafter's Choice™ Eucalyptus Tea*	
Fragrance Oil	

Page 2 of 9 Print Date: 2023-03-27



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Eucalyptus Tea* Fragrance Oil

Page 3 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

120-51-4 204-402-9 30 - 40 % H302; H313; H400; H411 Benzyl Benzoate 246-495-9 20 - 30 % H402 Methyldihydrojasmonate 18479-58-8 242-362-4 5 - 10 % H227; H303; H315; H319; H402
24851-98-7 246-495-9 20 - 30 % H402 Methyldihydrojasmonate 18479-58-8 242-362-4 5 - 10 % H227; H303; H315; H319; H402
Methyldihydrojasmonate 18479-58-8 242-362-4 5 - 10 % H227; H303; H315; H319; H402
18479-58-8 242-362-4 5 - 10 % H227; H303; H315; H319; H402
2,6-dimethyloct-7-en-2-ol
140-11-4 205-399-7 5 - 10 % H303; H401; H412
Benzyl acetate
78-70-6 201-134-4 5 - 10 % H227; H303; H315; H317; H319; H402
Linalool
5989-27-5 227-813-5 2 - 5 % H226; H304; H315; H317; H400; H412
Limonene
14901-07-6 238-969-9 2 - 5 % H303; H401; H411
lonone
54464-57-2 259-174-3 2 - 5 % H315; H317; H401; H411
Tetramethyl Acetyloctahydronaphthalenes
98-55-5 202-680-6 1 - 2 % H227; H303; H315; H319; H401
106-24-1 203-377-1 1 - 2 % H303; H315; H317; H318; H402 Geraniol
115-95-7 204-116-4 1 - 2 % H227; H315; H317; H320; H402 <i>Linalyl Acetate</i>
470-82-6 207-431-5 1 - 2 % H226; H303; H317; H320; H402
Eucalyptol
80-54-6 201-289-8 1 - 2 % H227; H302; H315; H317; H360; H401;
Butylphenyl Methylpropional H412
105-95-3 203-347-8 1 - 2 % H401
Ethylene brassylate
14765-30-1 238-830-2 1 - 2 % H227; H303; H316; H402
2-sec-Butylcyclohexanone
91-64-5 202-086-7 0.1 - 1.0 % H301; H317; H402
Coumarin
118-58-1 204-262-9 0.1 - 1.0 % H303; H317; H320; H401; H412
Benzyl Salicylate
6485-40-1 229-352-5 0.1 - 1.0 % H227; H303; H313; H317; H401
I-Carvone

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Eucalyptus Tea* Fragrance Oil

Page 4 of 9 Print Date: 2023-03-27

CAS# Ingredient	EC#	Conc. Range	GHS Classification
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylt	tetrahydro Benz	aldehyde	H411
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello	bl		
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411
Allyl cyclo	ohexylpropionate	е	
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
Geranyl A	Acetate		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
127-43-5	204-843-7	0.1 - 1.0 %	H315; H317; H401; H411
Methyl-ß	ionone		
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-T	Ferpinene		
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ene		
67633-96-9	266-797-4	0.1 - 1.0 %	H227; H317; H401
cis-3-Hex	enyl methyl car	bonate	
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
-	dimethylhydroc	innamal	
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401
Neryl ace	etate		
14073-97-3	237-926-1	0.1 - 1.0 %	H227; H302; H315; H317; H402; H412
I-Menthol			
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411
	hyl ionone		
52475-86-2	257-942-2	0.1 - 1.0 %	H315; H317; H318; H400; H410
-		• / •	-3-ene-1-carbaldehyde
See Section '	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 4.33

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

F	Product: Crafter's Choice™ Eucalyptus Tea*	
7820 E Pleasant Valley Road	Fragrance Oil	Page 5 of 9
Independence, OH 44131	-	Print Date: 2023-03-27
(800) 359-0944 www.WholesaleSuppliesPlus.com		
·		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly Contact physician if symptoms persist.	/ with water (and soap).
Ingestion:	Rinse mouth with water and obtain medical advice	e.
4.2 Most important symptoms a	nd effects, both acute and delayed	
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate	medical attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting meas	ures	
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from	, ,	
During fire fighting:	Water may be ineffective	
5.3 Advice for firefighters		
Further information:	Standard procedure for chemical fires	
6. Accidental Release	Measures	

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Eucalyptus Tea* Fragrance Oil

Page 6 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Li Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10)		
80-56-8	pinene	20)		
127-91-3	beta Pinene	20)		
Engineering	Controls: Use local exhaust as needed.				

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G0/1) to Yellow (G4)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	187 F (86.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1118
%VOC:	14.84
Specific Gravity @ 25 C:	0.9920
Density (g/mL) @ 25 C:	0.9890
Refractive Index @ 20 C:	1.4990
Soluble in:	Oil

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Eucalyptus Tea* Fragrance Oil

Page 7 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2359.6166) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3929.5060) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 39.7933) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Eucalyptus Tea* Fragrance Oil

Page 8 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (30 - 40 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	Ш		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) 40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations			All components of the substance/mixture are listed or exempt This product contains NO components of concern.		
California Prop	osition 65 W	arning	This product contains the following components:		
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)		
Canadian Regulati	ons				
DSL			100.00% of the components are listed or exempt.The following components are NOT on the List:		
94201-73-7	303-662-1	<= 8 ppm	Tetrahydro-4-methyl-2-phenyl-2H-pyran		

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H312 : Harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage

Crafter'sChoice[®]

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Eucalyptus Tea* Fragrance Oil

Page 9 of 9 Print Date: 2023-03-27

H361 : Suspected of damaging fertility or the unborn child
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects
(TFV) Risk
(26.68) Aquatic Chronic Toxicity, Category 3
(5.50) Sensitization, Skin, Category 1
(5.19) Sensitization, Skin, Category 1B
(3.29) Eye Damage/Eye Irritation, Category 2A
(2.72) Skin Corrosion/Irritation, Category 2
(2.18) Reproductive Toxicity, Category 2
(2.11) Aquatic Chronic Toxicity, Category 4
(1.27) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.