

Safety Data Sheet

Crafter's Choice™ Cedarwood & Sage Fragrance Oil

Page 1 of 7 2016-09-16

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Cedarwood & Sage Fragrance Oil*

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

(800) 255-3924

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes skin irritation.
	16 : Causes eye irritation.
Acute Inhalation	24 : Causes respiratory tract irritation.
	25 : Inhalation at high levels may cause: anesthesia.
Acute Oral	3 : May be harmful if swallowed .
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver.
	28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235		Keep cool
P264		Wash hands thoroughly after handling
P272		Contaminated work clothing should not be allowed out of the workplace
P273		Avoid release to the environment
Response:		
P302 + P3	352	IF ON SKIN: Wash with soap and water
P304 + P3	312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P3	351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. Continue rinsing
P312		Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P3	313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P3	313	If eye irritation persists: Get medical advice/attention
P362		Take off contaminated clothing and wash before reuse
P363		Wash contaminated clothing before reuse
P370 + P3	378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391		Collect Spillage

Safety Data Sheet

Crafter's Choice[™] Cedarwood &

Sage Fragrance Oil

2.3 Other Hazards

No data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
	246-495-9 drojasmonate	10 - 20 %	H402

OSHA Classification

Page 2 of 7 2016-09-16

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Cedarwood & Sage Fragrance Oil

Page 3 of 7 2016-09-16

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402	11, 15
2,6-dimetl	hyloct-7-en-2-ol			
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
1205-17-0	214-881-6	5 - 10 %	H303; H317; H401; H411	
a-Methyl-1	1,3-benzodioxole	-5-propionaldeh	yde	
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	28, 3
Benzyl Be	nzoate			
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410	11, 15
Hexameth	nylindanopyran			
112-53-8	203-982-0	2 - 5 %	H319; H400	11, 15, 24, 25
Lauryl alco	ohol			
115-95-7	204-116-4	2 - 5 %	H227; H315; H319; H401; H402	
Linalyl ace	etate			
10339-55-6	233-732-6	2 - 5 %	H227; H315; H319; H402	11, 15
3,7-Dimet	hyl-1,6-nonadien	-3-01		
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H402	11, 15, 31
Geraniol				
128-37-0	204-881-4	1 - 2 %	H316; H400; H410	
Butylated hydroxytoluene				
8015-73-4(S	283-900-8	0.1 - 1.0 %	H227; H302; H316; H317; H341; H351;	
Ocimum E	Basilicum (Basil)	Oil	H402; H412	
See Section 16 for full text of GHS classification codes				

Total Hydrocarbon Content (% w/w) = 1.12

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:Rinse mouth with water and obtain medical advice.4.2Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available	
Risks:Refer to Section 2.2 "Hazard Statements"4.3 Indication of any immediate medical attention and special treatment needed		

```
Treatment: Refer to Section 2.2 "Response"
```



Safety Data Sheet

Crafter's Choice™ Cedarwood & Sage Fragrance Oil

Page 4 of 7 2016-09-16

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable 5.2 Special hazards arising from the subst	Do not use a direct water jet on burning material ance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

E	Exposure Limi	its:					
	Component		ACGIH	ACGIH	OSHA	OSHA	
			TWA ppm	STEL ppm	TWA ppm	STELppm	
_	128-37-0	Butylated hydroxytoluene	2				

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure



Safety Data Sheet

Crafter's Choice™ Cedarwood & Sage Fragrance Oil

Page 5 of 7 2016-09-16

Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Conforms to standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	196 F (91.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0351
%VOC:	2.1602
Specific Gravity @ 25 C:	Not determined
Density @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

Acute toxicity - Dermal - (Rabbit) mg/kg

(LD50: 3,852.14) May be harmful if swallowed

(LD50: 5,463.22) Not classified - the classification criteria are not met (LC50: 30.94) May be harmful if inhaled

Acute toxicity - Inhalation - (Rat) mg/L/4hr



Safety Data Sheet

Crafter's Choice™ Cedarwood & Sage Fragrance Oil

Page 6 of 7 2016-09-16

Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1	Toxi	city
------	------	------

Acute acquatic toxicity Chronic acquatic toxicity Toxicity Data on soil Toxicity on other organisms	Not classified - the classification criteria are not met Toxic to aquatic life with long lasting effects no data available no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk)		Class Not Regulated	Pack Group	Sub Risk s Goods	UN-nr.
Chemicals NOI					
ADR/RID (International Road	d/Rail)				
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082



Safety Data Sheet

Crafter's Choice™ Cedarwood & Sage Fragrance Oil

Page 7 of 7 2016-09-16

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
15. Regulatory Info	ormation			
U.S. Federal Regulations:				
TSCA (Toxic Substance C	ontrol Act):		All components of the substance/mixt	ure are listed or exempt
40 CFR(EPCRA, SARA, CE U.S. State Regulations:	ERCLA and CAA	4)	This product contains NO components	s of concern.
California Proposition 65	Warning		This product contains the following co	mponents:
140-67-0 205-427-8	3 0.1 - 1.0 %	Es	tragole (Methyl chavicol) (NFS)	
93-15-2 202-223-0) <= 60 ppm	Me	thyl Eugenol (NFS)	
123-35-3(NF 204-622-	5 0.01 - 0.1%	be	ta-Myrcene (NFS)	
Canadian Regulations:				
DSL / NDSL			100.00% of the components are listed	d or exempt.
16. Other Informati	on			
GHS H-Statements referre	ed to under sec	tion 3		

Total Fractional Values

(TFV) Risk(2.63) Skin Corrosion/Irritation, Category 2(4.35) Eye Damage/Eye Irritation, Category 2A

(TFV) Risk(7.36) Sensitization, Skin, Category 1B(3.59) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.