

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Cedarwood & Sage\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com ragrance Oil Page 1 of 8
Print Date: 2023-03-21

### 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade Name: Crafter's Choice™ Cedarwood & Sage\* Fragrance Oil

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Carcinogenicity, Category 2 H351 : Suspected of causing cancer

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

### 2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cedarwood & Sage\*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil Page 2 of 8
Print Date: 2023-03-21







### **Signal Word: Warning**

### Hazard statements

H303 May be harmful if swallowed
H315 Causes skin irritation

H317 May cause an allergic skin reaction
 H319 Causes serious eye irritation
 H333 May be harmful if inhaled
 H351 Suspected of causing cancer

H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

### Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

### 2.3 Other Hazards

### no data available

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

**GHS Classification** 

CAS#	EC#	Conc.	
Ingredient		Range	



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

# Crafter's Choice<sup>™</sup> Cedarwood & Sage\* Fragrance Oil

Page 3 of 8 Print Date: 2023-03-21

CVC#
www.WholesaleSuppliesPlus.com
(800) 359-0944
Independence, OH 44131
7820 E Pleasant Valley Road

CAS# Ingredient	EC#	Conc. Range	GHS Classification				
_	040 405 0	•					
24851-98-7	246-495-9	10 - 20 %	H402				
	ydrojasmonate	40 00 0/	11000-11040-11400-11444				
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411				
Benzyl Be		<b>5</b> 40 0/	11007 11000 11045 11040 11400				
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402				
	hyloct-7-en-2-ol	0 50/	11040 11400 11440				
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410				
	nylindanopyran	• • •					
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402				
Linalool							
103-95-7	203-161-7	2 - 5 %	H227; H303; H315; H317; H401; H412				
•	Aldehyde						
107-75-5	203-518-7	2 - 5 %	H317; H319; H402				
Hydroxyci							
10339-55-6	233-732-6	2 - 5 %	H227; H303; H316; H317; H319; H402				
Ethyl Lina							
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402				
Linalyl Ac	etate						
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H402				
Geraniol							
128-37-0	204-881-4	1 - 2 %	H316; H400; H410				
BHT							
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411				
Ethyl 2,2-0	dimethylhydrocin	namal					
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412				
Limonene							
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402				
Eucalypto	I						
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401				
Nerol							
140-67-0	205-427-8	0.1 - 1.0 %	H227; H302; H315; H317; H341; H351;				
Estragole (Methyl Chavicol)		I)	H401; H412				
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401				
Citral							
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;				
pinene			H410				
6485-40-1	229-352-5	0.1 - 1.0 %	H227; H303; H313; H317; H401				
I-Carvone							
See Section 16 for full text of GHS classification codes							



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cedarwood & Sage\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 8 Print Date: 2023-03-21

### 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

### 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cedarwood & Sage\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-03-21

### 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

**128-37-0** *BHT* 2 **80-56-8** *pinene* 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Colorless to Yellow Tint (G1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0400

 %VOC:
 2.40

 Specific Gravity @ 25 C:
 0.9470



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Cedarwood & Sage\*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

Print Date: 2023-03-21

Page 6 of 8

Density (g/mL) @ 25 C: 0.9440 Refractive Index @ 20 C: 1.4700 Soluble in: Oil

#### 10. **Stability and Reactivity**

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### **Toxicological Information** 11.

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3872.8638) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 50.4420) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Suspected of causing cancer

Reproductive toxicity Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met Aspiration hazard

#### 12. **Ecological Information**

### 12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available no data available Toxicity on other organisms

12.2 Persistence and degradability

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Cedarwood & Sage\* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

Print Date: 2023-03-21

Page 7 of 8

12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

### 13. Disposal Conditions

### 13.1 Waste treatment methods

www.WholesaleSuppliesPlus.com

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

1222-05-5 : (2 - 5 %) : Hexamethylindanopyran

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous	9	III		UN3082

### 15. Regulatory Information

U.S. Federal Regulations

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

140-67-0 205-427-8 0.1 - 1.0 % Estragole (Methyl chavicol) (Natural Source)

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source) 93-15-2 202-223-0 <= 33 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

**DSL** 99.85% of the components are listed or exempt. The following

components are NOT on the List:

16251-77-7 240-362-9 0.1 - 1.0 % 3-Phenylbutanal



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice<sup>™</sup> Cedarwood & Sage\* Product: Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-03-21

Page 8 of 8

#### 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H227: Combustible liquid

H302: Harmful if swallowed H304: May be fatal if swallowed and enters airways

H316: Causes mild skin irritation H313: May be harmful in contact with skin H317: May cause an allergic skin reaction H318: Causes serious eye damage

H320: Causes eye irritation H341: Suspected of causing genetic defects

H400: Very Toxic to aquatic life H401: Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

### Total Fractional Values

(TFV) Risk (TFV) Risk

(99.12) Acute Toxicity Inhalation, Category 5 (27.57) Aquatic Chronic Toxicity, Category 3 (4.01) Sensitization, Skin, Category 1B (2.99) Skin Corrosion/Irritation, Category 3 (2.91) Carcinogenicity, Category 2 (2.88) Eye Damage/Eye Irritation, Category 2A

(2.74) Aquatic Chronic Toxicity, Category 2 (2.22) Sensitization, Skin, Category 1

(2.22) Sensitization, Skin, Category 1A (2.15) Skin Corrosion/Irritation, Category 2

(1.29) Acute Toxicity Oral, Category 5

### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.