

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 1 of 9

Print Date: 2023-03-27

Crafter's Choice[™] Fall Breeze* Product:

Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Fall Breeze* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 78020 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of titl	e 29)
Flammable Liquids, Category 4	H227 : Combustible liquid

С

Flammable Liquids, Category 4
Sensitization, Skin, Category 1A
Eye Damage/Eye Irritation, Category 2A

- H317 : May cause an allergic skin reaction
- H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice[™] Fall Breeze* Fragrance Oil

Page 2 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc.	
Ingredient	EC#	Range	GHS Classification

Crafter'sChoice[®]

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice[™] Fall Breeze* Fragrance Oil

Page 3 of 9 Print Date: 2023-03-27

CAS# Ingredient	EC#	Conc. Range	GHS Classification
-		-	
107-75-5	203-518-7	10 - 20 %	H317; H319; H402
Hydroxyc			
88-41-5	201-828-7	10 - 20 %	H227; H303; H316; H401; H411
-	yclohexyl acetat		
24851-98-7	246-495-9	5 - 10 %	H402
•	ydrojasmonate		
103-60-6	203-127-1	5 - 10 %	H316
	yethyl isobutyra		
6259-76-3	228-408-6	2 - 5 %	H316; H317; H400; H410
Hexyl sal	icylate		
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameti	hylindanopyran		
140-11-4	205-399-7	2 - 5 %	H303; H401; H412
Benzyl ad	cetate		
142-19-8	205-527-1	2 - 5 %	H227; H301; H311; H400; H412
Allyl hept	anoate		
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
104-67-6	203-225-4	2 - 5 %	H316; H402; H412
gamma-L	Indecalactone		
54830-99-8	259-367-2	1 - 2 %	H303; H316; H402
Acetoxyd	ihydrodicycloper	ntadiene	
6413-10-1	229-114-0	1 - 2 %	H227; H316
Ethyl 2-m	ethyl-1,3-dioxola	ane-2-acetate	
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
142-92-7	205-572-7	1 - 2 %	H226; H316; H401; H411
Hexyl ace			,
128-37-0	204-881-4	1 - 2 %	H316; H400; H410
BHT			,, -
39255-32-8	254-384-1	1 - 2 %	H226; H316
	ethylvalerate	/ •	-,
125-12-2	204-727-6	1 - 2 %	H227; H316; H401
Isobornyl		1 2 /0	
63500-71-0	405-040-6	1 - 2 %	H319
	/lethyl Tetrahydr		
103-95-7	203-161-7	0.1 - 1.0 %	H227; H303; H315; H317; H401; H412
	n Aldehyde	0.1 - 1.0 /0	1227,11000,11010,11017,11401,11412
090/amer	202-938-8	0.1 - 1.0 %	H303; H317; H401
			1000, 11017, 11 1 01
aipria-ivie 68039-49-6	thylcinnamaldeh	-	L227, L202, L245, L247, L240, L404,
00039-49-0	268-264-1	0.1 - 1.0 %	H227; H303; H315; H317; H319; H401;



7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice[™] Fall Breeze* Fragrance Oil

Page 4 of 9 Print Date: 2023-03-27

CAS# Ingredient	EC#	Conc. Range	GHS Classification
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylte	etrahydro Benza	aldehyde	H411
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto)		
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
Ethyl 2,2-0	dimethylhydroci	innamal	
41724-19-0	255-517-6	0.1 - 1.0 %	H302; H312; H317; H402; H412
Octahydro	o-7-methyl-1,4-r	nethanonaphthal	len-6(2H)-one (Plicatone)
See Section 1	6 for full text of	GHS classification	on codes

Total Hydrocarbon Content (% w/w) = 0.09

4. **First Aid Measures** 4.1 **Description of first aid measures** Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms: no data available Refer to Section 2.2 "Hazard Statements" Risks: 4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response" 5. Fire-Fighting measures 5.1 **Extinguishing media** Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material 5.2 Special hazards arising from the substance or mixture **During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
	olandara procedure for orientidar mes



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 5 of 9

Print Date: 2023-03-27

Product: Crafter's Choice[™] Fall Breeze*

Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Li	mits:					
Component	:		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl ace	etate	10)		
128-37-0	BHT		2	2		
Engineering	Controls:	Use local exhaust as needed.				

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice[™] Fall Breeze* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 9 Print Date: 2023-03-27

www.WholesaleSuppliesPlus.com	
Color:	Nearly Colorless(0) - Yellow Tint(G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	198 F (92.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1347
%VOC:	12.40
Specific Gravity @ 25 C:	0.9540
Density (g/mL) @ 25 C:	0.9510
Refractive Index @ 20 C:	1.4630
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"						
Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2754.6308) May be harmful if swallowed					
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4110.1940) May be harmful in contact with skin					
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 26.9153) May be harmful if inhaled					
Skin corrosion / irritation	Causes mild skin irritation					
Serious eye damage / irritation	Causes serious eye irritation					
Respiratory sensitization	Not classified - the classification criteria are not met					
Skin sensitization	May cause an allergic skin reaction					
Germ cell mutagenicity	Not classified - the classification criteria are not met					
Carcinogenicity	Not classified - the classification criteria are not met					
Reproductive toxicity	Not classified - the classification criteria are not met					



7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice[™] Fall Breeze* Fragrance Oil

Page 7 of 9 Print Date: 2023-03-27

www.WholesaleSuppliesPlus.com	
Specific target organ toxicity - single exposure	
Specific target organ toxicity - repeated exposure	
Aspiration hazard	

Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available

12.5 Other adverse effects

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

no data available

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 6259-76-3 : (2 - 5 %) : Hexyl salicylate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.	;	9	111		UN3082

Crafter'sChoice®

7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice[™] Fall Breeze* Fragrance Oil

Page 8 of 9 Print Date: 2023-03-27

(800) 359-0944 www.WholesaleSuppliesPlus.com 15. Regulatory Information **U.S. Federal Regulations TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt 40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components: 1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran **U.S. State Regulations California Proposition 65 Warning** This product contains the following components: 123-35-3(NF 204-622-5 <= 72 ppm beta-Myrcene (Natural Source) 89-82-7 201-943-2 <= 60 ppm Pulegone (Natural Source) **Canadian Regulations** DSL 99.80% of the components are listed or exempt. The following components are NOT on the List: 125109-85-5 412-050-4 0.1 - 1.0 % Isopropylphenylbutanal 94201-73-7 303-662-1 <= 8 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour H302 : Harmful if swallowed H312 : Harmful in contact with skin H317 : May cause an allergic skin reaction
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(185.77) Acute Toxicity Inhalation, Category 5
(47.00) Sensitization, Skin, Category 1
(17.30) Sensitization, Skin, Category 1B
(4.67) Skin Corrosion/Irritation, Category 3
(1.82) Acute Toxicity Oral, Category 5
(1.22) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

H301 : Toxic if swallowed H311 : Toxic in contact with skin H315 : Causes skin irritation H320 : Causes eye irritation H401 : Toxic to aquatic life H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk

- (49.27) Aquatic Chronic Toxicity, Category 3
- (47.00) Sensitization, Skin, Category 1A
- (4.89) Aquatic Chronic Toxicity, Category 2
- (2.08) Eye Damage/Eye Irritation, Category 2A
- (1.62) Aquatic Chronic Toxicity, Category 4



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice[™] Fall Breeze* Fragrance Oil

Page 9 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.