

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil

Page 1 of 9 2016-12-21

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil

1.2 Relevant identified product use

Intended Use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency Telephone Number: ChemTel (MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+ (813) 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Reproductive Toxicology, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

16: Causes eye irritation.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia.

Acute Oral 2: Harmful if swallowed

Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, stomach, brain, tongue, mucous membranes, musculo-skeletal

system, male reproductive system.

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin,

testes



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil

Page 2 of 9 2016-12-21

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Warning

Hazard Statements

H227	Combustible liquid
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Resp

sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. Continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

No data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil

Page 3 of 9 2016-12-21

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification		
24851-98-7	246-495-9	5 - 10 %	H402			
Methyldih	/drojasmonate					
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	28, 3		
Benzyl Be	nzoate					
104-61-0	203-219-1	5 - 10 %	H316	12, 15		
gamma-N	onalactone					
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39		
Butylphen	yl Methylpropion	al	H411			
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31		
Tetrameth	yl Acetyloctahyd	ronaphthalenes				
104-50-7	203-208-1	2 - 5 %	H316	11, 15		
gamma-O	ctalactone					
88-41-5	201-828-7	2 - 5 %	H227; H303; H316; H401; H411	12, 2		
2-t-Butylcy	vclohexyl acetate)				
68917-33-9	284-515-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31		
Citrus Lim	on Peel Oil Terp	enes				
10339-55-6	233-732-6	1 - 2 %	H227; H315; H319; H402	11, 15		
3,7-Dimet	hyl-1,6-nonadien	-3-ol				
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	11, 15		
Hexyl cinn	amaldehyde					
140-11-4	205-399-7	1 - 2 %	H303; H316; H401; H412	15, 25, 26, 31, 39		
Benzyl ac	Benzyl acetate					
8008-57-9	232-433-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31		
Citrus aur	Citrus aurantium dulcis (Orange) oil					
150-84-5	205-775-0	1 - 2 %	H315; H401; H411	11, 15		
Citronellyl	Citronellyl acetate					
6259-76-3	228-408-6	1 - 2 %	H315; H317; H319; H400; H410	11, 15		
Hexyl salid	cylate					
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15		
Hexamethylindanopyran						
105-87-3	203-341-5	1 - 2 %	H315; H317; H401; H412	11, 15		
Geranyl acetate						
18479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H402	11, 15		
2,6-dimethyloct-7-en-2-ol						
706-14-9	211-892-8	1 - 2 %	H316			
gamma-D	ecalactone					



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil

Page 4 of 9 2016-12-21

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
68647-72-3	232-433-8	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31	
Limonene	Limonene				
142-92-7	205-572-7	1 - 2 %	H226; H316; H401; H411		
Hexyl ace					
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	11, 15	
Citronello					
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	12, 26	
Linalool					
127-51-5	204-846-3	0.1 - 1.0 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31	
	a-Isomethyl ionone				
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H401; H411		
-	1,3-benzodioxole			44 45 04	
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402	11, 15, 31	
Hydroxyc 127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 24, 25, 31	
ß-Pinene	204-072-3	0.1 - 1.0 /6	11220, 11304, 11313, 11317, 11400, 11410	11, 13, 24, 23, 31	
106-02-5	203-354-6	0.1 - 1.0 %	H316; H317; H411		
Pentadecalactone					
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411	12	
	Formaldehyde cyclododecyl ethyl acetal				
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31	
Dimethyltetrahydro Benzaldehyde H411					
18127-01-0	242-016-2	0.1 - 1.0 %	H227; H303; H315; H317; H361; H373;	11, 15, 2, 31, 39	
p-tert-Butyldihydrocinnamaldehyde H401; H412					
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401	26	
Citral					
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	11, 15, 26	
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)					
120-57-0	204-409-7	0.1 - 1.0 %	H303; H317; H401	31	
Piperonal					

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 5.67

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil

Page 5 of 9 2016-12-21

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil

Page 6 of 9 2016-12-21

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

 Component
 ACGIH TWA ppm
 ACGIH NOSHA TWA ppm
 OSHA STEL ppm
 OSHA STEL ppm

 140-11-4
 Benzyl acetate
 10
 SPinene
 20
 SPinene

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Conforms to standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.2117 **%VOC:** 11.3644

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil

Page 7 of 9 2016-12-21

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,683.27) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 5,035.00) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 45.07) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Carcinogenicity

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



7820 E. Pleasant Valley Road Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

Safety Data Sheet

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil SDS Type: GHS / OSHA

Page 8 of 9 2016-12-21

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI		Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
ADR/RID (International Road/Rail)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk (TFV) Risk

(2.51) Skin Corrosion/Irritation, Category 2 (4.00) Sensitization, Skin, Category 1B

(1.19) Eye Damage/Eye Irritation, Category 2A (1.33) Reproductive Toxicology, Category 2

(5.94) Aquatic Chronic Toxicity, Category 2



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028

www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Coconut Water & Kiwi Fragrance Oil

SDS Type: GHS / OSHA

Page 9 of 9 2016-12-21

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.