

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Havana Heat Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 8 Print Date: 2023-03-30

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Havana Heat Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms











Revised Date: 2023-02-07 00:00

well

Product:

Crafter's Choice[™] Havana Heat Fragrance Oil

Page 2 of 8

Print Date: 2023-03-30

www.WholesaleSuppliesPlus.com
Signal Word: Danger

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

0.9		90
Hazard	stater	nents

H303	May be harmful if swallowed
H315	Causes skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled

H360 May damage fertility or the unborn child H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unw
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards


no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification
	54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Tetramethyl Acetyloctahydronaphthalenes				
	24851-98-7	246-495-9	5 - 10 %	H402
Methyldihydrojasmonate				
	120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411
Benzvl Benzoate				





7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

Safety Data Sheet

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice[™] Havana Heat Fragrance Oil

Page 3 of 8 Print Date: 2023-03-30

CAS#	SuppliesPlus.com	Conc.	
ngredient	EC#	Range	GHS Classification
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexamet	hylindanopyran		
5989-27-5 Limonene	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
38-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411
	cyclohexyl aceta		11221, 11000, 11010, 11101, 11111
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ad			, ,
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411
	1,3-benzodioxo	le-5-propionalde	
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
6,7-Dihya	dro-1,1,2,3,3-pei	ntamethyl-4(5H)-	indanone (Cashmeran)
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411
(ethoxym	ethoxy)cyclodod	decane	
5462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H401
4-Methox	y-alpha-methyll	benzenepropanal	I
70788-30-6	274-892-7	0.1 - 1.0 %	H315; H317; H411
Trimethyl	-propylcyclohex	anepropanol	
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
Butylphenyl Methylpropional		onal	H412
6259-76-3	228-408-6	0.1 - 1.0 %	H316; H317; H400; H410
Hexyl sal	icylate		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarir	7		
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-7	Terpinene		
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411
=		ne carboxaldehy	
See Section 1	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 2.05

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 8

Print Date: 2023-03-30

Product: Crafter's ChoiceTM Havana Heat Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Skin Exposure:

Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice[™] Havana Heat Fragrance Oil

Page 5 of 8 Print Date: 2023-03-30

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

80-56-8 *pinene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless to Pale Yellow (G2)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Plashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0309

 %VOC:
 2.80

 Specific Gravity @ 25 C:
 0.9410

 Density (g/mL) @ 25 C:
 0.9380

 Refractive Index @ 20 C:
 1.4610

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice[™] Havana Heat Fragrance Oil

Page 6 of 8 Print Date: 2023-03-30

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10.4 Conditions to avoidNone known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4717.1374) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 138.1808) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity

Not classified - the classification criteria are not met

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice[™] Havana Heat Fragrance Oil

Page 7 of 8 Print Date: 2023-03-30

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

1222-05-5 : (2 - 5 %) : Hexamethylindanopyran

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo)

ADR/RID (International Road/Rail)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

IMDG (Sea)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 99.97% of the components are listed or exempt. The following

components are NOT on the List:

476332-65-7 0.01 - 0.1% 2H-Indeno[4,5b] furan, decahydro-2,2,6,6,7,8,,8-heptamethyl

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid H301 : Toxic if swallowed H302 : Harmful if swallowed

H304: May be fatal if swallowed and enters airways

H313: May be harmful in contact with skin

H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation
H320 : Causes eye irritation

H361 : Suspected of damaging fertility or the unborn child
H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Product: Crafter's Choice[™] Havana Heat Fragrance Oil

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Print Date: 2023-03-30

(36.18) Acute Toxicity Inhalation, Category 5	(21.06) Aquatic Chronic Toxicity, Category 3
(8.50) Sensitization, Skin, Category 1B	(7.00) Reproductive Toxicity, Category 2
(3.00) Reproductive Toxicity, Category 1B	(3.00) Sensitization, Skin, Category 1
(3.00) Sensitization, Skin, Category 1A	(2.10) Aquatic Chronic Toxicity, Category 2
(1.93) Skin Corrosion/Irritation, Category 3	(1.50) Skin Corrosion/Irritation, Category 2
(1.06) Acute Toxicity Oral, Category 5	(1.00) Reproductive Toxicity, Category 1B

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.