Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Calming Water* -

EO & FO Blend

Page 1 of 8 Print Date: 2023-03-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Calming Water* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
sification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Acute Toxicity Oral, Category 5 Acute Toxicity Dermal, Category 5 Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1A Eye Damage/Eye Irritation, Category 2A Acute Toxicity Inhalation, Category 5 Aquatic Acute Toxicity, Category 1 Aquatic Chronic Toxicity, Category 2 sification OSHA (Provisions 1910.1200 of title 2 Flammable Liquids, Category 4 Skin Corrosion/Irritation, Category 2

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Crafter's Choice[™] Calming Water* -Product: EO & FO Blend

Page 2 of 8 Print Date: 2023-03-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
ponse:	

Res

•	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Crafter'sChoice®

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Calming Water* -EO & FO Blend

Page 3 of 8 Print Date: 2023-03-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	EO & FO Biend		Print Date: 2023-03-2
CAS# EC#	Conc. Range	GHS Classification	
101-86-0 202-983-3 Hexyl cinnamal	10 - 20 %	H303; H316; H317; H400; H411	
107-75-5 203-518-7	10 - 20 %	H317; H319; H402	
Hydroxycitronellal	10-20 %	11317, 11319, 11402	
6259-76-3 228-408-6	5 - 10 %	H316; H317; H400; H410	
Hexyl salicylate	5 10 /0	11310, 11317, 11400, 11410	
54464-57-2 259-174-3	5 - 10 %	H315; H317; H401; H411	
Tetramethyl Acetyloctahy			
122-40-7 204-541-5	5 - 10 %	H303; H316; H317; H401; H411	
Amyl Cinnamal		,,,,	
60-12-8 200-456-2	5 - 10 %	H302; H313; H316; H319	
phenethyl alcohol			
32210-23-4 250-954-9	5 - 10 %	H303; H317; H401	
4-tert-Butylcyclohexyl ace	etate		
5989-27-5 227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412	
Limonene			
10339-55-6 233-732-6	2 - 5 %	H227; H303; H316; H317; H319; H402	
Ethyl Linalool			
54830-99-8 259-367-2	2 - 5 %	H303; H316; H402	
Acetoxydihydrodicyclope	ntadiene		
24851-98-7 246-495-9	2 - 5 %	H402	
Methyldihydrojasmonate			
140-11-4 205-399-7	2 - 5 %	H303; H401; H412	
Benzyl acetate			
68912-13-0 272-805-7	2 - 5 %	H401; H411	
Hexahydro-methanoindei	nyl Propionate		
118-58-1 204-262-9	1 - 2 %	H303; H317; H320; H401; H412	
Benzyl Salicylate			
1222-05-5 214-946-9	1 - 2 %	H316; H400; H410	
Hexamethylindanopyran			
127-51-5 204-846-3	1 - 2 %	H316; H317; H320; H401; H411	
a-Isomethyl ionone			
See Section 16 for full text of	GHS classificati	on codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 5.90

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

	Product:	Crafter's Choice [™] Calming Water* -	
7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com		EO & FO Blend	Page 4 of 8 Print Date: 2023-03-20
Skin Exposure:		Remove contaminated clothes. Wash thoroughly Contact physician if symptoms persist.	with water (and soap).
Ingestion:		Rinse mouth with water and obtain medical advic	e.
4.2 Most important symptom	ns and effec	ts, both acute and delayed	
Symptoms:		no data available	
Risks:		Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immed	iate medical	attention and special treatment needed	
Treatment:		Refer to Section 2.2 "Response"	
5. Fire-Fighting me	easures		
5.1 Extinguishing media			
Suitable:		Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable		Do not use a direct water jet on burning material	
5.2 Special hazards arising	5.2 Special hazards arising from the substance or mixture		
During fire fighting:		Water may be ineffective	
5.3 Advice for firefighters			
Further information:		Standard procedure for chemical fires	
6 Accidental Rele	ase Measi	Iras	

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Calming Water* -EO & FO Blend

Page 5 of 8 Print Date: 2023-03-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

8. Exposure	e Controls/Personal Protection			
8.1 Control parameter	rs			
Exposure Limits:				
Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm		
140-11-4 Benzyl acetate 10		10		
Engineering Contr	ols: Use local exhaust as needed.	Use local exhaust as needed.		
8.2 Exposure controls	s - Personal protective equipment			
Eye protection:		Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure		
Respiratory protect	on: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.			
Skin protection:	Avoid Skin contact. Use chemical	Avoid Skin contact. Use chemically resistant gloves as needed.		
9. Physical	and Chemical Properties			

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint(G1) - Pale Yellow(G3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	198 F (92.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0709
%VOC:	8.50
Specific Gravity @ 25 C:	0.9610
Density (g/mL) @ 25 C:	0.9580
Refractive Index @ 20 C:	1.4963
Soluble in:	Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable10.3 Possibility of hazardous reactionsNone

None Stable None known

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Calming Water* -EO & FO Blend

Page 6 of 8 Print Date: 2023-03-20

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

10.4 Conditions to avoid

10.5 Incompatible materials

None known Strong oxidizing agents, strong acids, a

10.6 Hazardous decomposition products

Strong oxidizing agents, strong acids, and alkalis None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3921.5686) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3202.6578) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 40.1616) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

-	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Calming Water* -EO & FO Blend

Page 7 of 8 Print Date: 2023-03-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 101-86-0 : (10 - 20 %) : Hexyl cinnamal				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regulatory Information					
U.S. Federal Regulations					
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt				
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:				
1222-05-5 214-946-9 1 - 2 %	Hexamethylindanopyran				
U.S. State Regulations					
California Proposition 65 Warning	No Warning required				
Canadian Regulations					
DSL	100.00% of the components are listed or exempt.				

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H320 : Causes eye irritation
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(124.50) Acute Toxicity Inhalation, Category 5	(98.00) Sensitization, Skin, Category 1
(98.00) Sensitization, Skin, Category 1A	(60.03) Aquatic Chronic Toxicity, Category 3
(13.95) Sensitization, Skin, Category 1B	(6.44) Skin Corrosion/Irritation, Category 3
(5.96) Aquatic Chronic Toxicity, Category 2	(2.38) Eye Damage/Eye Irritation, Category 2A
(2.21) Aquatic Chronic Toxicity, Category 4	(1.56) Acute Toxicity Dermal, Category 5



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Calming Water* -EO & FO Blend

Page 8 of 8 Print Date: 2023-03-20

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

(1.41) Skin Corrosion/Irritation, Category 2

(1.27) Acute Toxicity Oral, Category 5

(1.26) Aquatic Acute Toxicity, Category 1

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.