

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-03-28

Page 1 of 9

Product: Crafter's Choice<sup>™</sup> Fizz Fragrance Oil - FF# 1

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade Name: Crafter's Choice™ Fizz Fragrance Oil - FF# 1

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

Flammable Liquids, Category 3 H226 : Flammable liquid and vapour Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 5

Aquatic Acute Toxicity, Category 1

H319: Causes serious eye irritation
H333: May be harmful if inhaled
H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 3 H226 : Flammable liquid and vapour

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [] ACGIH [] IARC [X] NTP [] OSHA []

### 2.2 Label elements



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9 Print Date: 2023-03-28

Product: Crafter's Choice<sup>TM</sup> Fizz Fragrance Oil - FF# 1

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Labelling (GHS)

# **Hazard pictograms**









# Signal Word: Danger

# **Hazard statements**

H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life

# **Precautionary Statements**

# Prevention:

H411

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
snonse.	

Toxic to aquatic life with long lasting effects

# Response

ъμ	onse.	
l	P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
	P302 + P352	IF ON SKIN: Wash with soap and water
ļ	P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
-	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
ļ	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
-	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention





Product: Crafter's Choice<sup>™</sup> Fizz Fragrance Oil - FF# 1 Revised Date: 2023-02-07 00:00

Print Date: 2023-03-28

Page 3 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

P337 + P313	If eye irritation persists: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

# 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

# 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
5989-27-5	227-813-5	20 - 30 %	H226; H304; H315; H317; H400; H412
Limonene			
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402
2,6-dimeth	nyloct-7-en-2-ol		
<b>78-70-6</b> Linalool	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
<b>80-56-8</b> pinene	201-291-9	2 - 5 %	H226; H302; H304; H315; H317; H400; H410
<b>5392-40-5</b> <i>Citral</i>	226-394-6	2 - 5 %	H313; H315; H317; H319; H401
<b>99-85-4</b> gamma-Te	202-794-6 erpinene	2 - 5 %	H226; H303; H304; H316; H361
<b>121-33-5</b> vanillin	204-465-2	2 - 5 %	H303; H313; H319; H402
110-41-8	203-765-0	1 - 2 %	H227; H315; H317; H402; H410
2-Methylu	ndecanal		
127-91-3	204-872-5	1 - 2 %	H226; H304; H315; H317; H400; H410
beta Piner	пе		
19009-56-4	242-745-6	1 - 2 %	H315; H317; H401; H411
2-Methyld	ecanal (Aldehyde	e MOA)	
<b>124-13-0</b> Octanal	204-683-8	1 - 2 %	H226; H315; H319; H401; H412
112-54-9	203-983-6	1 - 2 %	H315; H317; H319
Lauraldehyde			
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Fizz Fragrance Oil - FF# 1

Page 4 of 9 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
Geranyl A	Acetate		
<b>586-62-9</b> <i>Terpinole</i>	209-578-0 ne	0.1 - 1.0 %	H227; H303; H304; H316; H317; H400; H410
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto	ol		
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401
Neryl ace	tate		
99-87-6	202-796-7	0.1 - 1.0 %	H226; H303; H304; H331; H361; H401;
p-cymene	<del>)</del>		H411
495-62-5	207-805-8	0.1 - 1.0 %	H304; H315; H317; H332; H401; H411
gamma-E	Bisabolene		
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 30.30

### 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



Fragrance Oil - FF# 1

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 9

Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 6. **Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### Reference to other sections 6.4

Not Applicable

#### 7. **Handling and Storage**

#### **Precautions for safe handling** 7.1

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### Specific end uses

No information available

# **Exposure Controls/Personal Protection**

## 8.1 Control parameters

**Exposure Limits:** 

Component **ACGIH ACGIH OSHA OSHA** TWA ppm STEL ppm TWA ppm STEL ppm

80-56-8 pinene 20 127-91-3 beta Pinene 20

**Engineering Controls:** Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



Crafter's Choice<sup>TM</sup> Fizz

Fragrance Oil - FF# 1

Data Sheet

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Print Date: 2023-03-28

Page 6 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard
Color: Yellow Tint (G0-1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

140 F (60.00 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

None Expected

 Vapor Pressure (mmHg@20 C):
 0.3933

 %VOC:
 35.66

 Specific Gravity @ 25 C:
 0.8860

 Density (g/mL) @ 25 C:
 0.8830

 Refractive Index @ 20 C:
 1.4580

 Soluble in:
 Oil

# 10. Stability and Reactivity

**10.1 Reactivity** None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4766.4589) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are no

Acute toxicity - Inhalation - (Rat) mg/L/4hr

(LD50: 91.9942) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Fizz Fragrance Oil - FF# 1

Page 7 of 9 Print Date: 2023-03-28

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

# 12. Ecological Information

## 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

5989-27-5 : (20 - 30 %) : Limonene

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)				
Perfumery Products	3	III	Flammable Liquid	UN1266
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

IMDG (Sea)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Fizz Fragrance Oil - FF# 1

Fragrance

Print Date: 2023-03-28

Page 8 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				

# 15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 %

beta-Myrcene (Natural Source)

Canadian Regulations

**DSL** 100.00% of the components are listed or exempt.

# 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid
H302 : Harmful if swallowed
H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H331 : Toxic if inhaled
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk (54.35) Acute Toxicity Inhalation, Category 5 (28.51) Aquatic Chronic Toxicity, Category 3 (24.58) Sensitization, Skin, Category 1 (24.58) Sensitization, Skin, Category 1A (24.15) Reproductive Toxicity, Category 2 (22.25) Sensitization, Skin, Category 1B (5.01) Skin Corrosion/Irritation, Category 3 (4.64) Skin Corrosion/Irritation, Category 2 (3.03) Aspiration Hazard, Category 1 (2.75) Aquatic Chronic Toxicity, Category 2 (1.74) Eye Damage/Eye Irritation, Category 2A (1.36) Aquatic Chronic Toxicity, Category 4 (1.10) Aguatic Acute Toxicity, Category 1 (1.05) Acute Toxicity Oral, Category 5

### Department issuing data sheet:

### Department E-mail address:

### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.



Product: Crafter's Choice<sup>™</sup> Fizz Fragrance Oil - FF# 1 SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com