

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 9

Print Date: 2023-03-17

Product: Crafter's ChoiceTM Breeze Fragrance Oil - FF# 5

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Breeze Fragrance Oil - FF# 5

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9

Print Date: 2023-03-17

Product: Crafter's ChoiceTM Breeze Fragrance Oil - FF# 5

Labelling (GHS)

7820 E Pleasant Valley Road

Independence, OH 44131

Hazard pictograms

www.WholesaleSuppliesPlus.com



(800) 359-0944





Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Collect Spillage

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Res

. =	and have seen by a seen of a seen and seed among
sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

P391

2.3 Other Hazards

no data available





Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's ChoiceTM Breeze Fragrance Oil - FF# 5

Page 3 of 9 Print Date: 2023-03-17

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411
Benzyl Be	enzoate		
54830-99-8	259-367-2	5 - 10 %	H303; H316; H402
Acetoxyd	ihydrodicyclope	ntadiene	
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H360; H401 H412
	nyl Methylpropio		
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
	hyloct-7-en-2-ol		11404 11444
68912-13-0	272-805-7	2 - 5 %	H401; H411
-	ro-methanoindei	•	
6259-76-3	228-408-6	2 - 5 %	H316; H317; H400; H410
Hexyl sal	•		
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411
	hyl Acetyloctahy		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
	hylindanopyran		
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cin			
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401
	ylcyclohexyl ace		
93-04-9	202-213-6	2 - 5 %	H401; H411
2-Methox			nethyl ether, Nerolin, Yara Yara)
127-51-5	204-846-3	2 - 5 %	H316; H317; H320; H401; H411
a-Isometh	hyl ionone		
25485-88-5	400-410-3	2 - 5 %	H303; H401; H411
Cyclohex	yl salicylate		
101-48-4		1 - 2 %	H227; H303; H316; H319; H402
Phenylac	etaldehyde dime	ethyl acetal	
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411
2-t-Butylo	cyclohexyl aceta	te	
125-12-2	204-727-6	1 - 2 %	H227; H316; H401
Isobornyl	acetate		
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410
Acetyl he	xamethyl tetralir	1	
•	•		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9

Print Date: 2023-03-17

Product: Crafter's ChoiceTM Breeze Fragrance Oil - FF# 5

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
2020341-69-	939-627-8	1 - 2 %	H227; H317; H401; H411			
(3E)-3,4,5,6,6-pentamethylhept-3-en-2-one						
93-92-5	202-288-5	1 - 2 %	H227; H402			
methylbe	nzyl acetate					
68039-49-6	268-264-1	1 - 2 %	H227; H303; H315; H317; H319; H401;			
2,4-Dime	thyl-3-cyclohexe	ene carboxaldehy	deH411			
2550-26-7	219-847-4	1 - 2 %	H303; H316			
Benzyl ad	cetone					
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402			
Linalool						
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412			
Benzyl Sa	alicylate					
122-40-7	204-541-5	1 - 2 %	H303; H316; H317; H401; H411			
Amyl Cini	namal					
470-82-6	207-431-5	1 - 2 %	H226; H303; H317; H320; H402			
Eucalypto	ol .					
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410			
Acetyl ce	drene					
78-69-3	201-133-9	0.1 - 1.0 %	H227; H315; H317; H319; H401			
Tetrahydi	rolinalool					
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410			
beta Pine	ne					
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410			
Cedrol m	ethyl ether					
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401			
Eugenol						
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402			
Linalyl Ad	etate					
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410			
-	ındecanal					
112-44-7	203-972-6	0.1 - 1.0 %	H315; H317; H402			
Undecana	al					
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;			
pinene			H410			
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411			
6,7-Dihya	lro-1,1,2,3,3-pe	ntamethyl-4(5H)-i	ndanone (Cashmeran)			
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402			
Geraniol						
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411			
	phexylpropionat					
See Section 1	6 for full text of	GHS classification	on codes			



7820 E Pleasant Valley Road

www.WholesaleSuppliesPlus.com

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 9

Print Date: 2023-03-17

Product: Crafter's ChoiceTM Breeze Fragrance Oil - FF# 5

Total Hydrocarbon Content (% w/w) = 4.31

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



Fragrance Oil - FF# 5

Crafter's ChoiceTM Breeze

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9

Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Product:

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint - Yellow (G1-4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Melting Point:

Not determined

Not determined

181 F (82.78 C)

Auto flammability:

Not determined

None Expected

Oxidizing properties:

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0844

 %VOC:
 7.27

 Specific Gravity @ 25 C:
 1.0030



Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road

Product: Crafter's Choice TM Breeze Fragrance Oil - FF# 5

Page 7 of 9 Print Date: 2023-03-17

www.WholesaleSuppliesPlus.com Density (g/mL) @ 25 C: 1.0000 Refractive Index @ 20 C: 1.5120

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2457.3750) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4199.7727) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 45.5111) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met Aspiration hazard

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Toxic to aquatic life with long lasting effects Chronic acquatic toxicity

Toxicity Data on soil no data available no data available Toxicity on other organisms

12.2 Persistence and degradability

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Breeze Fragrance Oil - FF# 5

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 8 of 9 Print Date: 2023-03-17

12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (20 - 30 %): Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				
IATA (Air Cargo)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				
IMDG (Sea)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)This product contains the following components:

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9

Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's ChoiceTM Breeze Fragrance Oil - FF# 5

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways H312 : Harmful in contact with skin

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage H320 : Causes eye irritation H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(109.86) Acute Toxicity Inhalation, Category 5 (63.88) Aquatic Chronic Toxicity, Category 3

(40.00) Reproductive Toxicity, Category 1B (34.00) Sensitization, Skin, Category 1

(34.00) Sensitization, Skin, Category 1A (13.33) Reproductive Toxicity, Category 1B

(6.35) Aquatic Chronic Toxicity, Category 2 (4.93) Skin Corrosion/Irritation, Category 3

(4.00) Sensitization, Skin, Category 1B (2.80) Aquatic Chronic Toxicity, Category 4

(2.55) Eye Damage/Eye Irritation, Category 2A (2.22) Skin Corrosion/Irritation, Category 2

(2.03) Acute Toxicity Oral, Category 5 (1.75) Aquatic Acute Toxicity, Category 1

(1.19) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.