

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 1 of 8

Print Date: 2023-03-29

Product: Crafter's Choice[™] Frost Fragrance Oil - FF# 7

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Frost Fragrance Oil - FF# 7

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 1	H318 : Causes serious eye damage
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of	title 29)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Evo Domogo/Evo Irritation, Catagory 1	H319 : Causas soriaus ava damaga

- Eye Damage/Eye Irritation, Category 1 Reproductive Toxicity, Category 2
- H318 : Causes serious eye damage
- H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 2 of 8 Print Date: 2023-03-29



7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Danger

Hazard statements

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc.	
Ingredient	E0#	Range	GHS Classification







Fragrance Oil - FF# 7

Safety Data Sheet

Crafter'sChoice®

7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

Product: Crafter's Choice[™] Frost Fragrance Oil - FF# 7

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 3 of 8 Print Date: 2023-03-29

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com			
CAS# Ingredient	EC#	Conc. Range	GHS Classification
15356-70-4 Menthol	239-388-3	5 - 10 %	H227; H303; H315; H320; H402
2216-51-5	218-690-9	5 - 10 %	H303; H315; H320; H333; H402
<i>I-Menthol</i> 24851-98-7	246-495-9	5 - 10 %	H402
Methyldihy	/drojasmonate		
1205-17-0	214-881-6	5 - 10 %	H303; H317; H361; H401; H411
a-Methyl-1	1,3-benzodioxol	e-5-propionaldeh	nyde
52475-86-2	257-942-2	2 - 5 %	H315; H317; H318; H400; H410
1-Methyl-4	4-(4-methyl-3-pe	entenyl)cyclohex-	-3-ene-1-carbaldehyde
14073-97-3	237-926-1	1 - 2 %	H227; H302; H315; H317; H402; H412
I-Menthon	е		
67634-15-5	266-819-2	1 - 2 %	H315; H317; H400; H411
Ethyl 2,2-0	dimethylhydrocii	nnamal	
10458-14-7	233-944-9	1 - 2 %	H227; H303; H315; H317; H402; H412
Menthone	(isomer unspec	cified)	
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411
Benzyl Be	nzoate		
491-07-6	207-727-4	0.1 - 1.0 %	H227; H302; H315; H317; H332; H402
d,I-Isomer	nthone		
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene			
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto	I		
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411
Methoxy o	licyclopentadien	e carboxaldehyd	le
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Piner	ne		
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Cary	ophyllene		
89-81-6	201-942-7	0.1 - 1.0 %	H315; H317; H320; H402
Piperitone			
See Section 1	6 for full text of	GHS classificatio	n codes

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 1.33



SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Product: Crafter's Choice[™] Frost Fragrance Oil - FF# 7

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 8 Print Date: 2023-03-29

www.WholesaleSuppliesPlus.com			
4. First Aid Measures			
4.1 Description of first aid measur	res		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms:	no data available		
Risks: Refer to Section 2.2 "Hazard Statements"			
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting measur	res		
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable	Do not use a direct water jet on burning material		
5.2 Special hazards arising from t	he substance or mixture		
During fire fighting:	Water may be ineffective		
5.3 Advice for firefighters			
Further information:	Standard procedure for chemical fires		

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Product: Crafter's Choice[™] Frost Fragrance Oil - FF# 7

Page 5 of 8 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
80-56-8	pinene	20
127-91-3	beta Pinene	20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Yellow Tint (G0-1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0142
%VOC:	0.06
Specific Gravity @ 25 C:	0.9370

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Product: Crafter's Choice[™] Frost Fragrance Oil - FF# 7

Page 6 of 8 Print Date: 2023-03-29

Density (g/mL) @ 25 C:		
www.WholesaleSuppliesPlus.com		
(800) 359-0944		
Independence, OH 44131		
7820 E Pleasant Valley Road		

Density (g/mL) @ 25 C:	0.9340
Refractive Index @ 20 C:	1.4570
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3332.5958) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 64.1536) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye damage
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability

no data available



7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Product: Crafter's Choice[™] Frost Fragrance Oil - FF# 7

Page 7 of 8 Print Date: 2023-03-29

www.WholesaleSuppliesPlus.com			
12.3 Bioaccumulative potential	no data available		
12.4 Mobility in soil	no data available		
12.5 Other adverse effects	no data available		

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 52475-86-2 : (2 - 5 %) : 1-Methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods				
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IATA (Air Cargo)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IMDG (Sea)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					

15. Re	egulatory Infor	mation		
U.S. Federal Regulations				
TSCA (To	xic Substance Co	ntrol Act)	All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations		RCLA and CAA)	This product contains NO components of concern.	
California Proposition 65 Warning		arning	This product contains the following components:	
123-35-	-3(NF 204-622-5	0.1 - 1.0 %	beta-Myrcene (Natural Source)	
89-82-7	201-943-2	0.1 - 1.0 %	Pulegone (Natural Source)	
Canadian Re	gulations			
DSL			99.50% of the components are listed or exempt.The following components are NOT on the List:	
125109	-85-5 412-050-4	0.1 - 1.0 %	Isopropylphenylbutanal	



SDS v1 GHS / OSHA

Product: Crafter's Choice[™] Frost Fragrance Oil - FF# 7 Revised Date: 2022-10-11 00:00

Page 8 of 8 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H313 : May be harmful in contact with skin
- H320 : Causes eye irritation
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(77.94) Acute Toxicity Inhalation, Category 5

(17.63) Aquatic Chronic Toxicity, Category 3

- (3.59) Eye Damage/Eye Irritation, Category 2A
- (3.01) Skin Corrosion/Irritation, Category 2
- (1.67) Reproductive Toxicity, Category 2
- (1.47) Eye Damage/Eye Irritation, Category 2B

H227 : Combustible liquid
H304 : May be fatal if swallowed and enters airways
H317 : May cause an allergic skin reaction
H332 : Harmful if inhaled
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk

- (50.00) Reproductive Toxicity, Category 2
- (5.00) Sensitization, Skin, Category 1B
- (3.04) Skin Corrosion/Irritation, Category 3
- (1.75) Aquatic Chronic Toxicity, Category 2
- (1.50) Acute Toxicity Oral, Category 5
- (1.17) Eye Damage/Eye Irritation, Category 1

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.